Impacts of Electric Vehicles -Deliverable 1

An overview of Electric Vehicles on the market and in development

Report Delft, April 2011

Author(s): Max Grünig (Ecologic) Marc Witte (Ecologic) Dominic Marcellino (Ecologic) Jordan Selig (Ecologic) Huib van Essen (CE Delft)



Ecologic Institute

Berlin Brussels Vienna Washington DC



Publication Data

Bibliographical data:

Max Grünig, Mark Witte, Dominic Marcellino, Jordan Selig (Ecologic) Huib van Essen (CE Delft) Impact of Electric Vehicles - Deliverable 1 An overview of Electric Vehicles on the market and in development Delft, CE Delft, April 2011

Electric Vehicles / Production / Government / Industry / Investment / Research / Market

Publication number: 11.4058.03

CE-publications are available from www.cedelft.eu

Commissioned by: European Commission.

This study has been produced by outside contractors for the Climate Action Directorate-General and represents the contractors' views on the matter. These views have not been adopted or in any way endorsed by the European Commission and should not be relied upon as a statement of the views of the European Commission. The European Commission does not guarantee the accuracy of the data included in this study, nor does it accept responsibility for any use made thereof.

Further information on this study can be obtained from the contact person Huib van Essen.

CE Delft

Committed to the Environment

CE Delft is an independent research and consultancy organisation specialised in developing structural and innovative solutions to environmental problems. CE Delft's solutions are characterised in being politically feasible, technologically sound, economically prudent and socially equitable.



Contents

	Summary	5
1	Introduction and aim of the report	9
1.1	Introduction to the project	9
1.2	Objective	10
1.3	Approach	11
2	Manufacturer forecasts for passenger cars	13
2.1	Introduction	13
2.2	Methodology for data gathering	13
2.3	Raw data analysis	14
2.4	Current and future developments by car manufacturers	15
2.5	Non-passenger car vehicles	30
2.6	Summary	32
3 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8	Government and industry investment decisions Introduction Government and industry investments Government development plans Government development programmes Non-car industry investment decisions Tax incentives and subsidies Industry research activities Summary	35 35 37 40 45 46 48 48
4 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9	Public research programmes Introduction EU-wide research activities National-level research activities (EU) University-affiliated research activities (USA) Laboratory research activities (USA) International research activities General overview Literature Overview Summary	51 51 52 54 56 57 58 59 60
5	Conclusions	61
5.1	The nature of the future EVs	61
5.2	Trends and market penetration in the near future	62
5.3	Government and industry investment	62
5.4	Research efforts	63

References



Annex A	Website List

Database excerpt

Annex B

79

Summary

Electric Vehicles (EVs) are a promising technology for reducing the GHG emissions and other environmental impacts of road transport. It is important for EU policy makers to get an overview of the possible impacts of the introduction of Electric Vehicles. Therefore DG CLIMA commissioned CE Delft, ICF and Ecologic to carry out a study on the potential impacts of large scale market penetration of EVs in the EU, with a focus on passenger cars and light commercial vehicles. This study includes an assessment of both the transport part (e.g., composition of vehicle fleet) and electricity production and the impacts on well-to-wheel GHG emissions, pollutant emissions, other environmental impacts, costs, etc. This report is the first deliverable of this project and provides an overview of current market developments, i.e., mostly EVs coming to the market by 2011-12, but also covering vehicles up to 2015 as well as genuine show cars.

We analysed 106 different passenger cars and a smaller number of non-passenger cars. The relatively limited data in the sample, together with the speculative nature of the topic and the fact that some of the vehicles are still announcements or prototypes of which some specifications might change in the coming year(s), results in a limited statistical robustness of the findings, calling for caution when drawing conclusions building on the analysis.

Presently there is no clear indication for a real shift in terms of vehicle mass or design. The fact that the forecasted electric cars are on average not significantly heavier than today's European cars implies either that the heavy battery weight will be compensated with weight reduction in other elements or that there will be more small cars in the market than currently. No fundamental shift in the short term towards light weight composite materials as in aircraft design could be observed. This may not hold true in the long term as composite materials may become market-ready in the future.

Vehicle prices will be considerably higher for Full Electric Vehicles (FEVs) and Plug-in Hybrid Electric Vehicles (PHEVs) compared to today's cars powered by Internal Combustion Engines (ICEs).

Judging from the available data, battery capacity correlates very directly with battery mass. Thus, more battery capacity implies a heavier and larger car. Ranges are therefore still very much limited and pure electric driving will be limited to short and medium range applications for the near-term future. In the long run, the ranges of FEVs might increase significantly and extend the cars' typical fields of application beyond city-only use. Based on electric urban drive ranges, FEVs are primarily in the 100-200 km ranges, PHEVs in the ranges below 100 km. This is linked both to vehicle mass and battery performance.

In terms of maximum speed and acceleration, Electric Vehicles (EVs) will not differ significantly from today's cars. However, it has to be noted that EVs can only run at top speed for a very short time due to overheating issues. Their performance will increase over time, which will also allow electric driving beyond urban and local traffic.



The gathered information seems to indicate that the actual body will not differ much from today's mid-sized European cars, at least until 2015. On average, the chassis will be significantly lighter than today's US cars and slightly lighter than today's European cars. This seems to indicate a trend towards smaller cars.

When comparing directly an ICE model with its electric sister-model, EV models almost always perform weaker against their ICE versions. In particular, vehicle price and range – two essential purchase criteria – are significantly less advantageous for the EVs. As a consequence, the market penetration of EVs might remain below expectations as potential buyers could rather stick to the lower-priced ICE version with a better overall performance.

Apart from passenger cars, many different vehicle types will be electrified in the future. Generally, these vehicles are very heterogeneous and can be subdivided into several variable subgroups: city cruisers, racing and off-road motorbikes, city bicycles ('Pedelecs'), trucks and vans. Their specifications largely depend on the type and use of the vehicle (i.e., the subgroup) and need to be compared more profoundly to receive meaningful results. As many of the vehicles are not produced in large quantities, individual modifications are often possible.

In some countries, non-passenger-car EVs already represent market shares of up to 10%, as do electric bicycles in the Netherlands, indicating a significant market potential for non-car electric mobility. Further concrete current signs of burgeoning market penetration can be observed as postal and messenger services and other companies are increasingly equipping their inner-city fleets with short-range electric vans and trucks. These fields might be a potential key application of EVs with a much higher potential than for passenger cars.

The further uptake of EVs – passenger cars and other vehicles – will tend to be heavily supported by government and industry programs and, thus, also be threatened by national austerity programs. The majority of total global government and industry investments (\in 21.6 billion) have been initiated in the US and the EU. The tendency has been to support subsidy programs for EVs dispersion, where the USA is the world leader. Indication of increasing political will to promote EV technologies is evidenced by the fact that large sums are spent by government institutions or are part of national economic stimulus programs to support EVs. Similarly, most of the countries within the EU and beyond have introduced CO₂-based car taxes favouring EVs. Tax incentives, rebates and circulation restrictions are additional measures and have been instituted in many countries.

Generally, the types of programs for electric mobility (target numbers, infrastructure, pilot projects, traffic rights, etc.) vary globally, but also within the EU. Infrastructure for EVs is often developed and installed in cooperation with private companies and in public private partnership, revealing that there is not only a public interest in EV technology, but also economic potential.

Research activities are abundant in the USA and the EU, but also in Japan and China. Research activities in virtually all areas of electric mobility are highest in the United States, especially in universities and national laboratories, while all other countries trail significantly in both categories.

Japan remains the world leader in battery research and development. National-level research activities within the EU often coincide with huge subsidies originating from national economic stimulus packages. Most projects



are pilot and demonstration projects and include companies, universities, research institutes, and public institutions.

The 7th Framework Programme for Research and Technological Development (FP7) represents the largest arena in which EU-wide research on Electric Vehicles is currently taking place. FP7, which has a total budget of over € 50 billion and lasts from 2007 to 2013, includes a number of research projects directly related to Electric Vehicles; particularly prominent are energy efficiency, battery and drive train technology as well as developing transport systems and scenarios.

A number of government programs are limited in duration and will run out by 2012, thus raising the question of the continuity of government and private industry commitment to Electric Vehicles.

Key Findings

In the near-term future, the market penetration of EVs will remain fairly low compared to conventional vehicles. The estimation based on several government announcements, industry capacities and proliferation projects sees more than five million new Electric Vehicles on the road globally until 2015 (excluding two- and three-wheelers), the majority of these in the European Union. The main markets for Electric Vehicle are in order of importance the EU, the US and Asia (China and Japan). Some further target markets like Israel and the Indian subcontinent are also expected to evolve.

In the long term, the share of EVs will most likely increase as additional countries adopt technologies and initiate projects.

- 1. It can be assumed that in the short run, i.e., until 2015, EVs will not differ significantly from today's cars concerning their outward appearance and function, albeit with shorter ranges than conventional ICE cars.
- 2. Until 2015, the market penetration of EVs will remain fairly low: compared to global sales forecasts of 53 million conventional cars in 2010 alone, EVs will account for over five million cars until 2015. The main markets for EVs still being the EU, the US and East Asia (China and Japan).
- 3. As research activities and investments are relatively high, EV technology may advance rapidly and might account for greater shifts in the future than our findings suggest.
- 4. There is a significant risk of electric 'depression' after 2012 if expectations are not met and market penetration remains low.





1 Introduction and aim of the report

1.1 Introduction to the project

Electric Vehicles (EVs) are a promising technology for drastically reducing the environmental burden of road transport. More than a decade ago and also more recently, they were advocated by various actors as an important element in reducing CO_2 emissions of particularly passenger cars and light commercial vehicles as well as emissions of pollutants and noise.

At the same time, EVs are still far from proven technology. There exist many uncertainties with respect to crucial issues like:

- The battery technology (energy capacity in relation to vehicle range, charging speed, durability, availability and environmental impacts of materials).
- Well-to-wheel impacts on emissions.
- Interaction with the electricity generation.
- Cost and business case of large scale introduction.

For EU policy makers, it is important to get a reliable and independent assessment of the state of the art of these issues in order to develop targeted and appropriate GHG reduction policy for transport. Therefore DG CLIMA commissioned CE Delft, ICF and Ecologic to carry out a study on the potential impacts of large scale market penetration of EVs in the EU, with a focus on passenger cars and light commercial vehicles. This study includes an assessment of both the transport part (e.g., composition of vehicle fleet) and electricity production and the impacts on well-to-wheel GHG emissions, pollutant emissions, other environmental impacts, costs, etc.

In this study three types of EVs are distinguished:

- Full Electric Vehicles (FEVs) that have an electric engine and no internal combustion engine (ICE).
- Plug-in Hybrid Electric Vehicles (PHEVs) that have both an ICE and an electric engine, with a battery that can be charged on the grid.
- Electric Vehicles with a Range Extender (EREVs) that have an electric engine and an ICE that can be used to charge the battery and so extend the vehicle's range. The battery of an EREV can be charged on the grid.

The results of the study should help the Commission with developing GHG policy for transport, in particular in the field of EVs and in relation to the wider EU transport policy and EU policy for the electricity sector.




The project is organised around seven work packages (WPs):

- WP 1 Current status EV of development and market introduction.
- WP 2 Assessment of vehicle and battery technology and cost.
- WP 3 Assessment of impacts on future energy sector.
- WP 4 Economic analysis and business models.
- WP 5 Workshop on developments and expectations.
- WP 6 Scenario analysis.
- WP 7 Policy implications.

The following graph (Figure 1) gives an overview of the main interactions between the various WPs. The approach for each WP is explained in the following paragraphs.





The results of this project are presented in five deliverables: Deliverables 1 to 4 presenting the results of WP 1 to 4 and a final Deliverable 5 with the results of WP 5, 6 and 7. In addition there is a summary report, briefly summarizing the main results of the entire project.

This report is the first deliverable of the project and includes the results of WP 1.

1.2 Objective

The aim of WP 1 is to provide an overview of the current status of EVs and PHEVs in the market. This overview includes:

- The current industry activities, by car makers, electricity utilities, parts suppliers (motors and batteries), including joint ventures, product announcements and pilot projects.
- Announcement and projections by analysts, policy makers, experts, etc.
- Gather and summarise conclusions of the most important existing research projects in the EU and elsewhere.
- Assess these forecasts and predictions.

The scope of this deliverable is:

- Worldwide developments.
- Data was taken into consideration until the end of the Geneva Auto Show, 14.03.2010.



The study primarily focuses on passenger cars. Other types of road transport and non-road transport modes are only included in a qualitative assessment.

1.3 Approach

Currently, Electric Vehicles (EVs) represent only a small fraction of car sales. While the market share of pure Electric Vehicles remains microscopic throughout the EU (Eurostat 2010), milder forms of electrification start to penetrate the car market:

- Micro hybrids essentially are standard ICE based cars with a start-stop mechanism to reduce idling of the engine at for example traffic lights.
- Mild hybrid concepts use an electric drive to support the ICE when additional torque is needed.
- Full Hybrids, feature both an ICE and an electric drive train, where the electric drive train can operate independently and allows emission free propulsion for short distances at low speeds. The battery is charged by the ICE component and not through an external charger.
- PHEVs feature both an ICE and an electric drive train. They can be charged through a power outlet or other external charger and can thus run independently of the ICE for a limited distance after which the combustion engine again charges the battery. Once the battery is depleted, the vehicle runs on the ICE.
- EREVs have an all electric drive train and drive on battery electricity only. Their ICE serves solely to charge the battery and thus extends the vehicle's range.
- Full Electric Vehicle (FEV): an all-Electric Vehicle without ICE.

While all the above mentioned car categories share the similarity that they use electric batteries to power the drive train to various degrees, the complexity of the configuration varies significantly: From a purely systems engineering perspective, PHEVs showcase a higher degree of complexity than FEVs or EREVs as they include two fully functional drive train systems. Moreover, PHEVs are conceptually closer to classical ICE-powered cars than both EREVs and FEVs, as PHEVs present both the features of ICE cars and EVs.

This report focuses on the following types:

- PHEVs, Plug-in Hybrid Electric Vehicles.
- FEVs, Full Electric Vehicles (no ICE).
- EREVs, EVs with Range Extender.

For each class, we define three vehicle categories:

- Small i.e., a car that would fit into the European small car segment.
- Medium i.e., a car that would fit into the European mid-size segment.
- Large i.e., a car that would fit into the European full-size segment.

This categorisation will guide us in our analysis of the data and will allow us to link closely with the following tasks in the project.

This work package gives an overview of current activities by car manufacturers, electric utilities and public entities including joint ventures, product announcements and pilot projects. Furthermore, we have included assessments by experts, policy makers and analysts.



To assess the different approaches, we will review each of them in a similar way. Our first step is, thus, to develop the assessment framework. In a subsequent step, we will then apply this framework to currently available products, industry research and finally publicly funded research.

All data and information for this work package has been obtained from readily available literature, press releases, leaflets, newsletters, company websites and through personal communication. In particular, work built on recent studies commissioned by the European Commission.



2 Manufacturer forecasts for passenger cars

2.1 Introduction

In this chapter, we gather and review data on car manufacturer developments in electric mobility. The chapter focuses primarily on passenger cars as these constitute currently the most relevant vehicle market. The next section (Section 2.2) will address how data was gathered and compiled, followed by an analysis of the raw data (Section 2.3), which will then be analysed in more detail (Section 2.4). This analysis draws statistical comparisons on drive train configuration, vehicle mass, pricing, range, batteries, maximum speed and acceleration.

Furthermore, future EVs are directly compared to their ICEV equivalents. In a final section, we look into developments in the non-passenger car segment, including two- and three-wheelers and commercial vehicles (Section 2.5). The chapter closes with a summary of the main findings (Section 2.6).

2.2 Methodology for data gathering

We build our assessment of current and near-future EV passenger cars on forecasts made by car manufacturers.

The EEA report 'Environmental impacts and impact on the electricity market of a large scale introduction of electric cars in Europe - Critical Review of Literature' (ETC/ACC Technical Paper 2009/4, July 2009) was a main source of information.

Furthermore, we contacted several experts in the field of electric mobility. Their personal assessments contributed to the findings presented in this report.

Another main source was the internet. The homepages of the different car manufacturers provided much necessary information on vehicle specifications.

The major model database used was http://www.pluginamerica.org/vehicles/. The http://evworld.com - newsletter regularly updated us on current developments in the EV-scene. Further websites on developments in the car industry and especially in the area of alternative compulsion were:

- http://www.autoblog.com.
- http://green.autoblog.com.
- http://www.wired.com.
- http://www.hybridcars.com.
- http://www.greencarcongress.com.
- http://ww2.autoscout24.de.
- http://blogs.edmunds.com/greencaradvisor.



In addition, car magazines (such as AutoMotorSport, Autobild, etc.) and their web pages provided inside reports and missing data. Car purchase prices are indicated in Euro. All prices are final retail prices and taxes are included in the purchase prices. We used the official exchange rates of April 23rd, 2010 for prices quoted in other currencies. If a price span was given, we took the arithmetic mean as the purchase price.

2.3 Raw data analysis

The full list of cars assessed can be found in Table 1.

Table 1 Announced EV

Aptera 2h	Fisker Project Nina	Renault Kangoo ZE		
Audi E-tron	Ford Escape	Renault Zoe Z.E. Concept		
Audi Metroproject Quattro	Ford Focus EV	Renault Zoe Z.E.		
Audi A1 Sportback	Ford Transit Connect	REVA NXG		
BAIC BE701	General Motors Cadillac Converj	REVA NXR		
BMW 1 Series Concept Active E	GM Saturn Vue Green Line	Rinspeed UC?		
electric coupe				
BMW Megacity	Green Vehicles Moose	RUF Stormster		
BMW Mini-E	Green Vehicles Triac	Saab ZE 9-3		
BMW Vision	Herpa Trabant nT	SABA Carbon Zero		
Bright Automotive Idea	Heuliez Mia	SAIC Roewe 750		
BYD Auto e6	Hyundai Blue-Will	SEAT Ibe		
BYD F3DM	Jaguar XJ	SEAT León 'Twin Drive Ecomotive'		
Capstone CMT-380	Kia Ray	Suzuki Swift		
Chery Auto Co. S18/M1	Kia Venga	Tata Indica		
Chevrolet Volt	Land Rover Range Rover Sport	Tata Nano		
Chrysler GEM	Lightning UK Electric Lightning GT	Tazzari Zero		
Chrysler Town & Country	Lotus Evora 414E hybrid	Tesla Motors Roadster		
Chrysler 200C	Mercedes Benz F 800	Tesla S Electric Sedan		
Chrysler Jeep Patriot	Mercedes Benz F 800	Th!nk City C		
Chrysler Jeep Wrangler Unlimited	Mercedes Benz SLS eDrive	Toyota 1/X		
Citroen C-Zero	Miles Electric (ZX40S)	Toyota FT-EV city car		
Citroen C-Zero City Car	Mindset AG Mindset	Toyota Prius Plug-in		
Citroën REVOLTE	Mitsubishi iMiEV	Valmet EVA		
Coda Automotive CODA	Mitsubishi PX-iMiEV	Velozzi Solo crossover		
Commuter Cars Tango	Nissan Leaf	Velozzi Supercar		
CT&T United e-Zone with lead- acid battery	NLV Quant	VentureOne/Persu Mobility		
CT&T United e-Zone with lithium polymer battery	Opel Ampera	Venturi Fetish		
Daimler Smart ED	Opel Flextreme	Visionary Vehicles/Bricklin Collection		
Daimler Mercedes Benz Blue Zero	Optimal Energy Joule	Volkswagen Twin Drive		
Daimler Mercedes Benz S500	Peugeot ion City Car	Volvo C-30 electric car		
Vision				
Detroit Electric e63	Pininfarina/Bollore BlueCar	Volvo ReCharge		
Detroit Electric e64	Porsche 918 Spyder	Volvo V70		
EWE-E3	Protoscar SA Lampo2	VW Up! (E-Up!)		
e-WOLF e2	Renault Fluence Z.E. Concept	XR-3 Hybrid		
Fiat 500	Renault Fluence ZE EV			
Fisker Karma	Renault Kangoo Z.E. Concept			



The data of our study comprises 106 different EVs of 66 different car manufacturers, including models of the 15 biggest vehicle manufacturing groups worldwide such as Toyota Motor Corporation, General Motors Company, Volkswagen AG, etc. While Honda has been sluggish and explicitly renounced Electric Vehicles and PHEV technology until recently¹, changes in the California tax code have made them reconsider their stance, implying that Honda may develop a PHEV in the near future².

While all of the above were developed with the aim of finally producing a final product, we are very much aware of the fact that a considerable number of the proposed concepts will not come to see completion. Furthermore, show-cars usually demonstrate state-of-the-art technology. Hence, the results of a comparison with cars that are already on the market have to be judged with caution. Even without them being introduced to the market, the conceptual design of show cars reveals statistically meaningful information on construction and performance possibilities and constraints of Electric Vehicles.

The relative limited data in the sample, together with the speculative nature of the topic, results in a limited statistical robustness of the findings, calling for caution when drawing conclusions building on the analysis.

Most manufacturers are serving the 'classical' (West) European, North American and East Asian markets and also originate from these regions. However, there is a significant share of Chinese and Indian car manufacturers, and even one South African company. Chinese, South American, South Asian (esp. India) and Middle East markets play an increasingly important role for EV penetration, whereas African, Central American and Central Asian markets are considered marginal.

30% of all researched models have been or will be released in 2009/2010, the remaining 70% in 2011+ (if at all). We have included available information up to the Geneva car show, i.e., 14.03.2010.

2.4 Current and future developments by car manufacturers

We will refrain from analysing each proposed model separately and instead opt for a statistical analysis of the models. This allows us to exclude some of the uncertainties due to missing or incorrect data. Some uncertainty will nevertheless remain as the number of assessed cars is relatively small, especially in the sub-samples.

We analyse developments according to a set of criteria that overlaps as much as possible with the data requirements for the subsequent development of vehicle platforms within WP 2: drive train configuration and vehicle size, weight, purchase costs, electrical drive train (EDT) range and battery property. We will analyse these parameters for all cars and separately for 2009/2010 versus 2011 and later car releases. This will allow us to establish an indicator for trends in the EV market. Comparing short-term and long-term releases, we run the risk of providing an overly optimistic trend towards the latter, but the categorisation proves to be comparatively reliable.

² Bloomberg 26.04.2009 http://www.bloomberg.com/apps/news?pid=20601103&sid=aD0dW_ P92jeU&refer=us.



According to: http://online.wsj.com/article/SB119313344275568239.html? mod=googlenews_wsj.

2.4.1 Drive train configuration and vehicle size


In comparison with the average car of today, the near-future EV does not seem to be very different regarding the body, as lower-medium size sedans will most likely be the preferred model even in the future.

It seems that 50% of the cars will belong to the small-medium or medium sector, while less than 20% of all EVs will be mid-large or large.

According to JD Powers forecasting (Bonhoff, 2009), compact cars represent the largest share of the European car market, followed by mid-size cars. Large cars represent a much smaller part of the car market.


Looking at current trends (see Figure 2), it seems that the future EV market will follow the same pattern and have an emphasis on small and mid-size vehicles, the latter alone embodying 50% of all announced vehicles.

Figure 2 Share of car segments in the data set (with actual number of vehicles, n=106)




When looking at the power train configuration in the different vehicle classes, we find that among the small vehicles, FEVs dominate with almost 75%, see Figure 3. EREVs have no high relevance in this segment.


Figure 3 Small vehicles drive train configuration (with actual number of vehicles, n=35)



In the medium and large vehicle sector, however, FEVs and PHEVs balance more evenly, see Figure 4. We found only one vehicle with a Range Extender in this segment.







EREVs predominately appear among the large vehicles, see Figure 5.




Figure 5 Large vehicles drive train configuration (with actual number of vehicles, n=18)

The larger the car, i.e., the heavier, the less likely it is to be a Full Electric Vehicle. Also, PHEV concepts are rarely proposed for small cars.

Furthermore, we separated our database into two classes (cars to be released 2009/2010 and cars to be released 2011+) and subsequently compared these subgroups with each other.

Strikingly, 73% of the EVs to be released in 2009 or 2010 are FEVs with only one EREV (3%) among them. However, in later years, the PHEV share will increase and reduce the share of FEVs to 54% (PHEVs 39%, EREVs 7%). The data thus indicates a shift towards PHEVs.

2.4.2 Vehicle mass

If a distinction was made for different weights of the vehicles, we opted for curb weight data. We were not able to differentiate between gasoline and diesel cars concerning the US and EU ICE cars.

The average Electric Vehicles will weigh 1,289 kg, 83 kg lighter than the average European car today (1,372 kg³), but significantly lighter than today's

³ <u>http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:140:0001:0015:EN:PDF.</u>




average US-car (1,879 kg⁴). Despite of the fact that PHEVs rely less on electric compulsion and thus could have lighter batteries (that account for a great share of the vehicle's complete mass), they weigh 1,349 kg on average and, thus, almost 90 kg more than FEVs (1,262 kg), see Figure 6. This indicates that PHEVs tend to be larger cars compared to FEVs.

The median for FEVs only amounts to 1,240 kg (hence FEV mass dispersion is slightly skewed to the right) as compared to 1,471 kg for PHEVs (hence PHEV mass dispersion is notably skewed to the left). The median for all EVs is 1,400 kg, so the dispersion here is also skewed to the left.

The fact that the announced cars are on average not significantly heavier than today's European cars implies that the additional weight caused by the battery will be offset by weight reductions in other vehicle components such as the chassis. It could also be caused by a higher share of EVs in smaller and medium cars instead of large vehicles. So far, however, there seems to be no fundamental shift towards light weight composite materials as has been observed in aircraft design, see the upcoming Boeing B787 Dreamliner and the Airbus A350. However, BMW is currently investing heavily in developing composite components for its future cars.⁵

When comparing the average vehicle mass to the vehicle size, a clear and logical picture evolves: Small vehicles weigh on average 1,019 kg, medium vehicles 1,425 kg and large vehicles 1,618 kg.

Figure 6 Vehicle mass comparison: whiskers show the range, bars show the 25-75% distribution, centre line is the median value and red dot is the mean; n=106, All EV=106, FEV=63, PHEV=37, Small EV=35, Medium EV=53, Large EV=18



In summary, there is no evidence that the overall average weight of EVs and PHEVs will differ significantly from today's European cars in the short term.

⁵ http://www.handelsblatt.com/unternehmen/koepfe/klatten-steigt-bei-sgl-carbonein;2203845.



⁴ http://www.msnbc.msn.com/id/14187951/.

However, taking into consideration the significant weight of the vehicles' battery, it becomes apparent that the chassis and body itself must be somewhat lighter compared to today's cars.

2.4.3 Price

The price of the vehicle is a crucial point in the question whether one day EVs will be able to fully penetrate the car market. In this subtask, if possible, we opted for prices including taxes.

The average vehicle purchase price of future EVs (\notin 45,316) is almost three times higher than the average European price for a new car today (\notin 15,313, as of 2001⁶), and it more than doubles the 2009 US price (\notin 20,826.56⁷) for a new vehicle, see Figure 7. Although it is understood that these values do not directly compare, it has to be pointed out that actual vehicle purchase price data is not readily available.

Within the different sub-groups, the average EV purchasing costs vary from \notin 157,500 for an EREV (high price caused by the fact that there are only two EREVs with information on price in the dataset, thereof one of \notin 280,000). compared to \notin 29,883 for an average new PHEV, while the average FEV price of \notin 46,626 comes close to the overall average.

The median FEV purchase price amounts to € 28,500, even below the arithmetic mean for PHEVs, implying that some extremely high-priced cars (e.g., Venturi Fetish, Mercedes Benz SLS, etc.) augment the average FEV purchase price. For PHEVs, the median shows no significant aberration.

The cars with Range Extender are skewed towards the very high price segment by just one car, the Capstone CMT with a retail price of \in 280,000.

Again, the median price for all Electric Vehicles is € 28,750 and thus significantly below the average price, even below the average PHEV price. The reasons are the same as for FEVs only: a few high-priced FEVs distort the overall average.

In summary, FEVs will be on average more expensive than PHEVs, even comparing median values ($\in 28,500$ for FEVs and $\in 25,505$ for PHEVs). In any case, both will be more expensive than the average ICE car of today. It is still widely unknown how prices will be affected by higher production volumes, so there might be some potential for lowering the purchasing price of FEVs and PHEVs. Besides, an increasing number of countries worldwide offers subsidy programmes and tax relief for Electric Vehicles that might encourage higher production and compensate purchasing prices. Nevertheless, the data shows an overall upward move in purchase price.

Surprisingly, the average vehicle purchase price decreases with the car's size. This seems to be mostly due to the number of outliers, i.e., cars that are significantly more expensive than comparable cars: The number of outliers was highest among the small EVs, still significant for the medium EVs and nil for large EVs. This can be observed in Figure 7.

⁷ NADA (2010): NADA DATA 2010, http://www.nada.org/Publications/NADADATA/2010/default.




⁶ http://www.autoindustry.co.uk/articles/31-08-01_1.

While small vehicles cost \notin 59,383 on average, medium vehicles can be purchased for \notin 40,400 on average, and large vehicles even for \notin 32,728. Median prices, however, correct for this discrepancy by avoiding significant biases (a few extremely high-priced cars in the small and medium section). Here, the car prices increases with size, starting at \notin 22,750 for small cars, \notin 24,948 for medium cars and \notin 35,700 for large cars. The difference between small and medium cars is considerably smaller than between medium and large cars (over \notin 10,000).


This data can be interpreted in several ways: For one, FEVs tend to be small cars, as we observed earlier (Section 2.4.1). Moreover, PHEVs tend to be large cars. Thus, it becomes apparent that FEV technology will be more expensive than PHEV technology, even though FEVs are smaller compared to PHEVs.

Figure 7 Vehicle purchase price comparison: whiskers show the range, bars show the 25-75% distribution, centre line is the median value and red dot is the mean; n=106, All EV=106, FEV=63, PHEV=37, Small EV=35, Medium EV=53, Large EV=18




Looking at the segments of FEV purchase price, the largest number of cars (seven out of 29) is in the \in 10,000-20,000 group (just like the average EU price for a new car), while a few extremely expensive cars skew the arithmetic mean (red) to the right of the median (green).





For PHEVs, the arithmetic mean (red) and the median (green) are almost identical. The largest number of cars falls in the \in 10,000-20,000 group as well (5 out of 22), but the vehicles are distributed more equally.

Figure 9 Distribution of PHEVs in different price classes with median (green) and arithmetic mean (red)



2.4.4 Range

One of the most relevant criteria for future market penetration ability is without doubt the range of the EDT.

The data we used is manufacturer data of the models that were announced when we gathered information, in comparison with which the real life statistics might differ. Firstly, these data might not appropriately show the status quo in research and technical development. Secondly, real life values depend on charging patterns (charging kills batteries, and quick charging reduces life time and requires more energy), temperature (the lower the temperature, the shorter the range) and on auxiliaries like air conditioning/heating (range reduction). Lastly, most of the vehicles we analysed were introduced on car shows that again often follow certain trends in the car industry. As a consequence, 'fashionable' cars or models following



new trends might be overrepresented in our analysis compared to actual sales volumes.

Nevertheless, we analysed the existing dataset corresponding to our statistical analysis model, as data on actual ranges, taking into consideration different heating/cooling patterns and/or charging systems are hardly available.

The future EV's electric urban driving ranges are mainly (75%) in the 200 km or less region, with the majority (41%) of the cars having a range between 100 and 200 km. Cars with an electric drive train (EDT) range of over 200 km will be rather seldom (18%). Even though there are some expensive cars in this group, there is no strong correlation between price and range: The correlation coefficient is at 0.39. Put together, the ranges of 0 to 100 km and 100 to 200 km amount to a comparable share (35 resp. 41%). For 7% of the cars, no EDT range was indicated, see Figure 10.

The median EDT range of 130 km also fits into the main 100-200 km category.




Figure 10 Share of EDT range (with numbers of vehicles, n=106)

The driving range is a crucial point in the question whether EVs will one day be able to fully penetrate the world's car markets and therefore has been examined in detail. We focus our analysis on urban driving range, as we expect that near-future EVs will be designed mainly for urban transport due to limitations on charging and range. Contrary to ICEVs, EVs have only small efficiency gains from driving on highways: the electric engine can run at almost efficient levels even in stop and go (recuperating energy from braking). Most manufacturers do not report separate range scenarios for highway and city use except for two cases: the Opel Ampera shows a slightly lower highway range compared to urban (66 vs. 55 km); while the Tata Nano promises 160 km on highways vs. only 120 in urban use. Thus, the data remains inconclusive on whether urban ranges will be lower or higher than highway ranges.

The average EDT range for Full Electric Vehicles amounts to 189 km, while the average PHEV EDT range is considerably lower at 60 km. The median shows a corresponding picture of 160 km EDT range for FEVs (revealing several maximum outliers in this subset) and again 60 km for PHEVs. Thus, not surprisingly FEV EDT ranges are on average about three times higher than PHEV ranges.




Splitting up the EDT ranges by vehicle size, the ranges are evidently decreasing with an increasing size. Small vehicles - regardless of their type - on average have an EDT range of 164 km (median: 160 km). Medium vehicles have a significantly lower range of 136 km on average (median: 104.5) and on average large vehicles only have ranges of 118 km (median 100 km). This might be explained by the fact that the smaller a vehicles is, the more likely it is to be a FEV, which have higher electric ranges than PHEVs or EREVs (see above).

Considering FEVs only, there is no clear trend: Small Full Electric Vehicles have an average EDT range of 177 km, medium vehicles of 203 km and large vehicles of 181 km. For PHEVs only, however, the EDT ranges are decreasing with the car's size, due to an outlier in the small car section: Small Plug-in Hybrid EVs on average can drive up to 75 km, medium up to 58 km and large vehicles up to 55 km. Again, FEVs possess two to over three times higher EDT ranges.

The maximum outlier with an EDT range of 600 km is the Mercedes Benz F 800, affecting the whiskers of medium EVs, FEVs and all EVs. GM's Saturn Vue Green Line (a medium-sized PHEV) has the shortest EDT range of 16 km (see Figure 11).


Figure 11 EDT Urban Range: whiskers show the range, bars show the 25-75% distribution, centre line is the median value and red dot is the mean; n=106, All EV=106, FEV=63, PHEV=37, Small EV=35, Medium EV=53, Large EV=18



Looking at the EDT driving ranges for FEVs only, 69% of the vehicles claim a range between 100 and 200 km. 28.6% of all cars surpass the 200 km range and only 8% of the cars have a range below 100 km. For two FEVs, that is 3%, no data was found, see Figure 12.







Taking a look at the PHEV's in greater detail, an opposite trend becomes visible. The average EDT ranges for PHEVs show that a striking 84% of all cars have a range up to 100 km only, almost one quarter (24%) even below 50 km. Four cars (11%) are in the 100-200 km area, which is not exceeded at all. There was no data available for two cars; see Figure 13.

Figure 13 EDT urban range for PHEVs (with numbers of vehicles, n=37)



For EREVs, the existing dataset was too small to be separated into range or time categories.

Based on EDT urban drive ranges, FEVs are primarily in the 100 km+ ranges (89%), PHEVs in the ranges below 100 km (84%). This is linked both to vehicle mass and battery performance.



2.4.5 Battery

EV battery capacity will be 23.2 kWh on average.

Most FEV batteries have capacities between 10 to 20 and 20 to 30 kWh. The median (green) is at 24 kWh, the arithmetic mean at 26.7 kWh; see Figure 14. Nevertheless, there is a significant share of cars with capacities between 30 and 40 kWh and even above. The BYD Auto e6 showcases by far the highest battery capacity (72 kWh).





Figure 14 Distribution of FEV battery capacity in kWh with median (green) and arithmetic mean (red)

The vast majority of PHEV battery capacities can be found in the area of 10 to 20 kWh. There are no capacities exceeding 23 kWh. Median and arithmetic mean are almost equal (13 kWh and 12.8 kWh); see Figure 15. There were only two EREVs with an indicated battery capacity, making a distribution curve rather meaningless.


Figure 15 Distribution of PHEV battery capacity in kWh with median (green) and arithmetic mean (red)





The overall battery capacity for all Electric Vehicles is 23.6 kWh, slightly less than 26.7 kWh for FEV only and notably more than 12.8 for PHEVs only. Median calculation shows a more balanced image, however with the same trend (EV 18 kWh, FEV 24 kWh, PHEV 13 kWh), see Figure 16.

Figure 16 Battery capacity: whiskers show the range, bars show the 25-75% distribution, centre line is the median value and red dot is the mean




The usable energy of an EV is actually lower than the battery capacity (especially for FEV), depending also on outside temperatures, charging patterns and use. Thus, battery capacities will remain relatively confined, limiting EV applications in the near-term future.

Average battery mass for EVs is 278 kg (median at 249 kg). Looking at FEVs, battery mass is considerably higher at 299 kg (median at 270 kg), whereas PHEV batteries weigh 145 kg (median at 155 kg), see Figure 17.



Figure 17 Battery mass: whiskers show the range, bars show the 25-75% distribution, centre line is the median value and red dot is the mean



A wide range of different battery technologies can be observed:

- Lead-acid.
- Lithium-ion phosphate.
- Lithium-ion polymer.
- Lithium-ion, ferric phosphate.
- Lithium-ion, manganese spinel.
- Lithium-ion, nickel-cobalt-aluminum (NCA).
- Metal-air.
- Redox (reduction-oxidation) flow.


Nevertheless, there is a very strong correlation between battery weight and battery capacity. The correlation coefficient is at 0.90, implying that more battery capacity necessitates more battery weight for the average battery. This does not preclude any significant advances in battery technology, but shows that physical limitations prevail.

The average charging time for a PHEV amounts to 4:30 h and therewith, it is almost two hours shorter than the average FEV charging time of 6:20 h. For all EVs, the average charging time is 05:51. All medians show a very similar picture; see Figure 18.

The median overall EV charging time is 06:00 h.



Figure 18 Charging time: whiskers show the range, bars show the 25-75% distribution, centre line is the median value and red dot is the mean



2.4.6 Maximum speed

We found that the average top speed of all EVs is 159 km/h, 148 km/h for FEVs alone and 172 km/h for PHEVs. Only 23 cars out of 108 claimed a top speed above 180 km/h (21%). 46 cars claimed a top speed of 160 km/h or more (42.6%). That is, the top speed average is skewed due to high-value sports cars.

The median can be found at 160 (a number of cars had no available data at all, hence the median at 43%). The slowest car (Chrysler GEM) only had a maximum speed of 40 km/h, while the fastest car (NLV Quant) claims to drive up to 377 km/h; thus, the span amounts to astonishing 337 km/h.

For most EVs, the quoted top speed must not be mistaken for the cruise speed due to battery and motor overheating. The stated top speed can only be maintained for a short period of time, unless complex cooling systems are in place.

2.4.7 Acceleration

Acceleration from 0 to 100 km/h: The total EV average was 7.9 seconds; 8.5 seconds for FEV alone. Only five cars had slower acceleration values than 13 seconds (BYD Auto e6, Citroen C-Zero, BAIC BE701, Citroen C-Zero City Car, EWE-E3). 75% of all cars have an acceleration of 10 seconds or less.

2.4.8 Comparison EV - ICEV

In order to avoid the mistake of only comparing separate Electric Vehicles with general averages for ICE cars, we also tried to have a direct comparison of an EV model with its ICE equivalent. Six cars of different size and propulsion system were chosen and compared on the basis of the most significant specifications for both electric and non-Electric Vehicles.



Name	Type of Vehicle	Size	Price (in €)	Vehicle mass (kg)	Battery capacity (kWh)	Maximum speed (in km/h)	Acceleration (0-100 km/h in s)	EDT driving range	ICE driving range	Number of seats	Horsepower (kw)
BMW Mini One	ICE	S	14,600	1,135	/	186	10.5	/	741	4	72
BMW Mini-E	FEV	S	N.a.	1,465	35	153	8.5	175	/	2	150
2010 Ford Escape XLS	ICE	L	15,780	1,496	/	N.a.	8.9	/	585	5	128
Ford Escape EV	PHEV	L	20,000	1,769	10	164	N.a.	48	N.a.	5	N.a.
Volvo V70 2.4	ICE	L	44,300	1,570	/	205	10.5	/	778	5	103
Volvo V70 EV	PHEV	L	48,000	1,955	11.3	161	9	50	1,150	5	107
Renault Kangoo Authentique 1.6 8V 90	ICE	ML	14,990	1,412	/	159	15.8	1	741	5	64
Renault Kangoo Z.E. Concept	FEV	Μ	N.a.	1,520	24	130	N.a.	160	/	5	70
Toyota Prius ZHW3	Hybrid	М	25,450	1,445	/	180	10.4	/	1,125	5	100
Toyota Prius Plug-In	PHEV	М	34,750	1,380	5.2	170	10.9	23	N.a.	5	82
Ford Focus 1.4	ICE	S	15,500	1,229	/	164	14.1	/	803	5	59
Ford Focus EV	FEV	S	28,500	1,552	23	100	8	160	/	N.a.	105

Drive train configuration and vehicle size

In this sub-segment, out of the six cars, two are small, two medium and two large. Thus, there will be less data from small cars than in the general database which might bias the results slightly.

Among the cars, three are FEVs and three are PHEVs, none being an EREV. The two large vehicles are PHEVs, just as the general analysis would suggest, while the medium cars are both FEVs and PHEVs and the small cars FEVs only.

Vehicle mass

Five out of the six vehicles are heavier than their ICE counterparts. Added weights range between 108 kg (Renault Kangoo) and 385 kg (Volvo V70). Only the Toyota Prius PHEV is lighter than the regular Prius (65 kg). This seems to indicate that FEVs and PHEVs both tend to be heavier than conventional ICE cars, suggesting that the fact that the data analysis showed no increase in vehicle weight is not linked to weight reductions in the specific cars, but rather to a dominance of small cars in the announcements.

Price

29

In all of the cases where data exists, the EV is notably between \notin 4,220 and 13,000 more expensive than the ICE version of the car. This finding is absolutely in line with the general analysis.

Range

The urban EDT ranges in the group go from 23 km for the Prius (explaining the low weight) to 175 km for the Mini E. PHEV ranges in the sub-sample are lower than FEV ranges and all ranges are limited to under 200 km, considerably lower than any of the ICE ranges. This supports the findings from the general analysis.

Battery

Battery capacities are relatively low in the sub-sample. FEVs have higher battery capacities (max. 35 kWh for Mini E, min. 23 for Ford Focus) than PHEVs (max. 11.3 for Volvo V70, min. 5.1 for Prius). This supports the assessment from the general analysis that PHEVs have smaller batteries than FEVs.

Maximum speed

All EVs in the sub-sample have significantly lower maximum speeds than their ICE counterpart (between 29 km/h and 80 km/h lower). FEVs are slower than PHEVs.

Acceleration

In terms of acceleration, however, the EVs are faster in three cases (by 1.5 to 6.1 s), and only the Prius PHEV is negligibly slower. In four out of five cases, the engine performance is higher for the EV version, especially for the MINI and the Ford Focus. Again, the Toyota Prius is the exception (100 kW ICE - 82 kW PHEV).

In summary, within the crucial areas for future market penetration, the EV model almost always performs weaker against the ICE version. In particular, vehicle price is higher and range is lower for EVs - two essential purchase criteria.

As a consequence, the market penetration of EVs might remain lower as potential buyers could rather stick to the lower-priced ICE version with a better overall performance.

2.5 Non-passenger car vehicles

A number of FEVs and PHEVs are being developed in non-passenger car vehicle segments as well. This category includes light- and heavy-duty trucks and vans, but also scooters, motorcycles, and three-wheel vehicles, as well as golf carts and recreational vehicles. Uses vary from load hauling to shopping and recreational activities.

The data we analysed for non-passenger car vehicles originates from 32 different non-passenger car vehicles by 24 different predominantly small manufacturers. Half of the companies are registered in the USA (mainly California and Oregon), the other half in Europe (mainly UK, Germany, Italy). Piaggio and KTM are the most known and established firms, the former being the European market leader for scooters. All of the vehicles are either already available or will be released during 2010, almost exclusively on European and North American markets. 87.5% of the vehicles are FEVs, 12.5% PHEVs. We did not investigate electric models destined exclusively for Far-Eastern markets.



Table 3 Non-passenger car vehicles

Aptera Motors	Mavizen TTX02 two-wheel	Smith Edison
Aptera 2e three-wheel		
Aptera Motors	Mega Van	Smith Newton (12t)
Aptera 2h three-wheel		
Arcimoto Pulse	Mission Motors Mission One	Smith Newton (7,5t +10t)
Electric three-wheel	two-wheel	
Brammo Enertia two-wheel	Modec	TTW One three-wheel
City Bike Gocyle	Myers Motors Duo	Ultra Motor A2B Hybrid
	three-wheel	
Electric Motorsport	Myers Motors NmG	Ultra Motor A2B Metro
Electric GPR-S two-wheel	three-wheel	
E-Motorbike GRACE	Persu Mobility Persu Hybrid	Vectrix VX-1 two-wheel
	three-wheel two-seats	
Eped Sport/City	Persu Mobility Persu Hybrid	Xtreme Green Products X
	three-wheel two-seats	Rider
Green Vehicles Triac	PG-Bike 'Black Book'	Zero Motorcycles Zero S
three-wheel		two-wheel
KTM Enduro	Piaggio MP3 Hybrid	Zero Motorcycles Zero X
	three-wheel	two-wheel
KTM Supermoto	Quantya Track & Strada	
	two-wheel	

Generally, the vehicles are very heterogeneous and can be subdivided into several subgroups: city cruisers, e-scooters, racing and off-road motorbikes (even participating in international contests), city bikes ('Pedelecs'), trucks and vans. Up to two passengers can travel on the vehicles, of which most are powered by lithium-ion batteries. Price and weight vary broadly between € 1,700 and 50,000, and respectively 16.2 and 4,210 kg; the majority of the EDT ranges are between 20 and 160 km. The further specifications also depend largely on the type and use of the vehicle (i.e., the subgroup) and need to be compared more profoundly to receive meaningful results.

At first glance, though, we find that two- and three-wheelers come usually with a full electric configuration and a relatively low range. Vans and trucks, in comparison, showcase higher ranges (even exceeding 200 km), but lower maximum speeds than the city or racing motorbikes.

The larger or faster a vehicle is, the more expensive it gets (i.e., racing bikes and vans). Besides, the city bikes are significantly more expensive than normal bicycles are today, with prices between \in 1,700 and 4,200. They also have the - comparatively - shortest ranges and lowest battery capacities. A peculiarity is the E-bicycle GRACE that does not rank among the Pedelecs, but is an accredited motor vehicle for road traffic - the first of its kind.

As many of the vehicles are not produced in large quantities, individual modifications are often possible (e.g., different sizes of the vans). Furthermore, most of them cannot be bought in ordinary vehicle shops, but have to be exclusively ordered at the manufacturer or in rare specialist shops.



While there clearly is a trend towards electric bicycles and two- and threewheelers in Asian markets, the uptake is much more sluggish in European and North American markets at this time. In the Netherlands, however, electric bikes account for a 10% market share⁸ with an upward trend. Electric trucks and vans currently gain media attention, importance and market shares, especially for postal and messenger services and other company fleets (see Section 3.5), but the cost disadvantage keeps them in a niche existence. Ultimately, it could be possible that this market segment even has a higher potential than the passenger car market, because in the case of non-passenger car EVs, driving ranges do not necessarily have to be as significant and the required ranges might be easier to anticipate by the vehicle owners.

2.6 Summary

Our research provided insight into the Electric Vehicles of both today and tomorrow, i.e., Plug-in Hybrid Electric Vehicles (PHEV), Full Electric Vehicles (FEV) and Electric Vehicles with Range Extender (EREV). This review did not include mild hybrids and regular hybrid cars without plug-in capability.

- Just as in today's car markets, the majority of Electric Vehicles sold in the future will be small and mid-sized cars. FEV concepts dominate in the small car segment, while PHEVs and EVs with Range Extender (EREV) are more prominent for larger cars.
- PHEVs become more dominant compared to FEVs over time; nevertheless, FEVs account for a higher total share of the market. EREVs are only a secondary element.
- The average Electric Vehicle (EV) will be slightly heavier than today's European cars, but significantly lighter than today's US cars. Given the high additional weight penalty by the batteries, this indicates a shift towards small and medium cars. We cannot confirm a fundamental shift towards light weight composite materials as has been observed in aircraft design see the upcoming Boeing B787 Dreamliner and the Airbus A350.
- FEVs and PHEVs will both be significantly more expensive than today's cars. The average EV will cost more than twice as much as today's cars.
- FEV EDT ranges are on average about three times higher than PHEV ranges. Based on EDT urban drive ranges, FEVs are primarily in the 100 km+ ranges (89%), PHEVs in the ranges below 100 km (84%).
- FEVs' main use is urban traffic and commuting, not inter-city travel.
- In terms of acceleration from 0 to 100 km/h, EVs will not differ significantly from today's cars. Although indicated maximum speeds do not differ significantly from today's ICE cars, top speeds can only be maintained for a very short period of time by EVs due to battery and motor overheating.
- In comparison with its respective ICE version, the EV model almost always performs weaker. In particular, vehicle price and mass - two essential purchase criteria - are significantly higher for the EV. As a consequence, the market penetration of EVs might remain low as potential buyers could rather stick to the lower-priced ICE version with a better overall performance.
- Near-term future non-passenger car Electric Vehicles are very heterogeneous and can be subdivided into several subgroups: city cruisers, racing and off-road motorbikes, city bikes ('Pedelecs'), trucks and vans.

⁸ http://www.bike-eu.com/news/4030/in-holland-one-out-of-eight-bikes-is-electric.html.



- As many of these vehicles are not produced in large quantities, individual modifications are often possible.
- While there clearly is a trend towards electric bicycles and two- and threewheelers in Asian markets, this does not necessarily apply for European and North American markets at the time (with the exception of electric bicycles in the Netherlands). Electric trucks and vans currently gain media attention, importance and market shares, especially for postal and messenger services and other company fleets, but the cost disadvantage keeps them in a niche existence.





3 Government and industry investment decisions

3.1 Introduction

In this chapter, we will summarise government and industry investments and commitments into electric mobility both in Europe and globally. The first section (Section 3.2) focuses on government and industry investments, followed by an overview of government development plans and programmes (Sections 3.3 and 3.4). A next section summarises existing tax incentives and subsidy schemes in several countries (Section 3.6). Information on non-car industry investment decisions (Section 3.5) form the next section followed a brief outline of industry research activities (Section 3.7). The chapter concludes with a summary of the main findings (Section 3.8).

3.2 Government and industry investments

Governments in many countries support the introduction with investments in research and implementation.

Past, present and future government and industry investment programs into EV technology predominately began in 2008 and 2009. The overall sum of \notin 21.6 billion over a period from 2008 to 2011 is divided almost identically between the USA (\notin 8.6 billion) and the EU (\notin 8.5 billion), with a majority of the funding already having been distributed. East Asia accounts for approx. one fifth of the share (\notin 4.6 billion or 21%).

The average spending is \in 540.0 million, whereas median spending is only \in 256 million. This deviation can be explained by the fact that a few countries have invested large sums, stemming mainly from national economic stimulus packages, which skew the arithmetic up.

Gathering and collecting the data has been quite difficult as for example the companies' and industry's investments in electric mobility partially stem from national economic stimulus programs, which has not always been separately indicated in our sources. Hence, a few sums might potentially overlap.

Most programs and spending are focused on the near term and lack long term funding. It is important to notice the coincidence of EV programs and stimulus spending in the 2008/2009 financial and economic crisis. In the following austerity mood, further continued spending on EV technology is less likely which fuels substantiated fears in the research community that research and development will be curtailed significantly after 2012.⁹ This trend, combined with possibly modest progress in market penetration up to then and slow technological progress might jeopardise the development of EVs and lead to a knock-out for EVs not only in Europe, but globally.

⁹ Such as Proposition 23 in California aiming to end spending on green technologies, to be voted by the public in November 2010.




Country	Sum (in mil. €)	Year (start)	Source
Belgium	2.0	In place	Transport Minister in Wallonia
Denmark	100.0	2009	DONG and Better Place
	5.6	2009	EDISON R&D project
	4.0	2009	Danish Energy Authorities
France	400.0	2008	France government
	1,500.0	2010	France government
	1,494.0	2009	AESC (with Japan)
Germany	500.0	2009	German government
	60.0	2008	German government
	360.0	2008	German government
	2,000.0	2010+	Daimler
	77.0	2008	Li-Tec
	385.0	2011	SB LiMotive (with South Korea)
Sweden	1.5	In place	Swedish government
UK	440.4	Committed	British government
	21.9	Committed	British government
	60.0	Committed	City of London
Netherlands	3.0	2010	City of Amsterdam
	65.0	2010	Dutch Cabinet
EU	1,000.0	2009	European Green Cars initiative
USA	3,275.6	2009	United States Department of Energy
	2,197.0	2009	US government (Car Exchange Program)
	73.1	2009	US government (Car Exchange Program)
	0.04	2009	California, US (solar charging stations)
	1,025.3	2010	US Department of Energy to Nissan
	0.3	2010	California, US (Bay Area Air Quality
			Management)
	462.0	2009	JCI-Saft (with France)
	713.0	2009	Ener1
	807.0	2009	A123
Japan	85.0	2009	Panasonic EV Energy
	144.0	2008	Lithium Energy Japan
	202.0	2009	Blue Energy
	214.0	2010	Toshiba
	242.0	2009	Sanyo
	351.0	2010	Hitachi Vehicle Energy
	769.0	2009	Sony
South Korea	87.0	2009	SK Energy
	846.0	2009	LG Chem
	269.0	2009	Dow/Kokam
China	1,357.0	2009	China, State Council
Total	21,598.7		
EU	8,479.4		
USA	8,553.3		
Rest (Asia)	4,566.0		
Average sum	540		

Table 4 Government and industry investments







3.3 Government development plans

A large number of governments have made announcements as to how many Electric Vehicles they aim to have on the road by certain dates.

Concrete announcements and estimations that have been made recently suggest that within the next five years, i.e., until 2015, more than five million new EVs could hit the road globally, the majority of these in Europe, see Table 5. Afterwards, the number of new EVs (2016+) is announced to increase by a further 1.7 million. By 2020, total announced cars sum up to 7.2 million cars, see Figure 20. The vast majority of these cars (5.1 million, i.e., 71%) will probably be driven in the EU, while the USA accounts for almost one seventh (1 million; i.e., 14%). Approximately 1.4 million can be produced or will be driven in the rest of the world, which means Asia (East Asia and Israel). Especially in Japan and South Korea, the numbers do not figure as announcements, but rather as production capacities. This suggests that Europe will be by far the most relevant market for EVs in the world.

Still, this analysis captures only one aspect of future market development and does not constitute a market forecast. Many other aspects are relevant for EV penetration besides the sheer commitment in numbers. Among them are: willingness to pay and existence of a customer base, access to charging infrastructure and other influences.



Figure 20 'Promised' future cars by region in million vehicles (total 7.2 million vehicles)




Table 5 Announcements concerning future EVs and PHEVs

Country	Number of cars	Year	Parties involved	Туре	National fleet	Year	Share of EVs
							(in %)
Denmark	100,000	2011	BetterPlace, DONG	FEV	2,120,322	2010	4.72
France	nce 5,000		French government (Hybrid and	Hybrid and	30,850,000	2008	6.48
			FEV)	FEV			
	500	2010	PSA Peugeot Citroen	Probably FEV			
	5,000	2011	PSA Peugeot Citroen	Probably FEV			
	10,000	2012	French Post	Probably PHEV			
	100,000	2015	French government, Renault	Probably FEV			
	420,000	2015	AESC capacities (with Japan)	Both			
	2,000,000	2020	French government				
Germany	25	2010	Municipality of Cologne, Ford, RheinEnergie	FEV	41,183,600	2008	2.43
	40,000	2015	Lic-TecSB capacities	Both			
	149,000	2015	LiMotive capacities (with South	Both			
			Korea)				
	250,000	2020	Municipality of Cologne, Cologne Reg	ion, Ford,			
			RheinEnergie				
	1,000,000	2020	German government, Volkswagen, Da Motors, RWE, etc.	imler, Tesla			
Spain	2,000	2009	Spain's Ministry of Industry, MOVELE project	Both	22,145,364	2008	4.52
	1,000,000	2014	Spanish government (Hybrid and FEV)	Both			
Israel	30,000	2010	Israeli government (30,000 cars	FEV	1,875,765	2009	1.60
			p.a.)				p.a.
Ireland	250,000	2020	Irish government		1,924,281	2008	13.00
UK	100	2010	British government		28,459,044	2009	0.35
	100,000	2015	City of London, several companies				
Netherlands	200,000	2020	Dutch government	Both	7,542,331	2009	2.65
EU	100,000	2010	Mitsubishi, Peugeot, Citroen		223,590,513	2008	0.04



Country	Number of cars	Year	Parties involved	Туре	National fleet	Year	Share of EVs
							(in %)
USA	4,700	2010	Nissan, eTec	FEV	137,079,843	2008	0.73
	140,000	2015	JCI Saft capacities (with France)				
	195,000	2015	Ener1 capacities	Hybrid vans			
	294,000	2015	A123 capacities	Both			
	1,000,000	2015	Government of the USA	FEV			
Japan	9,000	2015	Panasonic EV Energy capacities	Both	57,682,000	2008	0.93
	55,000	2015	Lithium Energy Japan capacities	Both, mainly PHEV			
	30,000	2015	Blue Energy capacities	Both			
	60,000	2015	Toshiba capacities	Focus on HEV			
	110,000	2015	Sanyo capacities	Both			
	70,000	2015	Hitachi Vehicle Energy capacities	Dotti			
	200,000	2015	Sony capacities	PHEV			
South Korea	200,000	2015	SK Energy capacities	TILV	11,417,807	2006	4.29
South Korea	405,000	2015	LG Chem capacities	Hybrid	11,417,007	2000	4.27
	60,000	2015	Dow/Kokam capacities	Both			
China	48	2013	F3DM Plug-in Hybrids to	Both	24,380,000	2008	1.54
China	40	2007	government and corporate	DOTI	24,300,000	2000	1.34
			customers				
	100	2010	Fleet of 100 taxis for BYD's	PHEV			
			hometown of Shenzhen, China				
	15,000	2010	Beijing's municipal commission of	FEV			
			reform and development				
	360,000	2015	Chine capacities	Both			
All	7,181,248		•				
EU	4,752,100				223,590,513	2008	2.13
USA	1,000,000				137,079,843	2008	0.73
Rest	1,429,148						
Up to 2015	5,094,473						

Most of the announcements did not specify whether FEVs or PHEVs were to be introduced. In most cases, both car types will probably be delivered. Some battery suppliers concentrate on a battery type suitable only for one car type as indicated in the table. However, it would be too fast to draw any conclusions from the data, as the information on the type is only marginal and not always confirmed.

Again, the estimated number of EVs might be different in reality and partly overlap with government announcements that refer in their estimations to industry's production capacities. Government target announcement and estimations cannot be exact, but are rather national goals of the respective national development plans for electric mobility. In particular, estimates for the EV potential which are based on lithium reserves show that the overall number of cars is limited (FISI, 2009).

Global sales forecasts for conventional cars in 2010 alone amount to 53 million passenger cars (GOMES, 2010).

Based on the above numbers, market penetration will remain fairly low in the short-term future.



3.4 Government development programmes

Governments have introduced a wide array of programmes and structures that foster the introduction of Electric Vehicles in their respective markets.

The information from the following sources has also been accounted for in Table 4 and Table 5.

Country	Electric mobility development plans/programs	Source						
Austria	Different electric mobility pilot projects enable access to the so-	KLFO,						
	called 'mobility card' car leasing and maintenance and free	2008						
	charging for individuals using these cars							
Belgium	The Transport Minister for Wallonia made available € 2 million for	ACEA,						
	municipalities planning to buy Electric Vehicles (cars, bicycles and	2009						
	vans)							
Denmark	EVs can park for free in Denmark	AVERE,						
		2007						
	In collaboration with the US company Better Place the Danish	DEWE,						
	energy corporation DONG plans to invest € 100 million (\$ 135	2009						
	million) to build up infrastructure in the country for electric cars.							
	Charging the battery of an Electric Vehicle should become as fast							
	as filling up a tank of gas. The overall number of EVs in Denmark is							
	estimated to increase to up to 100,000 within two years							
	An international consortium carries out the EDISON R&D project on							
	intelligent integration of EVs and their optimal interaction with							
	wind power, being budgeted with € 5.6 million							
	Finally, a € 4 million EV fleet trial program is funded by the Danish	XU, 2009						
	Energy Authorities							
France	5,000 Hybrid and fully Electric Vehicles were ordered in the course	AVERE,						
	of a 2008 public procurement programme	2007						
	The French government plans to set-up a public-private	Chatel						
	procurement plan that coordinates the demand of EVs for public	and						
	and private use (e.g., French post planning to procure 10,000	Jouanno						
	Electric Vehicles by 2012)	2009						
Germany	The development of a common plug standard (400 V, 63 A,	Schraver						
	European wired applicable) has been announced by major energy	2009						
	and automotive companies in March 2009							
	At the 'Nationale Strategiekonferenz Elektromobilität' in	BUND,						
	November 2008 in Berlin, the German government announced a	2008						
	national target of 1 million Electric Vehicles by 2020							
Greece	Electric and hybrid vehicles are excluded from circulation	HIEV,						
	restriction in metropolitan areas, where these are applied	2009						
Ireland	The government aims for 10% of the national fleet (250,000 cars	RTÉ, 200						
	and vans) to be electric. The first significant number shall hit the							
	road within the next two years. It has signed a deal with Renault-							
	Nissan accordingly. The government hopes that by boosting							
	renewable energies, like wind, and improving the electricity grid,							
	grid,	1						
	the introduction of electric cars will lead to a significant drop in							

Table 6 Electric mobility development plans/programs



Country	Electric mobility development plans/programs	Source
Italy	The region of Lombardy is to install 270 EV charging points in two	IND,
	major cities as it prepares to test some of the first EVs to arrive in	2010;
	the country. The pilot project 'E-Moving' will start in June in the	EDM,
	two cities of Milan and Brescia and is scheduled for one year. The	2010
	two cities are to be the first in Italy to boast a complete charging	
	structure for EVs, allowing them to participate in the one-year trial	
	of commercial and personal EVs. French carmaker Renault and	
	Italian utility firm A2A will make 60 EVs (including the Renault	
	Fluence Z.E. and the Renault Kangoo Z.E.) available to rent for	
	costumers on a monthly basis at a rate comparable to a similar	
	diesel model. A 'point-to-point' charging network across the main	
	cities of Lombardy shall be installed in the near future	DAIM
	Car manufacturer Daimler and Enel, Italy's largest power company	DAIM,
	launched the project 'e-mobility Italy' which will test more than	2008
	100 Smart and Mercedes EVs under real-life circumstances in	
	Rome, Milan and Pisa in 2010. Enel will be responsible for	
	developing and setting up over 400 charging stations in the three	
	cities especially for this purpose An Italian private equity manager plans to build electric cars in	FTIME,
	Sicily when Fiat stops producing cars at a plant on the island next	2010
	year. The € 900 m (\$1.2bn) proposal aims to combine Italian money	2010
	and design flair with Indian technology to produce cars as well as a	
	network of recharging facilities powered by the island's most	
	obvious and underused energy source - the sun. The Indian car	
	manufacturer Reva might produce its next generation of EVs for	
	the European market there	
Nether-	Dutch companies will be financially incentivised to invest in the	MINDS,
lands	sector. Both national and local governments will be doing their bits	2009
	by electrifying their own fleets as soon as is possible. A total of	
	€ 10 million worth of grants will also be available for practical	
	testing via tendering schemes. Grid operators have agreed to build	
	at least 10,000 charging stations around the country by about 2012	
Norway	Drivers of EVs are allowed to use bus-lanes and are exempted from	OEN,
	congestion charges and public parking fees. Norway has enabled	2009
	the free use of ferryboats connecting national roads since 2009	
Portugal	Portugal plans to have 320 charging stations by 2010 and 1,300 by	GCC,
	2011	2008
Spain	One measure to achieve Spain's goal to have one million electric or	BUGR,
	hybrid cars on the roads by 2014 is to provide consumers who buy	2008;
	an electric car in Spain with a rebate of 15% off the price of the	BERR,
	vehicle	2008a
UK	Alternatively fuelled' vehicles, including EVs, are exempt from	KING,
	paying the central London congestion charge (£ 8 p.d.), while	2008
	future revisions of the scheme most likely will even increase the	
	charges for high emission vehicles London's Mayor, a strong advocate of EVs, attempts to make	WWF,
	London's Mayor, a strong advocate of Evs, attempts to make London the European capital for EVs and therefore wants to deliver	2008
	25,000 charging points in the city's workplaces, retail outlets,	2000
	streets, public and station car parks by 2015	
	(est. cost: € 60 million)	
	Employers and company car drivers are encouraged to choose a low	EDIE,
	carbon vehicle through the company car tax scheme's financial	2009
	incentives	
	In the London Borough of Richmond and Manchester, the costs of	ETEC,
	parking permits depend on the vehicle's emission level EVs being	2007
	exempted from all parking fees	



Country	Electric mobility development plans/programs	Source
EU	The European Green Cars initiative (launched in July 2009) is	
	included in the Commission's recovery package as one of the three	
	private and public partnerships (PPP).	
	It includes three streams of action:	
	1 R&D, mainly through FP7 grants for research on greening road	
	transport (budget: € 1 billion, of which € 500 million from the	
	Commission, matched by \in 500 million from industry and	
	Member States).	
	2 Support to industrial innovation through EIB loans (budget:	
	€ 4 billion in addition to existing loans).	
	3 Demand side measures and public procurement, such as	
	reduction of circulation and registration taxes for low-CO ₂ cars	
USA	The first zero-emission vehicle (ZEV) mandate was introduced by	CARB,
	the California Air Resources Board (CARB) in 1990 as part of the	2008; IT
	Low Emission Vehicle Program. The ZEV-mandate - aimed at	2004;
	enabling a large scale introduction of ZEVs - initially required that	MIT,
	10% of new cars sold in California to be zero-emissions vehicles by	2007;
	2003, but the timeframe was abandoned as it became apparent	WWF,
	that the technology was not mature enough to compete in the	2008
	market. Nevertheless, the ZEV mandate has been partly successful	
	in the past and lead to the development and low-scale deployment	
	of several FEV	
	Today, car manufacturers are required to introduce ZEVs by 2014,	UCS,
	independent of their fleet emission levels within the zero-emission	2008;
	mandate, but the number of required pure-ZEVs has been	Roland
	significantly reduced compared to earlier regulations. Assumedly,	Berger,
	further U.Sstates will adopt comparable regulations in the near	2008
	future	
	The U.S. Government focuses on supporting public-private	MIT,
	partnerships between US OEMs, government agencies, national	2007;
	laboratories, and developers of low-carbon technologies.	ABERN,
	'Partnership for Next Generation Vehicles' - the first program -	2006;
	started in 1993 and has been replaced by the Freedom CAR	EPA, 200
	program in 2002. In California and Virginia, EV drivers are even	
	offered access to high-occupancy lanes regardless of the number of	
	passengers. Generally, the use and development of PHEVs is	
	encouraged by further state and local policies	
	Federal fleets are required to select the most fuel-efficient	ABERN.
	vehicles, in some states even hybrid vehicles. A \$ 2.5 billion	2006;
	programme for the development of electric-powered cars and the	TNYT,
	improvement of battery technology has been released by the	2009;
	States Department of Energy. Another \$ 2 billion programme for	WBCSD,
	battery development has recently been set-up as part of the	2009;
	economic stimulus programme enacted by the U.S. Congress	FAST,
		2009
	In cooperation with Better Place (mentioned above) and the	
	Renault-Nissan group, the government of Hawaii will transform the	
	state's transportation infrastructure to renewable sources of	
	energy: About 100,000 charging stations (\$1 Billion) for EVs are to	
	be built; renewable energy sources should meet 70% of the state's	
	needs by 2030	



Country	Electric mobility development plans/programs	Source
Australia	Better Place in collaboration with AGL Energy and Macquarie under the authority of the government will construct an EV network capable of supporting the switch of Australia's 15 million gas cars ZEVs (budget of \$ 25 million). The first city-wide roll-out of EV infrastructure will take place in Canberra. The construction of charge spots and battery swap stations will begin in 2011, the support for customers in 2012	
China	Gasoline two-wheelers were banned from the city-centres, which could also happen to conventional passenger cars as soon as Electric Vehicles become widely available, according to Roland Berger (2008)	Roland Berger, 2008
	Additionally, the state electricity grid started the set up of electric charging stations in Beijing, Shanghai and Tianjin	TNYT, 2009
Israel	In collaboration with Better Place, Israel will start the large-scale introduction of EVs in 2011/2012. In the course of the Better Place project, about 500,000 charging and several battery exchange stations are planned to be established all over the country until 2012. All in all, a long-term annual purchase of 30,000 vehicles is expected	SYRO, 2008

The type of the separate development plans and programs for electric mobility vary broadly on a worldwide, but also on a European level.

In many countries, EV infrastructure - charging stations, standard plugs, etc. will be developed and installed, often in collaboration with private companies as a public private partnership (PPP). At this point, Better Place is the only non-car manufacturer that operates on a global scale. Several national, regional and city governments announce target numbers of future car market penetration by EVs. In some countries, drivers of EVs even possess additional rights in road traffic (free parking, no circulation restrictions, etc.).Concrete numbers or sums spent on EV-technology development are predominately limited to the main players, i.e., USA, Germany, UK, France, and Spain.

On an European level, the European Green Cars initiative stands out as a highbudget initiative involving virtually all subtopics and areas of electric mobility.

In addition, the Communication from the European Commission of 16 July 2008 on Public procurement for a better environment (Green Public Procurement) highlights the Commission's aim to encourage green public procurement as an effective instrument to promote environmentally-friendly products and services and to encourage eco-innovation, thus contributing to sustainable development. This Communication covers all public procurement procedures, both above and below the thresholds defined by European public procurement Directives (e.g., 2004/17/EC and 2004/18/EC). The Commission has identified ten priority sectors for GPP, among which can be found transport and energy as the sectors strongly related to electric mobility.

According to the Directive, governments have to take into consideration the full life cycle costs of vehicles, putting EVs – assessed as CO_2 -neutral – into a better position compared to conventional ICE, potentially compensating the higher price.



In addition to that, the legislation on CO_2 emissions of passenger cars has been adopted in form of Regulation (EC) No 443/2009, which includes the following key elements:

- "Limit value curve: the fleet average to be achieved by all cars registered in the EU is 130 grams per kilometre (g/km). A so-called limit value curve implies that heavier cars are allowed higher emissions than lighter cars while preserving the overall fleet average.
- Phasing-in of requirements: in 2012, 65% of each manufacturer's newly registered cars must comply on average with the limit value curve set by the legislation. This will rise to 75% in 2013, 80% in 2014 and 100% from 2015 onwards.
- Lower penalty payments for small excess emissions until 2018: If the average CO₂ emissions of a manufacturer's fleet exceed its limit value in any year from 2012, the manufacturer has to pay an excess emissions premium for each car registered. This premium amounts to € 5 for the first g/km of exceedance, € 15 for the second g/km, € 25 for the third g/km, and € 95 for each subsequent g/km. From 2019, already the first g/km of exceedance will cost € 95.
- Long-term target: a target of 95g/km is specified for the year 2020. The modalities for reaching this target and the aspects of its implementation including the excess emissions premium will have to be defined in a review to be completed no later than the beginning of 2013.
- Eco-innovations: because the test procedure used for vehicle type approval is outdated, certain innovative technologies cannot demonstrate their CO₂-reducing effects under the type approval test. As an interim procedure until the test procedure is reviewed by 2014, manufacturers can be granted a maximum of 7g/km of emission credits on average for their fleet if they equip vehicles with innovative technologies, based on independently verified data."¹⁰
- Moreover, EVs are counted as zero emission vehicles, i.e., the emissions from energy production are waived.
- For low emissions vehicles, i.e., vehicles with emissions below 50g CO₂/km, so-called super-credits apply: in 2012-13 each such car counts with the factor 3.5, in 2014 with 2.5, in 2015 with 1.5.

Especially these last two assumptions encourage manufacturers to sell a certain amount of EVs from 2012 on and enter them into their accountable fleet.

This regulation might also favour the uptake of Electric Vehicles as CO_2 emission targets are being tightened over time and thus new innovations to limit emissions must be found by car manufacturers.

The US provides the most massive amounts of subsidies for electric mobility – mainly as part of the national economic stimulus programme – but account only for approximately one fourth of the future announced EVs.



¹⁰ http://ec.europa.eu/environment/air/transport/co2/co2_home.htm.

3.5 Non-car industry investment decisions

In addition to the above mentioned announcements by governments, several companies have declared an intention to electrify their fleet. These include:

- Postal services
 - The French post plans to procure 10,000 Electric Vehicles by 2012 (Chatel and Jouanno, 2008).
 - The United States Postal Service (USPS) is considering converting its 140,000 distributing long life vehicles fleet into all-Electric Vehicles with the support of Eckhaus Fleet, REVConversion and Fort Peck Tech Services.¹¹
- Messenger services
 - The UK Electric Vehicle manufacturer Smith Electric Vehicles equips the fleets of many well-known messenger services, e.g., ¹²:
 - DHL, the global market leader of the international express and logistics industry, purchased the 9T Smith Newton as its first EV ever for use in its revolutionary consolidation centre (in April 2007).
 - Since September 2006, the express, mail and logistics operator TNT ordered over 100 7.5 tonne high performance electric Newton vehicles.
 - After a successful one-year trial of Smith EVs in its home shopping delivery applications in and around Central London, Sainsbury's plans to convert its whole online delivery fleet to EVs.
 - Having one of the largest commercial delivering fleets in Europe, Royal Mail has ordered both the Smith Edison and Newton higher function delivery vehicles to be deployed in London.
 - In the Netherlands, Urgenda, TNT, Eneco and Tendris launched a tender for 3,000 EVs in 2012. Together with the pioneering consortium partners ABN AMRO, Delta, Essent, Facilicom, the Municipality of Rotterdam, the Municipality of Leeuwarden, ING, JCDecaux, the Dutch Ministry of Housing, Spatial Planning and the Environment, the Dutch Ministry of Transport, Public Works and Water Management, NUON, Philips, Port of Rotterdam, the Province of Friesland and Triodos Bank almost 3,000 cars were ordered for the well-known messenger service TNT.¹³
- Taxi companies/associations
 - Better Place and Nihon Kotsu, Tokyo's largest taxi operator, will bring the world's first electric taxis with switchable batteries to Japan (was scheduled to begin in January 2010 and last 3-6 months, now postponed). A battery switch station will be installed in the Roppongi Hills area of Central Tokyo. The project receives funding from Japan's Ministry of Economy, Trade and Industry's Natural Resources and Energy Agency.¹⁴



¹¹ http://www.government-fleet.com/Message/Error.aspx?aspxerrorpath=/News/ Story/2009/07/USPS-to-Go-Electric-with-Eckhaus-Fleet.aspx.

¹² http://www.smithelectricvehicles.com/casestudies.asp.

¹³ http://corporateuk.eneco.nl/News_and_Media/pressreleases/Pages/Urgenda,TNT, EnecoandTendrislaunchatenderfor3000electricvehiclesinthreeyears.aspx.

¹⁴ http://www.betterplace.com/global-progress/japan/.

3.6 Tax incentives and subsidies

Table 7 summarises the tax incentives and subsidies for EV in the various EU Member States.

 Table 7
 CO2 tax incentives/subsidies

Country	CO ₂ tax incentives/subsidies	Source
Austria	Car consumers pay a one-time penalty (malus) of \in 25 for each gram CO ₂ emitted in excess of 180 g CO ₂ /km	ACEA, 2009
	Purchasers of alternative fuel vehicles receive a one-time € 500 bonus	
Belgium	Consumers who purchase cars with emissions of less than 105 g CO ₂ /km receive a reduction of 15% of the purchase price up to a maximum of \in 4,540	ACEA, 2009
	Consumers who purchase cars with emissions between 105 and 115 g CO ₂ /km receive a reduction of 3% of the purchase price up to a maximum of \in 850	
	Walloon region: A bonus-malus system pays consumers up to \in 1,000 for cars below 105 g CO ₂ /km and charges a penalty of up to \in 1,000 for cars emitting more than 195 g CO ₂ /km	
Cyprus	Consumers who purchase cars with emissions of less than 120 g CO_2 /km receive a 30% reduction in registration tax	ACEA, 2009
	Consumers who purchase cars with emissions of less than 150 g CO ₂ /km 15% reduction of the annual circulation tax Consumers receive a discount of € 683 for purchases of new	
	electric cars	
Denmark	All clean cars are freed of all taxes before 2025 (Considering the particularly high car registration tax of 180% and a VAT of 25%, the announced tax exemption represents a considerable subsidy for EVs)	AVERE, 2007
France	France introduced a yearly eco-label on new vehicles with a cost-neutral bonus-malus system (tax deductions and tax penalties) which favours low-emission vehicles on the basis of the car's tank-to-wheel CO ₂ emissions (since January 2008)	CLBZ, 2006
	Consumers who purchase cars with emissions of less than 60 g CO_2/km receive a bonus of \in 5,000 for new cars and new light commercial vehicles; since 2009, applicable until 2012 for the first 100,000 low carbon vehicles purchased	PDLR, 2009; Chatel and Jouanno, 2009
	Vehicles with emissions of 100 g CO ₂ /km or less (€ 2 per gram) to emissions of more than 250 g CO ₂ /km: € 19 per gram qualify for a progressive company car tax	ACEA, 2009
Germany	Since July 2009, Germany implements a new vehicle tax system, transforming the annual car tax into a base tax and a CO_2 tax (\in 2 per g CO_2/km)	ACEA, 2009
	Cars with emissions below 129 g CO_2/km as well as EVs in the	COIN, 2009;
	first five years after purchase are exempt from taxation	TAGE, 2007
Greece	Electric and hybrid cars are exempted from the special	HIEV, 2009



Country	CO ₂ tax incentives/subsidies	Source
Ireland	Registration tax rates vary between 14% and 36% of the	ACEA, 2009
	purchase price depending on emissions with the lowest rate	
	at 120 g CO $_2$ /km and the highest rate at 225 g CO $_2$ /km	
	EVs are tax exempt until December 1st 2010	BERR, 2008a
	A relief of maximum € 2,500 is applicable for hybrid and	ACEA, 2009
	flexible fuel vehicles	
	Annual circulation rates vary from \in 104 (up to 120 g CO ₂ /km)	ACEA, 2009
	to	
	€ 2,100 (above 225 g CO ₂ /km)	
Nether-	EVs are exempt from road tax and registration tax	MINDS, 2009
lands	Up to € 8,000 rebate available for companies purchasing EVs	
	Businesses developing EV charging infrastructure will benefit	
	from a twenty per cent tax break	
Norway	EVs are exempt from registration tax, VAT and annual car tax	MAYO, 2009
Portugal	EVs and other alternative propulsion systems should be	DOMB, 2008;
	exempt from circulation and registration tax by now	IMPO, 2007
	Consumers who purchase cars with emissions of less than 140	ACEA, 2009
C	g CO ₂ /km receive a bonus of up to € 1,000	
Sweden	SEK 10,000 are given to individuals buying a new green car,	SWE, 2007
	including electric and hybrid cars An annual circulation tax of SEK 360 base rate plus SEK 15 for	
	· · · ·	ACEA, 2009
	each gram CO ₂ emitted above 100 g CO ₂ /km; this sum is multiplied by 3.15 for diesel cars bought in 2008 or later or by	
	3.3 for other diesel cars is used	
	The tax for alternative fuel vehicles is SEK 10 per gram	
	emitted above 100 g CO_2/km	
	Hybrid and EVs are exempt from the Stockholm congestion	ABERN, 2006
	charge	ADEINI, 2000
Spain	Consumers who purchase cars with emissions below 120 g	ETAP, 2009
	CO_2 /km are exempted from the registration tax	
	Consumers who purchase cars with emissions between 121	ETAP, 2009;
	and 161 g CO ₂ /km receive a reduced tax of 4.75%	BBC, 2009;
	Consumers who purchase cars with emissions between 161	DFT, 2009;
	and 200 g CO ₂ /km receive a reduced tax of 9.75%	BERR, 2009
	Consumers who purchase cars with emissions over 201 g	
	CO ₂ /km pay a tax of 14.75%	
	The electric car incentive program (starting 2011) provides	
	subsidies of £ 2,000 to £ 5,000 to motorists who intend to buy	
	-	
	Electric or Plug-in Hybrid Cars	
UK	Electric or Plug-in Hybrid Cars The annual circulation is £ 0 for cars emitting less than 100 g	ACEA, 2009
UK	Electric or Plug-in Hybrid Cars The annual circulation is £ 0 for cars emitting less than 100 g CO_2/km but can augment up to £ 400 for cars emitting more	ACEA, 2009
UK	Electric or Plug-in Hybrid Cars The annual circulation is £ 0 for cars emitting less than 100 g CO_2/km but can augment up to £ 400 for cars emitting more than 225 g CO_2/km	
UK	Electric or Plug-in Hybrid Cars The annual circulation is £ 0 for cars emitting less than 100 g CO ₂ /km but can augment up to £ 400 for cars emitting more than 225 g CO ₂ /km Since 2006 federal tax credits are provided for low-emission	MIT, 2007;
UK	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 g CO_2/km but can augment up to £ 400 for cars emitting morethan 225 g CO_2/km Since 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments give	
	Electric or Plug-in Hybrid Cars The annual circulation is £ 0 for cars emitting less than 100 g CO_2/km but can augment up to £ 400 for cars emitting more than 225 g CO_2/km Since 2006 federal tax credits are provided for low-emission vehicles (US Energy Act); several state governments give further state tax credits	MIT, 2007; ABERN, 2006
UK USA	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 g CO_2/km but can augment up to £ 400 for cars emitting morethan 225 g CO_2/km Since 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments givefurther state tax creditsA Federal tax credit of between \$ 2,500 and 7,500 is available	MIT, 2007; ABERN, 2006 WBCSD, 2009;
	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 g CO_2/km CO2/kmSince 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments givefurther state tax creditsA Federal tax creditsA Federal tax credit of between \$ 2,500 and 7,500 is availableper Plug-in Vehicle purchased based on the size of the	MIT, 2007; ABERN, 2006 WBCSD, 2009; EEA, 2009;
	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 gCO2/km but can augment up to £ 400 for cars emitting morethan 225 g CO2/kmSince 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments givefurther state tax creditsA Federal tax creditsA Federal tax credit of between \$ 2,500 and 7,500 is availableper Plug-in Vehicle purchased based on the size of thebatteries with capacity of 16 kWh qualify for the full	MIT, 2007; ABERN, 2006 WBCSD, 2009; EEA, 2009; http://
	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 gCO2/km but can augment up to £ 400 for cars emitting morethan 225 g CO2/kmSince 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments givefurther state tax creditsA Federal tax credit of between \$ 2,500 and 7,500 is availableper Plug-in Vehicle purchased based on the size of thebattery. Batteries with capacity of 16 kWh qualify for the full\$ 7,500 credit. This tax credit will decrease in dollar amount	MIT, 2007; ABERN, 2006 WBCSD, 2009; EEA, 2009; http:// www.irs.gov/
	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 gCO2/km but can augment up to £ 400 for cars emitting morethan 225 g CO2/kmSince 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments givefurther state tax creditsA Federal tax credit of between \$ 2,500 and 7,500 is availableper Plug-in Vehicle purchased based on the size of thebattery. Batteries with capacity of 16 kWh qualify for the full\$ 7,500 credit. This tax credit will decrease in dollar amountafter 200,000 Plug-in Vehicles per automaker are sold and the	MIT, 2007; ABERN, 2006 WBCSD, 2009; EEA, 2009; http:// www.irs.gov/ businesses/
	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 gCO2/km but can augment up to £ 400 for cars emitting morethan 225 g CO2/kmSince 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments givefurther state tax creditsA Federal tax credit of between \$ 2,500 and 7,500 is availableper Plug-in Vehicle purchased based on the size of thebattery. Batteries with capacity of 16 kWh qualify for the full\$ 7,500 credit. This tax credit will decrease in dollar amount	MIT, 2007; ABERN, 2006 WBCSD, 2009; EEA, 2009; http:// www.irs.gov/ businesses/ article/0,,id=21
	Electric or Plug-in Hybrid Cars The annual circulation is £ 0 for cars emitting less than 100 g CO ₂ /km but can augment up to £ 400 for cars emitting more than 225 g CO ₂ /km Since 2006 federal tax credits are provided for low-emission vehicles (US Energy Act); several state governments give further state tax credits A Federal tax credit of between \$ 2,500 and 7,500 is available per Plug-in Vehicle purchased based on the size of the battery. Batteries with capacity of 16 kWh qualify for the full \$ 7,500 credit. This tax credit will decrease in dollar amount after 200,000 Plug-in Vehicles per automaker are sold and the credit expires at the end of 2014	MIT, 2007; ABERN, 2006 WBCSD, 2009; EEA, 2009; http:// www.irs.gov/ businesses/ article/0,,id=21 4841,00.html
	Electric or Plug-in Hybrid CarsThe annual circulation is £ 0 for cars emitting less than 100 gCO2/km but can augment up to £ 400 for cars emitting morethan 225 g CO2/kmSince 2006 federal tax credits are provided for low-emissionvehicles (US Energy Act); several state governments givefurther state tax creditsA Federal tax credit of between \$ 2,500 and 7,500 is availableper Plug-in Vehicle purchased based on the size of thebattery. Batteries with capacity of 16 kWh qualify for the full\$ 7,500 credit. This tax credit will decrease in dollar amountafter 200,000 Plug-in Vehicles per automaker are sold and the	MIT, 2007; ABERN, 2006 WBCSD, 2009; EEA, 2009; http:// www.irs.gov/ businesses/ article/0,,id=21



Country	CO ₂ tax incentives/subsidies	Source
	2001. They have led to an accelerated penetration of fuel	
	efficient vehicles already fulfilling the 2010 fuel efficiency standards in 2004	
Japan	Hybrid buyers had the chance to benefit from tax credits of up to \$ 3,500, but the scheme is now being phased out	ABERN, 2006
	Subsidies of up to \$ 8,800 are provided for Electric Vehicles purchased by taxi fleets and local government	Roland Berger, 2008
Israel	Relating to the collaboration with Better Place, the Israeli Government reduces the purchase tax for electrically driven vehicles from 79 to 10% until 2014, and to 30% after 2019, as a fiscal measure to stimulate the purchase of EVs	SYRO, 2008
China	Taxi fleets and local government agencies that purchase Electric Vehicles are offered subsidies of up to \$ 8,800	TNYT, 2009

Most of the countries within the EU and beyond have introduced CO_2 -based car taxes. The exact structuring - i.e., the amount of CO_2 , the type of tax (registration tax, annual tax, etc.), the design of the tax (progressive, in clumps, bonus-malus system, etc.), the sum, etc. - differs between the respective countries. In many countries (e.g., Norway, Denmark, Greece), EVs are exempted from all or some taxes. Furthermore, many countries implement subsidy programs (discounts, etc.) for EV dispersion.

In summary, many programmes within and beyond the EU refer to CO_2 emission levels and tax incentives to stimulate green vehicle purchasing. Concrete rebates and subsidies vary within the different countries, as do reference and target amounts of CO_2 emissions. Tax exemptions for EVs and circulation restrictions for fuel-consuming cars are also used frequently to boost the market penetration of EVs.

3.7 Industry research activities

Apart from battery research, where Japan is world leader (see Section 4.6), industrial research activities mainly focus on drive train and control technologies. Most of the relevant companies are working on this (e.g., Continental, Bosch, ZF, VDO, etc.). However, actual investment figures in terms of Research and Development are hardly accessible or specific for EV technology, as details on spending might be helpful for possible competitors.

3.8 Summary

In this chapter, we have provided an estimate of total announced market penetration. We investigated the volume of government sponsorship programs to promote Electric Vehicles and the numbers of cars governments and companies dedicated to have on the road in the time horizon of our study. Here, briefly, are the key findings.

- Government and industry EV investment programs predominately began in 2008 and 2009. Considerably less investment is foreseen for 2010 or beyond. This fuels fears of a funding dry-up after 2012.
- The majority of total funding, € 22 billion, has been initiated in the USA and the EU (mainly Germany, France, UK, Spain).

- According to announcements, more than five million new Electric Vehicles (without two- and three-wheelers) globally could hit the road by 2015, the majority in Europe. By 2040, total announced cars sum up to almost 7 million cars. This 'slowing' of market penetration can be easily explained by the fact that most announcements relate to the near-term future.
- The main markets are (in order of importance): EU, USA, East Asia (China and Japan).
- Compared to global sales forecasts of 53 million conventional cars in 2010 alone, market penetration will remain fairly low in the near-term future. Current EU fleet amounts to 213 million passenger vehicles.¹⁵
- Many subsidy programmes within the EU refer to CO_2 emission levels and tax incentives to stimulate green vehicle purchasing. Tax incentives, rebates and circulation restrictions also seem to be applicable measures in other regions of the world.
- Most countries within the EU and beyond have introduced CO₂-based car taxes, but the exact structuring differs between the respective countries.
- Many countries implement broadly varying subsidy programs for Electric Vehicle dispersion.
- The US provides the most subsidies for electric mobility. On the other hand, the announcements of new EVs sum up to just one fourth of the global market. On a cars per € comparison basis, the EU fares more efficiently, at first glance.
- Infrastructure for EVs is often developed and installed in cooperation with private companies.
- At the European level, the European Green Cars Initiative stands out as a high-budget initiative involving virtually all subtopics and areas of electric mobility.
- Postal, messenger services and other companies increasingly equip their inner-city fleets with short-range electric vans and trucks, starting from very marginal levels. The overall market share of EVs in the commercial fleet is still miniscule.



¹⁵ Eurostat tables demo_pop_esms and tsdpc340.



4 Public research programmes

4.1 Introduction

This chapter lists and summarises public research activities. A first section (Section 4.2) addresses European research, followed by a survey of national research programmes of EU Member States (Section 4.3). This is followed by a special focus section on US university and laboratory research activities (Sections 4.4 and 4.5). Moreover, international research activities in other countries are investigated (Section 4.6). All the before-mentioned activities are summarised in a general overview (Section 4.7), complemented by a literature overview (Section 4.8). The chapter closes with a summary section (Section 4.9).

4.2 EU-wide research activities

The 7th Framework Programme for Research and Technological Development (FP7) represents the largest arena in which EU-wide research on EVs is currently taking place. FP7, which has a total budget of \in 50 billion and lasts from 2007 to 2013, includes a number of research projects¹⁶ directly related to EVs (EC, 2009b; EC, 2009c; EC, 2009a).

The first of these projects is **EE-VERT** (Energy Efficient Vehicles for Road Transport), which will develop strategies for overall energy management (thermal and electric) in conventional and hybrid vehicles to reduce fuel consumption and emissions. The project began on January 1st, 2009 and will last a total of 36 months, costing approximately \in 6.5 million. The end goal of the project is to develop technologies that will help the European Commission meet its target of having average CO₂ emissions of new vehicles be 120g CO₂/km by 2012, and of reducing emissions from light passenger vehicles by 40% by 2020.

The second related project funded under FP7 is **POLYZION** (Fast rechargeable zinc-polymer battery based on ionic liquids). This project will create a new class of fast rechargeable zinc-polymer battery for hybrid and small EVs that should overcome current technological, cost and environmental limitations. The project includes research and development in the fields of ionic liquids, rechargeable zinc electrodes, ultra-fast pulse charge injection techniques and conducting polymers. The resulting battery should be low cost, have minimal environmental impacts and be able to power electric and hybrid vehicles as well if not better than current battery technology. POLYZION began on August 1^{st} , 2008 and will last three years, costing approximately \notin 3.5 million.

The third relevant project is **VIETA** (Vehicle Independent Electric Transmission Architectures), which concerns the rapid development of electric drive trains for low-carbon vehicles in Europe, with specific focus on urban Electric Vehicles and commercial vehicles. The proposed electric drive train is based



¹⁶ All data on project was retrievd from Cordis at http://cordis.europa.eu.

on a vehicle-independent electric transmission architecture system. The project, which began on September 1^{st} , 2009, will last 36 months and cost approximately \in 330,000.

In addition to these research activities occurring within the context of FP7, the European Commission Joint Research Centre is currently conducting a number of projects directly related to EVs. These include HySaST (Hydrogen Safety for Storage and Transport), ETEA (Energy and Transport Techno-Economic Assessment), SYSTEM (Energy Systems Technology Modelling), TransTech (Transport Technologies and Emissions) and AIRMODE (Air Quality and Transport Modelling). TransTech and AIRMODE are detailed below.

The purpose of **TransTech** is to research energy efficiency, fuel consumption innovative technologies, alternative vehicle concepts (e.g., electric and hybrid) and alternative fuels to see how these might contribute to reducing pollution and the CO_2 emission that result from transport. It seeks to provide technical and scientific support to the development of technological and non-technological measures in Europe. In doing so, it should improve European energy security and aid the European Commission in achieving its sustainable transportation goals.

AIRMODE researches transport emissions, fuel consumption and air quality modeling. Amongst other goals, it aims at improving transport emission inventories in support of the EU Air Quality and Climate Change strategies, and the relevant Action Plans and policies. In 2010, emphasis is being put especially on the modeling of fuel consumption and CO₂ emissions. As part of AIRMODE, a report on the economic and environmental impacts of possible future scenarios about the penetration of Electric and Plug-in Hybrids will be drawn up and submitted.

Recent additions are **OVERSEE** and **G4V**. **OVERSEE** (Open vehicular secure platform) aims at realising an open IT platform for protected and standardised communications. **G4V** (Grid for vehicles) develops an analytical framework for the planning of technological developments in grid infrastructure in order to accommodate a mass introduction of EVs.

Apart from that, the European Green Car Initiative also has earmarked money for EV research.

4.3 National-level research activities (EU)

The national development plan for electric mobility Germany - supports eight pilot projects with a total of \in 115 million as part of the German recovery act until 2011. Further funding will follow. A \in 500 million programme as part of a national economic stimulus package has been set up to accelerate the development and deployment of EVs within the next years, being dedicated to several pilot projects and to major German manufacturers of cars and battery systems as well as to utilities and scientific institutes to do the accompanying research (WWF, 2009). The money should cover research and development of battery technologies and EVs, as well as the financial support of several demonstration projects with EVs that were launched in 2009 in several German cities (e.g., BMW, Daimler with Vattenfall; RWE in Berlin, Munich) (FOCUS, 2008; TAGS, 2009). In addition, a lithium-ion battery research programme (LIB, 2015) is funded \in 60 million (2008-2015) by the government and \in 360 million investments by an industry consortium (BMU, 2008; BMBF, 2009).



The University of Duisburg-Essen¹⁷ is also conducting its own EV tests, while the Ruhr University of Bochum¹⁸ is conducting advanced battery tests.

The ADAC in collaboration with the energy provider RWE took into operation 25 charging stations for EVs nationwide in 1999, which provide free power until the end of 2011. Further stations will follow until the end of 2011.

The group of municipal utilities 'Trianel' founded the 'competence centre for electric mobility' in Aachen, enabling the participating parties (29) to benefit from advantages in transfer of knowledge as well as in the purchasing of infrastructure and vehicles.

Austria's Climate and Energy Fund of the Ministry of Transport, Innovation and Technology funded the project 'e-connected'¹⁹ which aims to link different stakeholders and to provide information on ongoing projects and initiatives in the context of e-mobility. Within e-connected, several expert panels with representatives from research institutes, industry and NGOs come together in order to identify and eliminate obstacles to facilitate the deployment of EVs in Austria (LUGMAIER, 2009).

For example, in the course of the VLOTTE-project²⁰ in the Vorarlberg region that was launched in 2008, 78 EVs were deployed, 32 charging station installed and a distance of 150,000 km was covered. In 2010, the second round of this project, VLOTTE II, started.

In France, $a \notin 400$ million funding for R&D and demonstration projects on low carbon vehicles (vehicle development, charging infrastructure) over 2008-2012 has been established, thereof \notin 90 million for the research on EV technology. An interministerial fund will finance two national research platforms on the development of battery technology and electric and hybrid vehicles (Chatel and Jouanno, 2009). In February 2009, the government installed a special working group responsible for the coordination and installation of a standardised national charging network for PHEVs and battery powered EVs (CARN, 2009; Chatel and Jouanno, 2009). The strategy includes the empowerment of local governments to set up public charging infrastructure, a quota of parking areas in work places and shopping areas for EVs and charging spots, an obligation for builders of collective residences to set up charging facilities at parking places upon request of inhabitants as well as an obligation for local governments to equip public parking areas with charging facilities (Chatel and Jouanno, 2009).

In addition to these public-funded activities, the École des Mines de Paris²¹ is researching hybrid and EV systems and components.

In the course of the French car-sharing public-private partnership 'Autolib'²² between AVIS car rental, the French National railway Company SNCF and the French Transit Authority RATP, 4,000 Electric Vehicles will be deployed in

- ¹⁸ http://www.ruhr-uni-bochum.de/index_en.htm.
- ¹⁹ www.e-connected.at.
- ²⁰ http://www.vlotte.at/index.asp.
- ²¹ http://www.ensmp.fr/Accueil/.
- ²² http://www.autolib.fr/autolib/.



¹⁷ http://www.uni-due.de/index.shtml.en.

Paris and two dozen surrounding cities. In addition, 1,400 charging stations will be installed in Paris and its suburbs.²³

In **Spain**, the Ministry of Industry through the IDAE (Institute for Energy's Diversification and Saving) supports the MOVELE-project to introduce 2,000 electric cars and install 500 recharging points in 2009 and 2010 (IDEA, 2009).

In the UK, the government plans to spend £ 400 million to encourage the development and support of ultra-low-emission vehicles (BERR, 2009), including a demonstration project with 100 EVs in several UK towns and cities (funded with £ 10 million). Additionally, £ 20 million are dedicated to UK research into improving EV technologies and infrastructure, coordinated by the Government-funded Technology Strategy Board (BERR, 2008b; BERR, 2009). A commitment to promote EV technology, to facilitate the establishment of charging infrastructure and to collaborate multilaterally regarding the development of international standards (BERR, 2008b) has been made by the government. Further £ 20 million will support the demonstration and use of low carbon vehicles in the public sector with the aim to encourage the mass production of electric vans (BERR, 2008b).

National-level research activities within the EU often go along with huge subsidies originating from national economic stimulus packages. Most projects are pilot and demonstration projects and include companies, universities, research institutes and public institutions.

4.4 University-affiliated research activities (USA)

The Davis Plug-In Hybrid Electrical Vehicle Research Center of the University of California²⁴ aims to serve as a magnet for research on consumer response, environmental impacts, and vehicle technology, including EVs.

The **Sloan Automotive Laboratory** at the MIT Center for 21st Century Energy²⁵ focuses on research on technologies for energy conversion and utilisation, encompassing existing and emerging technologies and systems. These include developing fuel cell and advanced battery systems.

The Clemson University International Center for Automotive Research²⁶ conducts research on ultracapacitors used for automotive energy storage.

Development and implementation of new materials, monitoring techniques, designs and applications as well as alternative fuels research, specifically in the areas of Plug-in Electric Vehicles and the development of a future hydrogen infrastructure, is being researched by the **Missouri Transportation Institute** at the Missouri University of Science and Technology²⁷.

- ²⁶ http://www.clemson.edu/centers-institutes/cu-icar/.
- ²⁷ http://mti.mst.edu/.



²³ http://www.businessweek.com/globalbiz/content/aug2009/gb2009087_330677.htm.

²⁴ http://phev.ucdavis.edu/.

²⁵ http://web.mit.edu/c21ce/index.html.

The Department of Materials Science and Engineering at Carnegie Mellon²⁸ wants to improve the efficiency of batteries, motors, generators and other energy conversion devices.

The College of Engineering at Michigan State University²⁹ researches motor and generator technology that can dramatically improve efficiency and reduce costs of electric and hybrid vehicles.

The University of Wisconsin Madison³⁰ is dealing with control and conversion of electric power for applications ranging from EVs to fuel cell power converters.

The **Precourt Energy Efficiency Center (PEEC)**³¹ at Stanford University carries out EV research and assesses prototype building capabilities.

Georgetown University Advanced Vehicle Development³² integrates tests and demonstrates electric drive systems and specialises in fuel cell buses.

The Hybrid Electric Vehicle Team at San Diego State University's College of Engineering³³ is developing a medium duty, modular, reduced-weight hybrid-powered urban delivery fleet. The work includes design, energy management and control technologies.

The Vehicle to Grid (V2G) Technology Research Group at the University of Delaware³⁴ is developing vehicle to grid technology.

The Advanced Power Systems Research Center of Michigan Technological University³⁵ carries out research on hybrid and electrical vehicles and alternative fuel use in HEVs.

The University of Michigan Transportation Research Institute³⁶ has wide research capabilities concerning advanced technology vehicles.

The University of Michigan-Dearborn³⁷ specialises in modelling and simulations of hybrid and Electric Vehicles.

Purdue University³⁸ is developing cooling systems for EV components, including batteries.

- ³² http://fuelcellbus.georgetown.edu/.
- ³³ http://www.engineering.sdsu.edu/~hev/statement.html.
- ³⁴ http://www.udel.edu/V2G/.
- ³⁵ http://www.me.mtu.edu/research/power/.
- ³⁶ http://www.umtri.umich.edu/about.php.
- ³⁷ http://www-personal.engin.umd.umich.edu/~chrismi/publications/ 2007_95_4_IEEE_Proc_Modeling_HEV.PDF.
- ³⁸ http://www.purdue.edu/.



²⁸ http://www.materials.cmu.edu/research/materials_energy.html.

²⁹ http://www.egr.msu.edu/research/areas/energy.

³⁰ http://www.engr.wisc.edu/ece/.

³¹ http://peec.stanford.edu/index.php.

West Virginia University³⁹ focuses on automotive engineering, hybrid electrical vehicles, as well as EcoCar development and testing.

Ohio State University's Center for Automotive Research⁴⁰ has launched a new program called SMART@CAR: Sustainable Mobility - Advanced Research Team. SMART@CAR partners with 12 organisations in a new program focused on PHEVs, EVs and intelligent charging.

4.5 Laboratory research activities (USA)

The Los Alamos National Laboratory serves as the conduit for laboratory collaborations with private industry. In doing so, it promotes the transfer of technology from the laboratory to external sectors. Its Technology Transfer Division⁴¹ (TT) is responsible for helping move technologies from the lab to the marketplace to benefit the US economy and society. The TT recently submitted a proposal to the Advanced Research Projects Agency-Energy (ARPA-E) to conduct research on low-cost, ultra-high-energy-density batteries for PHEVs and EVs, amongst other topics.

The Transportation Technology R&D Center at Argonne National Laboratory⁴² is developing and testing various Hybrid Electric Vehicles and their components to identify the technologies, configurations and engine control strategies that would provide the best combination of high fuel economy and low emissions.

The Idaho National Laboratory⁴³ provides capability in testing and evaluating advanced battery, fuel cell and ultra-capacitor technologies. This testing activity provides data for the Department of Energy's technology, modelling, simulations and R&D programs, as well as by private industry. The stated goal of the Idaho National Laboratory's research in this field is to develop and test technologies that can lead to emission- and petroleum-free vehicles so as to reduce consumption of foreign oil.

Brookhaven National Laboratory⁴⁴ is conducting research into solid-state hydrogen storage and lithium batteries to make alternative modes of transportation more feasible and safe, as well as to reduce oil dependency. Brookhaven scientists are conducting basic electrochemical research to improve the efficiency and reliability of fuel cells and batteries. Accordingly, they are performing basic and applied research for the improvement of energy-storage materials and systems with high energy densities.

The National Renewable Energy Laboratory (NREL)⁴⁵ is conducting research in the fields of battery thermal management, modelling and systems solutions for Fuel Cell, Hybrid Electric and Electric Vehicles. It is also working to develop hybrid technology for the next generation of trucks and other heavy

- ⁴¹ http://www.lanl.gov/orgs/tt/.
- ⁴² http://www.transportation.anl.gov/.
- ⁴³ https://inlportal.inl.gov/portal/server.pt?open=512&objID=255&mode=2.
- ⁴⁴ http://www.bnl.gov/world/.
- ⁴⁵ http://www.nrel.gov/.



³⁹ http://www.cemr.wvu.edu/research/center-details.php?&id=87&type=lab.

⁴⁰ http://car.eng.ohio-state.edu/node/84.

transportation vehicles. The NREL's hydrogen and fuel cells research focuses on hydrogen production, delivery and storage; fuel cells; technology validation; safety, codes, and standards; analysis; education; and manufacturing.

The Center for Transportation Analysis (CTA) in the **Oak Ridge national** Laboratory (ORNL)⁴⁶ seeks to develop integrated inter-modal transportation solutions. CTA's activities encompass transportation energy and environmental concerns, planning and policy issues, systems engineering, amongst others. More specifically, CTA is currently researching energy storage and automotive electrical drive development.

The research activities of the Transformational Materials Science Initiative at the **Pacific Northwest National Laboratory**⁴⁷ focus on the synthesis and assembly of multifunctional nanomaterials. It studies such materials with the goal of optimising the transportation and storage of charged species within them.

The Rocky Mountain Institute (RMI)⁴⁸ is currently leading a non-profit initiative called Project Get Ready, which will provide a database of US and international plug-in readiness activities, and will bring together relevant stakeholders from around the world on a regular basis to discuss lessons learned and best practices. RMI is also conducting advanced vehicle concept development research.

From June 2004 to May 2005, the Motor Vehicle Fire Research Institute⁴⁹ was contracted by the Southwest Research Institute to conduct a project entitled 'Electrical Vehicle Battery Abuse Testing'. This project entailed performing abuse research on 36V batteries to investigate the possibility of them self-igniting in the case of an accident.

Research activities in virtually all areas of electric mobility are highest in the United States, especially in universities and national laboratories.

4.6 International research activities

Japan remains the world leader with regard to the research and development of battery technologies showing the highest R&D budget for the development of lithium-ion batteries. Recently, the Government of China announced plans to turn the country into one of the leading producers of EVs within three years. Government research subsidies for electric car designs have already increased significantly. An interagency panel is planning tax credits for the purchase of alternative energy vehicles.

⁴⁹ http://www.mvfri.org/.



⁴⁶ http://cta.ornl.gov/cta/.

⁴⁷ http://www.pnl.gov/.

⁴⁸ http://www.rmi.org/rmi/.

4.7 General overview

The following listing is intended to give a general overview on the different measures and on the different levels where these measures were taken, including the information of Chapters 3 and 4. It is neither absolute nor finished, as new programs, development plans, research activities and joint ventures are being created, developed and initiated all the time. Especially the pilot projects in some countries are diverse and partly overlap with national programs or stimuli, so that a definite classification and demarcation is hardly possible.

Please note that tax incentives and subsidies have been counted as national measures.

Country	National	University	Laboratory	Pilot	Sum (in mio. €)
	Program			Projects	
Austria	2			2+	
Belgium	3				2
Cyprus	1				
Denmark	3			2	109.6
France	3	1	2	Several	400
Germany	2	2		8+	920
Greece	2				
Ireland	2	1		1	
Italy		1		3	
Netherlands	4			1	68
Norway	3				
Portugal	2				
Spain	2				
Turkey		1			
UK	5			3	522
EU	9				1,000
Australia				1	
China	3				1,357
Israel	1			1	
Japan	1		Battery		
			research		
Russia		1			
USA	6	17	12+	1	6,571

Table 8 General overview of research activities

The US conducts by far the most research activities in national laboratories and universities, while all the other countries are left behind in both categories. As stated before, Japan remains the world leader in battery research and development.

Many countries of the EU have at least one national program supporting the market penetration of EVs, most of them in the Netherlands and the UK. Pilot projects are mainly held in France and Germany, the latter being also comparatively strong in university research.



The EU itself has launched several high-budget research projects on almost all subareas of electric mobility, thereof particularly prominent energy efficiency, battery and drive train technology as well as developing transport systems and scenarios.

4.8 Literature Overview

Table 9 provides a list of sources utilised in the project related to the various production aspects of FEVs and PHEVs. The different categories refer to the types of information gleaned from each source.

Table 9 EVs, PHEVs and electricity production aspects

	Long term transition	Business case	Battery development	Emissions and energy use of vehicles	Impact EVs on electricity production	Charging	Smart grid	Electricity production and emissions	Electricity grid and infrastructure	Renewables grid integration	Vehicle 2 Grid
AER, 2009	Х								Х		
BERR, 2008a	Х	Х	Х	Х							
CE, 2008				Х							
CE, 2009				Х	Х				Х		
DB, 2008		Х									
EA, 2009				Х							
EEA, 2008								Х			
EEA, 2009	Х	Х	Х	Х	Х			Х			
Greenpeace, 2009									Х	Х	
IHS Global Insight, 2009a		Х				Х	Х				
IHS Global Insight, 2009b			Х			х					
IEA, 2006								Х			
JRC, 2008				Х				Х			
Lund and Kempton, 2008							Х				Х
NREL, 2010			Х								
OECD/IEA, 2008	Х		Х								
PBL, 2009	Х		Х	Х				Х			
TNO, TWTH & ECN, 2009				Х							
UK ERC, 2006										Х	
UMMELS, 2009										Х	
WWF, 2008	Х		Х	Х				Х			
WWF, 2009				Х							



4.9 Summary

In this section, we looked at various research initiatives around the world related to Electric Vehicles, components, etc. The following are the key findings.

- Research activities in virtually all areas of electric mobility are highest in the United States, especially in universities and national laboratories, while all the other countries are left behind in both categories.
- Japan remains the world leader in battery research and development.
- National-level research activities within the EU often go along with huge subsidies originating from national economic stimulus packages. Most projects are pilot and demonstration projects and include companies, universities, research institutes and public institutions.
- The 7th Framework Programme for Research and Technological Development (FP7) represents the largest arena in which EU-wide research on Electric Vehicles is currently taking place (2007-2013).
 Many countries of the EU have at least one national program supporting the market penetration of EVs, most of them in the Netherlands and the UK. Pilot projects are mainly held in France and Germany.



5 Conclusions

5.1 The nature of the future EVs

Presently, there is no clear trend visible towards real shifts in terms of vehicle mass or design. The fact that the announced cars are on average not significantly lighter than today's European cars indicates that there will be a significant shift towards small cars. There is no clear evidence of light weight composite materials as has been observed in aircraft design, see the upcoming Boeing B787 Dreamliner and the Airbus A350. This conclusion may not hold true in the long term as composite materials may become market-ready in the future. However, vehicle prices will be considerably higher for FEVs and PHEVs compared to today's ICE cars, which will certainly affect customer purchasing behaviour and thus might limit the number of sales.

Judging from the available data, battery capacity correlates very directly with battery mass. Thus, more battery capacity implies a heavier and larger car. Ranges are therefore still very much limited and pure electric driving will be limited to short and medium range applications for the short-term future. Based on EDT urban drive ranges, FEVs are primarily in the 100-200 km ranges (89%), PHEVs in the ranges below 100 km (84%). This is linked both to vehicle mass and battery performance. As only 28.6% of FEVs have a range above 200 km, their main use is urban traffic and commuting, but not travel. In the long run, however, the ranges of FEVs might increase significantly and extend the cars' typical fields of application beyond only city use.

In terms of acceleration from 0 to 100 km/h, EVs will not differ significantly from today's cars. Although indicated maximum speeds are lower than for today's ICE cars, these top speeds can only be maintained for a very short period of time by EVs due to overheating.

In comparison with its respective ICE version, the EV model almost always performs weaker. In particular, vehicle price and range - two essential purchase criteria - are significantly less advantageous for the EVs. As a consequence, the market penetration of EVs might remain lower since potential buyers could rather stick to the lower-priced ICE version with a better overall performance.

Apart from passenger cars, many different vehicle types will be electrified in the future. Generally, these vehicles are very heterogeneous and can be subdivided into several variable subgroups: city cruisers, racing and off-road motorbikes, city bicycles ('Pedelecs'), trucks and vans. Their specifications largely depend on the type and use of the vehicle (i.e., the subgroup) and need to be compared more profoundly to receive meaningful results.

The function and outward appearance of these non-passenger car vehicles are mainly based on already existing vehicle types and thus do not represent fundamental changes in vehicle construction. However, a few vehicles (Aptera, TTW One) look rather futuristic and are built out of light weight materials.



As many of the vehicles are not produced in large quantities, individual modifications are often possible.

5.2 Trends and market penetration in the near future

Until 2015, the market penetration of EVs will remain fairly low compared to sales forecasts of 53 million conventional cars in 2010. The estimation based on several government announcements, industry capacities and proliferation projects sees over five million new EVs on the road globally by 2015, the majority of these in the EU. The main markets for EVs are in order of importance the EU, the US and East Asia (China and Japan), also representing today's main markets for ICE passenger cars in a different order. Some further target markets like Israel and the Indian subcontinent will evolve as well.

In the long term, the share of EVs will most likely increase as additional countries adopt technologies and initiate projects themselves. On the other hand, there is also a likelihood that Electric Vehicles might fail to reach mass markets and will remain a niche product for technology leaders.

In some countries, non-passenger car EVs already hold market shares of up to 10%, as do electric bicycles in the Netherlands. In East Asia, especially in China, there is also a clear trend towards electric bicycles. These examples highlight the potential for electric mobility in non-car applications. Additionally, concrete beginnings of existing market penetration can be observed as postal and messenger services as well as other companies increasingly plan to equip their inner-city fleets with short-range electric vans and trucks. In these cases, the EVs are used in their typical urban field of application where they prove to be profitable and attractive also for private companies.

Generally, non-passenger car market penetration in the short term might have more impact than passenger cars as postal and messenger services as well as other companies increasingly equip their inner-city fleets with short-range electric vans and trucks, however starting from very marginal levels.

5.3 Government and industry investment

The further uptake of EVs - passenger cars and other - vehicles is heavily supported by government and industry programs.

Government and industry investments have predominately been high during the past 24 months. A majority of the total funding of \in 21.6 billion has been distributed in the US and the EU. The money often went into subsidy programs for EV dispersion, where the US is the world leader. The fact that large sums have been spent by government institutions and as part of national economic stimuli programs can be construed as an increasing political will to promote EV technologies. Accordingly, most of the countries within the EU and beyond have introduced CO₂-based car taxes favouring EVs. Tax incentives, rebates and circulation restrictions are further measures and can be found in many nations. Compared to these measures that predominantly already became operative, EV distribution has remained relatively low yet, but an increasing number of available cars in the market during the next years will most likely lift up the market share of EVs.



Generally, the types of programs for electric mobility (target numbers, infrastructure, pilot projects, traffic rights, etc.) vary broadly on a worldwide, but also on a European level. Infrastructure for EVs is often developed and installed in cooperation with private companies and in public private partnerships, revealing that there is not only a public interest in EV technology, but also economic possibilities. Here, too, the US holds the leading position.

There is considerable scepticism as to the long term continuity of government and industry investment schemes and there is a perceived fear that these programs might dry-up after 2012, especially if progress remains below the expected outcome.

5.4 Research efforts

Research activities in virtually all areas of electric mobility are highest in the US, especially in universities and national laboratories, while all the other countries are left behind in both categories. This goes along with the US providing the highest investment sums and initiating the largest subsidy programs, even though they form only the second largest future EV market.

Japan remains the world leader in battery research and development, often attached to familiar electronics companies.

National-level research activities within the EU often go along with huge subsidies originating from national economic stimuli packages. Most projects are pilot and demonstration projects and include companies, universities, research institutes and public institutions. Especially the main players (Germany, France, and UK) are active in this field.

The 7th Framework Programme for Research and Technological Development (FP7) represents the largest arena in which EU-wide research on EVs is currently taking place. FP7, which has a total budget of over \in 50 billion and lasts from 2007 to 2013, includes a number of research projects directly related to EVs, thereof particularly prominent on energy efficiency, battery and drive train technology as well as developing transport systems and scenarios.

Further research into the long term potential for EV market penetration will be needed. This task will be carried out in WP 4 (Economic Analysis) and WP 6 (Scenario Analysis).

In the near-term future, the market penetration of EVs will remain fairly low compared to conventional automobiles. The estimation based on several government announcements, industry capacities and proliferation projects sees over five million new Electric Vehicles on the road globally by 2015, the majority of these in the EU. The main markets for EVs are in order of importance the EU, the US and East Asia (China and Japan). Some further target markets like Israel and the Indian subcontinent will evolve, too.

In the long term, the share of EVs will most likely increase as further countries adopt technologies and initiate projects themselves.

1. It can be assumed that in the short run, i.e., until 2015, EVs will not differ significantly from today's cars concerning their outward appearance and function, albeit with shorter ranges than conventional ICE cars.



- 2. In the near-term future, the market penetration of EVs will remain fairly low: compared to sales forecasts of 53 million conventional cars in 2010 alone, EVs will account for over five million cars until 2015. The main markets for EVs still being the EU, the US and East Asia (China and Japan).
- 3. As research activities and investments are relatively high, EV technology may advance rapidly and in future might account for greater shifts than our findings suggest.
- 4. There is a significant risk of electric 'depression' after 2012 if expectations are not met and market penetration remains low.



References

ACEA, 2009

Overview of CO₂-based motor vehicle taxes in the EU Brussels : European Automobile Manufactures' Association (ACEA), 2009

AER, 2009

De ruggengraat van de energievoorziening : advies energieraad over de energie-infrastructuur Den Haag : Energieraad, 2009

AVERE, 2007

EV Focus : electric and hybrid vehicle Focus - Europe Brussels : The European Association for Battery, Hybrid and Fuel Cell Electric Vehicles (AVERE) In : The AVERE and Citelec joint secretariat newsletter, 2007

BBC, 2009

BBC News Plan to boost electric car sale Online article, 16 April 2009 http://news.bbc.co.uk/2/hi/business/8001254.stm

BERR, 2008a

Investigation into the Scope for the Transport Sector to Switch to Electric Vehicles and Plug-in Hybrid Vehicles London : Department of Business, Enterprise and Regulatory Reform and Department for Transport (BERR), 2008

BERR, 2008b

New jobs on the horizon as Britain leads green motoring revolution Department for Transport and Department for Business, Enterprise and Regulatory Reform, press release, 27 November, 2008 http://www.whitehallpages.net/news/archive/145583

BERR, 2009

London HM Government, Department for Transport, Department for Business, Enterprise and Regulatory Reform (BERR), Department for Innovation, Universities and Skills (BIS) Ultra-low carbon vehicles in the UK London : Department for Business, Enterprise and Regulatory Reform (BERR), 2009

BMBF 2009

Innovationsallianz 'Lithium Ionen Batterie LIB 2015' Berlin : Bundesministerium für Bildung und Forschung, Innovationsallianz (BMBF), 2009 http://www.bmbf.de/de/11828.php Accessed: 17 June 2009

BMU, 2008

Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit (BMU) Deutschland soll Leitmarkt für Elektromobilität werden (Pressedienst Nr. 274/08) Berlin : Nationale Strategiekonferenz Elektromobilität, 2008

Bonhoff, 2009

Klaus Bonhoff (NOW GmbH Nationale Organisation Wasserstoff-und Brennstoffzellentechnologie) Elektromobilität : wie geht es weiter? Impulsvortrag Berlin : Impulsvortrag, 11 November 2009

BUGR, 2008

Business Green Spain aims for a million electric vehicles by 2014 Online article, 31 July 2008 http://www.businessgreen.com/bg/news/1803606/spain-aims-millionelectric-vehicles-2014

BUND, 2008

Sachstand und Eckpunkte zum Nationalen Entwicklungsplan Elektromobilität Berlin : Die deutsche Bundesregierung (BUND), 2008

BUWE, 2009

Liu, Leona Autolib : Paris' Electric Car Sharing Plan BusinessWeek (BUWE), Online article, 07 August 2009 http://www.businessweek.com/globalbiz/content/aug2009/gb2009087_33067 7.htm

CARB, 2008

Fact sheet : The zero emission vehicle program Sacramento : California Air Resources Board (CARB), 2008

CARN, 2009

Déjà vu as France plans national EV charging network - again Carbon Nation (CARN), Online article, February 2009 http://carbonnation.info/2009/02/20/deja-vu-as-france-plans-national-evcharging-network-again/

CE, 2008

L.C. (Eelco) den Boer, F.P.E. (Femke) Brouwer, H.P. (Huib) van Essen STREAM, Studie naar Transport Emissies van Alle Modaliteiten, versie 2.0 Delft : CE Delft, 2008

CE, 2009

Bettina Kampman, Cor Leguijt, Dorien Bennink, Lonneke Wielders, Xander Rijkee, Ab de Buck, Willem Braat Green Power for Electric Cars : Development of policy recommendations to harvest the potential of electric vehicles Delft : CE Delft, 2009

Chatel and Jouanno, 2009

Luc Chatel and Chantal Jouanno Lancement de la stratégie nationale de deployment des infrastructures de recharge pour les véhicules électriques et hybrides Press release, 2009 http://www.developpementdurable.gouv.fr/spip.php?page=article&id_article=5294



CLBZ, 2006

France Introduces Compulsory Eco-Labels for New Cars Climate Biz (CLBZ) : The Business Resource for Climate Change, Online article, 23 May 2006 http://www.greenbiz.com/news/2006/05/22/france-introduces-compulsoryeco-labels-new-cars

COIN, 2009

Kfz Steuer Reform : Fragen und Antworten zur CO₂-Steuer CO₂-Steuer Info (COIN) : Das Informationsportal zur emissionsbasierten Besteuerung von Kraftfahrzeugen Online article, 25 February 2009 http://www.co2-steuer.info/informationen/neue-kfz-steuer-fragen-undantworten-zur-co2-steuer.php

DAIM, 2008

Daimler Launches 'e-mobility Italy' in Cooperation with Enel Daimler (DAIM), press release, December 02, 2008 http://www.daimler.com/dccom/0-5-658451-1-1159926-1-0-0-0-0-8-7165-0-0-0-0-0-0.html

DB, 2008

Auto Manufacturing Electric Cars. Plugged In : Batteries must be included S.I. : Deutsche Bank (DB), Global markets Research Company, 2008

DEWE, 2009

Marc-Christoph Wagner Denmark turns to green transport in run up to climate summit Deutsche Welle (DEWE), press release, 4 April 2009 http://www.dw-world.de/dw/article/0,,4152215,00.html

DFT, 2009

Government to help motorists and industry get on the low carbon road Department for Transport (DFT) and Department for Business, Enterprise and Regulatory Reform News Release, 16 April 2009 http://www.itmworld.com/newswire_detail.php?iResearchId=9836

DOMB, 2008

Domain-b.com (DOMB) Portugal to start mass use of electric cars by 2011 Online article, 24 November 2008

Ea, 2009

CO₂ Emissions from Passenger Vehicles : Analysis prepared for the Danish Petroleum Association Copenhagen : Ea Energy Analyses, 2009

EC, 2009a E. Holmberg European Green Car Initiative with a focus on electric vehicles eSafty Working Group RTD meeting presentation Brussels : European Commission, 2009



EC, 2009b

Public Private Partnerships (PPP) European Commission - Research/Industrial technologies, June 2009 http://ec.europa.eu/research/industrial_technologies/ppp-inresearch_en.html

EC, 2009c

Greening road transport - EU-funded research supports EU's environmental objectives

Europe press release, Brussels 26 January 2009

http://europa.eu/rapid/pressReleasesAction.do?reference=MEMO/09/26&form at=HTML&aged=1&language=EN&guiLanguage=en

EDIE, 2009

Politicians advocate electric cars

Environmental Data Interactive Exchange (EDIE), Online article, 14 April 2009 http://www.edie.net/news/news_story.asp?id=16275&channel=0&title=Politic ians+advocate+electric+cars

EDM, 2010

Renault-Nissan Alliance and Italian Utility A2A to Test Electric Mobility in Lombardy Online article: Edmunds.com (EDM), 17 March 2010 http://blogs.edmunds.com/greencaradvisor/2010/03/renault-nissan-allianceand-italian-utility-a2a-to-test-electric-mobility-in-lombardy.html

EEA, 2008

Energy and the environment report 2008 Copenhagen : European Environment Agency (EEA), 2008

EEA, 2009

Environmental impacts and impact on the electricity market of a large scale introduction of electric cars in Europe : Critical Review of Literature Copenhagen : European Environment Agency (EEA), 2009

EPA, 2007

Plug-in hybrid electric vehicles - technical highlights Washington DC : United States Environmental Protection Agency (EPA), 2007

ETAP, 2009

Spanish tax benefits for the environmentally minded Environmental Technologies Action Plan (ETAP) : Policy news, 22 June 2009 http://ec.europa.eu/environment/etap/inaction/policynews/392_en.html

ETEC, 2007

A review of the UK innovation system for low carbon road technologies : A report for the Department for Transport S.I. : E4tech, 2007

Eurostat, 2010

New registrations of passenger cars, motor coaches, buses and trolley buses, by type of vehicle and alternative motor energy (road_eqr_carbua) http://nui.epp.eurostat.ec.europa.eu/nui/show.do?dataset=road_eqr_carbua &lang=en Last update 18 September 2009



FAST, 2009

Kit Eaton Is \$ 2.4 Billion For Obama's Electric Cars Plan Enough? Fast Company; Online article, 20 March 2009 http://www.fastcompany.com/blog/kit-eaton/technomix/24-billion-obamaselectric-cars-plan-enough

FISI, 2009

Gerhard Angerer et al. Lithium für Zukunftstechnologien : Nachfrage und Angebot unter besonderer Berücksichtigung der Elektromobilität Karlsruhe : Fraunhofer ISI (FISI), 2009

FOCUS, 2008

Elektro-Mini für Berlin FOCUS, Online article, 25 November 2008 http://www.focus.de/auto/neuheiten/bmw-elektro-mini-fuerberlin_aid_351064.html

FTIME, 2010

Electric car plans for FIAT's old plant in Sicily Financial Times (FTIME), press article, 8 February 2010 http://www.ft.com/cms/s/f846ce3c-14cf-11df-8f1d-00144feab49a,Authorised=false.html

GCC, 2008

Portugal and Renault-Nissan Alliance Implement EV Agreement for 2010 Green Car Congress (GCC), Online article, 25 November 2008 http://www.greencarcongress.com/2008/11/portugal-and-re.html

GLOB, 2009

FIA Foundation, IEA, Inter-national Transport Forum (ITF), UNEP Making cars 50% more fuel efficient by 2050 worldwide 50by50 S.I. : Global fuel economy initiative (GLOB), 2009

GOMES, 2010 Carlos Gomes Global Auto Report In : Global Economic Research, 26.11.2010

GREENPEACE et al., 2009

(r)enewables 24/7 : Infrastructure needed to save the climate S.I. : Greenpeace & European Renewable Energy Council *(EREC), 2009

HDLB, 2009

Markus Hennes Klatten steigt bei SGL Carbon ein Handelsblatt (HDLB), 16 March 2009 http://www.handelsblatt.com/unternehmen/koepfe/klatten-steigt-bei-sglcarbon-ein;2203845

HIEV, 2009

69

Greek Legislation Hellenic Institute of Electric Vehicles (HIEV), Online article, 22 June 2009 http://www.heliev.gr-

IDAE, 2009

MOVELE. Proyecto Piloto de MOVilidad ELEctrica Instituto para la Diversificacion y Ahorro de la Energía (IDEA), Online article, 07 May 2009 http://www.idae.es/index.php/mod.pags/mem.detalle/id.407

IEA, 2006

CO₂ emissions from fuel combustion 1971-2004 Paris : OECD/IEA, 2006

IHS Global Insight, 2009a

Battery Electric and Plug In Electric Vehicles : The definite assessment of the business opportunity S.I. : IHS Global Insight, 2009

IHS Global Insight, 2009b

Battery Electric and Plug In Electric Vehicles : The Advanced Energy Storage Report

S.I. : IHS Global Insight, 2009

IMPO, 2007

Portuguese taxes on cars Imposto Sobre Veículos e Imposto Único de Circulação(IMPO), Online article, 30.05.2007 http://impostosobreveiculos.info/inicio/portuguese-taxes-on-cars/

IND, 2010

Milan and Brescia herald Italy's electric car future The independent (IND), press article, 18 March 2010) http://www.independent.co.uk/life-style/motoring/milan-and-brescia-heralditalys-electric-car-future-1923334.html

ITS, 2004

S. Shaheen California's zero-emission vehicle mandate Davis (CA) : Institute of Transportation Studies (ITS), University of California, 2004

JONES, 2006

Roland Jones American vehicles are piling on the pounds : Automakers work on ways to slim down as gasoline prices stay high Online article, 17 October 2006 http://www.msnbc.msn.com/id/14187951/

JRC, 2008

Well-to-wheels analysis of future automotive fuels and powertrains in the European context S.I. : EU Joint Research Center (JRC), Conservation of Clean Air and Water in Europe, EURCAR (European Council for Automotive R&D), 2008

KING, 2008

J. King

70

The King Review of low-carbon cars : Part II: recommendations for action London : HMSO, 2008



KLFO, 2008 Jahresprogramm des Klima- und Energiefonds 2008 Klimafonds (KLFO), July 2008 http://www.klimafonds.gv.at

Lugmaier, 2009

A. Lugmaier Smart Grids Austria National Technology Platform Smart Grids Austria (presentation) Würzburg : European Conference 'Smart Grids and Mobility', 2009

Lund and Kempton, 2008

H. Lund and W. Kempton Integration of renewable energy into the transport and electricity sector through V2G In : Energy Policy, vol. 36, no.9, (2008); p. 3578-3587

MAYO, 2009 An electric vehicle delivery plan for London London : Mayor of London (MAYO), 2009

MINDS, 2009

Chris Evans Dutch gear up for electric vehicles MindsinMotion, 29 July 2009 http://www.mindsinmotion.net/index.php/mimv34/themes/hybrid_electric/ featured/dutch_gear_up_for_electric_vehicles

MIT, 2007

M.A. Kromer and J.B. Heywood Electric Power-trains : Opportunities and Challenges in the U.S. Light-Duty Vehicle Fleet Cambridge (MA) : Massachusetts Institute of Technology - Laboratory for Energy and the Environment (MIT), 2007

NREL, 2010

A. Brooker, M. Thornton and J. Rugh Technology improvement pathways to cost-effective vehicle electrification S.I. : National Renewable Energy Labs (NREL), 2010

NYT, 2009

K. Bradsher China vies to be world's leader in electric cars The New York Times, press article, April 1, 2009 http://www.nytimes.com/2009/04/02/business/global/02electric.html

OECD/IEA, 2008

Energy Technology Perspectives, Scenarios & Strategies to 2050 Paris : Organisation for Economic Co-operation and Development; International Energy Agency, 2008

OEN, 2009

Elektroauto, Elektromoped, Elektrorad usw.- Förderungen und Vergünstigungen - wo? oekonews.at (OEN), Online article, 22 June 2009 http://www.oekonews.at/index.php?mdoc_id=1035191



Ohnsman, 2009

Alan Ohnsman Honda May Develop Plug-In as Obama Alters U.S. Policy : Update2 Bloomberg, Online article, 27 April 2009 http://www.bloomberg.com/apps/news?pid=20601103&sid=aD0dW_P92jeU&re fer=us

PBL, 2009

Elektrisch autorijden : Evaluatie van transities op basis van systeemopties Bilthoven : Planbureau voor de Leefomgeving, 2009

PDLR, 2009

Pacte automobile : dossier de presse Paris : Présidence de la République (PDLR), 2009

Roland Berger, 2008 M. Valentine-Urbschat, et al.

Powertrain 2020 : the future drives electric Munich/Stuttgart : Roland Berger Strategy Consultants, 2008 In : Automotive Insights Munich/Stuttgart : Roland Berger Strategy Consultants, 2008

RTÉ, 2009

Government signs electric car deal RTÉ Business, Online article, 3 April 2009 http://www.rte.ie/news/2009/0403/cars-business.html

Schraven, 2009 David Schraven Verbindung mit der Zukunft In : Die Welt, Online article, 20 April 2009

Shirouzu, 2007

Norihiko Shirouzu Honda Won't Pursue Plug-in Hybrids The Wall street Journal, press article, 24 October 2007 http://online.wsj.com/article/SB119313344275568239.html?mod=googlenews_ wsj

SWE, 2007

The Government introduces green car rebate Government offices of Sweden (SWE) : Ministry of the Environment, Press release, 30 March 2007 http://www.sweden.gov.se/sb/d/8202/a/79866

Syrota, 2008

Syrota, J. et al. Perspectives concernant le véhicule 'grand public' d'ici 2030 S.I. : Centre d'analyse stratéqique; Conseil general des mines, 2008

TAGE, 2007

Tagesschau Neun EU-Staaten bemessen bereits nach CO₂-Ausstoß Tagesschau, Online article, 19 February 2007 http://www.tagesschau.de/wirtschaft/meldung57776.html



TAGS, 2009

Lutz Steinbrück Elektroautos : Einmal aufladen, bitte! Der Tagesspiegel (TAGS), Online article, 28 March 2009 http://www.tagesspiegel.de/weltspiegel/mobil/einmal-aufladenbitte/1482802.html

TNO, RWTH and ECN, 2009

TNO, Institute for High Voltage Technology at the Rheinisch-Westfaelische Technische Hochschule (RWTH) in Aachen, Energy research Centre of the Netherlands

Opportunities for the use of renewable energy in road transport, Policy makers report.

S.I. : IEA Retrans, 2009

T&E, 2008

Jos Dings (Ed.) Reducing CO₂ Emissions from New Cars: A Study of Major Car Manufacturers Progress in 2007 Brussels : European Federation for Transport and Environment (T&E), 2008

UCS, 2008

A new vision for California's zero emission vehicles program Cambridge (MA) : Union of Concerned Scientists (UCS), 2008

UK ERC, 2006

Robert Gross, Philip Heptonstall, Dennis Anderson, Tim Green, Matthew Leach, Jim Skea

The Costs and Impacts of Intermittency: An assessment of the evidence on the costs and impacts of intermittent generation on the British electricity network London : UK Energy Research Centre's Technology (UK ERC) and Policy Assessment (TPA), 2006

Ummels, 2009

B.C. Ummels Power System Operation with Large-Scale Wind Power in Liberalised Environments Delft : TU Delft, 2009

WBCSD 2009

Obama puts up 2.4 billion dollars for electric vehicles S.I. : World Business Council for Sustainable Development (WBCSD), 2009

WWF, 2008

G. Kendall Plugged in : the end of the oil age Brussels : World Wide Fund for Nature (WWF), 2008

WWF, 2009

J. Horst et al. Auswirkungen von Elektroautos auf den Kraftwerkspark und die CO₂-Emissionen in Deutschland, Kurzstudie Frankfurt am Main : World Wide Fund for Nature (WWF), 2009



XU, 2009

Z. Xu (Danish Technical University)

Electric vehicles in power systems with 50% wind power penetration: the Danish case and the EDISON programme

Würzburg : European Conference 'Smart Grids and Mobility' presentation, 2009



Annex A Website List

Country	Websites
General	http://www.pluginamerica.org/vehicles/
websites	http://evworld.com
	http://www.autoblog.com
	http://green.autoblog.com
	www.wired.com
	http://www.hybridcars.com
	http://www.greencarcongress.com
	http://ww2.autoscout24.de
	http://blogs.edmunds.com/greencaradvisor
Austria	www.e-connected.at
	http://www.oekonews.at-/index.php?mdoc_id=1035191
	http://www.klimafonds.gv.at
	http://www.vlotte.at/index.asp
Denmark	http://www.betterplace.com/global-progress/denmark/
	http://www.statbank.dk/statbank5a/SelectVarVal/saveselections.asp
France	http://www.ensmp.fr/Accueil
1 runee	http://seekingalpha.com/article/194516-vehicle-electrification-sticker-shocks-delays-and-manufacturing-
	capacity-forecasts?source=email
	http://green.autoblog.com/2009/01/15/jci-saft-to-produce-li-ion-packs-for-azure-dynamics-hybrid-vans/
	http://online.wsj.com/article/SB125439947906756021.html?mod=rss_whats_news_us
	http://www.inhabitat.com/2009/10/05/france-announces-2-2-billion-electric-car-charging-network/
	http://www.autolib.fr/autolib/
	http://www.businessweek.com/globalbiz/content/aug2009/gb2009087_330677.htm
	http://www.suchablog.com/autolib-le-projet-de-voitures-electriques-en-libre-service-de-delanoe
	http://www.reuters.com/article/idUSLU28944520090930
	http://cleantech.com/news/852/french-postal-service-to-buy-thousands-
	http://www.acea.be/images/uploads/files/20100427_EU_Motor_Vehicles_in_Use_2008.pdf
Germany	http://www.handelsblatt.com/unternehmen/koepfe/klatten-steigt-bei-sgl-carbon-ein;2203845
connuny	http://www.uni-due.de/index.shtml.en
	http://www.ruhr-uni-bochum.de/index_en.htm
	http://www.bmbf.de/de/11828.php
	http://seekingalpha.com/article/194516-vehicle-electrification-sticker-shocks-delays-and-manufacturing-
	capacity-forecasts?source=email
	http://www.daimler.com/dccom/0-5-7153-1-1160670-1-0-0-0-0-9293-7145-0-0-0-0-0-0-0.html
	http://www.sblimotive.co.kr/de/presse/neueste_pressemitteilungen/press_detail_view/cHash/13cf171e5
	4.html?tx_ttnews[tt_news]=10&tx_ttnews[backPid]=36
	http://www.nytimes.com/2009/08/20/business/global/20gcar.html
	http://www.nytimes.com/2009/00/20/business/global/20gea.ntmi http://www.automobilsport.com/ford-elektro-mobiliaetsprojekt-cologne-mobil-staatliche-foederszusage
	74026.html
	http://www.thegreencarwebsite.co.uk/blog/index.php/2010/03/03/ford-reveals-electric-car-plans-for-
	europe/
	http://www.greencarcongress.com/2009/12/koln-20091229.html
	http://www.businessweek.com/news/2010-03-03/daimler-plans-to-double-green-technology-spending-
	weber-says.html
	http://www.destatis.de/jetspeed/portal/cms/Sites/destatis/Internet/DE/Content/Statistiken/Verkehr/Ve
0	rkehrsmittelbestandInfrastruktur/Tabellen/Content75/Fahrzeugbestand, templateId=renderPrint.psml
Greece	http://www.heliev.gr-/index.php?option=com_content&view=article&id=254&Itemid=146
Ireland	www.wit.ie
	http://www.cso.ie/releasespublications/documents/transport/2008/transport08.pdf
	http://www.csu.ie/releasespublications/documents/transport/2000/transport/0.pu



Country	Websites
Italy	http://www.independent.co.uk/life-style/motoring/milan-and-brescia-herald-italys-electric-car-future-
	1923334.html
	http://blogs.edmunds.com/greencaradvisor/2010/03/renault-nissan-alliance-and-italian-utility-a2a-to-
	test-electric-mobility-in-lombardy.html
	http://www.daimler.com/dccom/0-5-658451-1-1159926-1-0-0-0-0-8-7165-0-0-0-0-0-0-0.html
	http://www.mindsinmotion.net/index.php/mimv34/themes/hybrid_electric/featured/dutch_gear_up_for_
	electric_vehicles
	http://www.unict.it/
Netherlands	http://www.reuters.com/article/idUSTRE5895CU20090910
	http://www.businessgreen.com/business-green/news/2258051/amsterdam-offers-loans-electric
	http://www.bike-eu.com/news/4030/in-holland-one-out-of-eight-bikes-is-electric.html
	http://www.formulazero.nl/pagina/news/detail/66
	http://corporateuk.eneco.nl/News_and_Media/pressreleases/Pages/Urgenda,TNT,EnecoandTendrislaunch atenderfor3000electricvehiclesinthreeyears.aspx
	http://www.mindsinmotion.net/index.php/mimv34/themes/hybrid_electric/featured/dutch_gear_up_for_
	electric_vehicles
	http://statline.cbs.nl/StatWeb/publication/?VW=T&DM=SLEN&PA=70071eng&LA=EN
Norway	
Portugal	
Spain	http://ec.europa.eu/environment-/etap/inaction/policynews/392_en.html
opani	http://www.idae.es/index.php/mod.pags/mem.detalle/id.
	http://impostosobreveiculos.info/inicio/portuguese-taxes-on-cars
	http://www.acea.be/images/uploads/files/20100427_EU_Motor_Vehicles_in_Use_2008.pdf
Turkey	http://www.itu.edu.tr/en/?research
UK	http://www.smithelectricvehicles.com/casestudies.asp
	http://www.mydigitalfc.com/news/industry-takes-plunge-electric-vehicles-928
	http://www.energyefficiencynews.com/policy/i/2843/
	http://www.egovmonitor.com/node/33987
	http://www.dft.gov.uk/pgr/statistics/datatablespublications/vehicles/vehreg.xls
EU	http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2009:140:0001:0015:EN:PDF
	http://www.autoindustry.co.uk/articles/31-08-01_1
	http://www.businessweek.com/news/2010-03-08/mitsubishi-motors-peugeot-finalize-electric-car-
	pact.html
a	http://www.acea.be/images/uploads/files/20100427_EU_Motor_Vehicles_in_Use_2008.pdf
Australia	http://www.betterplace.com/global-progress/australia
China	http://www.bloomberg.com/apps/news?pid=newsarchive&sid=aNMr8oxbgSKo http://seekingalpha.com/article/194516-vehicle-electrification-sticker-shocks-delays-and-manufacturing-
	capacity-forecasts?source=email
	http://www.chinadaily.com.cn/metro/2010-03/08/content_9552625.htm
	http://www.cars21.com/policies.view.php?ld=51
	http://www.stats.gov.cn/enGliSH/newsandcomingevents/t20090226_402540784.htm
Israel	http://www.betterplace.com/global-progress/israel/
	http://www1.cbs.gov.il/shnaton60/st24_13.pdf
Japan	http://online.wsj.com/article/SB119313344275568239.html?mod=googlenews_wsj
	http://www.betterplace.com/global-progress/japan/
	http://seekingalpha.com/article/194516-vehicle-electrification-sticker-shocks-delays-and-manufacturing-
	capacity-forecasts?source=email
	http://green.autoblog.com/2008/10/21/toshiba-wants-ev-battery-business-3m-lithium-cells-month-in-
	201/
	http://www.hitachi.com/New/cnews/100112.html
	http://www.physorg.com/news179075719.html
	http://www.stat.go.jp/data/nenkan/zuhyou/y1206000.xls



Country	Websites
Russia	http://www.susu.ac.ru/ru/science/
South Korea	http://seekingalpha.com/article/194516-vehicle-electrification-sticker-shocks-delays-and-manufacturing-
	capacity-forecasts?source=email
	http://eng.skenergy.com/press/news/release_view.asp?idx=382
	http://www.compactpower.com/Documents/MicrosoftWord-LG_Chem_pressrelease_finalon20080110.pdf
	http://news.dow.com/dow_news/corporate/2009/20090805b.htm
	http://kostat.go.kr/common/CommonAction.do?method=download&attachDir=ZV9jaXZpbA==&attachNam
	=OC4yOSUyOHZIaGIja2UIMjkueGxz
USA	http://www.msnbc.msn.com/id/14187951/
	http://www.bloomberg.com/apps/news?pid=20601103&sid=aD0dW_P92jeU&refer=us
	http://www.edmunds.com/help/about/press/102825/article.html
	http://www.government-fleet.com/Message/Error.aspx?aspxerrorpath=/News/Story/2009/07/USPS-to-Go
	Electric-with-Eckhaus-Fleet.aspx
	http://green.autoblog.com/2009/01/15/jci-saft-to-produce-li-ion-packs-for-azure-dynamics-hybrid-vans/
	http://www.1shoppingcart.com/SecureCart/SecureCart.aspx?mid=D5812F3D-605A-4501-ADDB-
	20C9FC7DCCFC&pid=8cb7282adbac46d29383e7233e249bcc
	http://www.theevproject.com/overview.php
	http://www.etecevs.com/pdf/080509_DOE_Ecotality_eTec.pdf
	http://www.solarcity.com/pressreleases/44/SolarCity-and-Rabobank-Announce-Corridor-of-Solar-Powered
	Electric-Vehicle-Charging-Stations.aspx
	http://blogs.edmunds.com/greencaradvisor/2009/09/california-companies-unveil-la-sf-rapid-charging- network-for-evs.html
	http://articles.sfgate.com/2009-09-23/news/17207424_1_stations-solar-power-cars
	http://www.reliant.com/PublicLinkAction.do?i_chronicle_id=09017522802b6266&language_code=en_US&i
	full_format=pdf
	http://www.mydigitalfc.com/news/industry-takes-plunge-electric-vehicles-928
	http://ir.stockpr.com/carcharging/company-news/detail/33/car-charging-group-inc-announces-plans-to-
	deploy-level-3-fast-charging-stations-capable-of-fully-charging-an-electric-vehicle-in-under-30-minutes
	http://www.baaqmd.gov/~/media/Files/Communications%20and%20Outreach/Publications/News%20Rele
	ses/2010/022410%20ElectricGrants.ashx
	http://www.nada.org/NR/rdonlyres/ACF47371-BFC7-4A29-8883-
	FF7F0A4F5D4E/0/NADA_Data_2009_final_091109.pdf
	http://www.fhwa.dot.gov/policyinformation/statistics/2008/mv1.cfm
	http://www.irs.gov/businesses/article/0,,id=214841,00.html
	Universities:
	http://phev.ucdavis.edu/
	http://web.mit.edu/c21ce/index.html
	http://www.clemson.edu/centers-institutes/cu-icar/
	http://mti.mst.edu/
	http://www.materials.cmu.edu/research/materials_energy.html
	http://www.egr.msu.edu/research/areas/energy
	http://www.engr.wisc.edu/ece/
	http://peec.stanford.edu/index.php
	http://fuelcellbus.georgetown.edu/
	http://www.engineering.sdsu.edu/~hev/statement.html
	http://www.udel.edu/V2G/
	http://www.me.mtu.edu/research/power/
	http://www.umtri.umich.edu/about.php
	http://www.personal.engin.umd.umich.edu/~chrismi/publications/2007_95_4_IEEE_Proc_Modeling_HEV.I
	DF
	http://www.purdue.edu/
	http://www.cemr.wvu.edu/research/center-details.php?&id=87&type=lab
	http://car.eng.ohio-state.edu/node/84

Country	Websites
	Laboratories:
	http://www.lanl.gov/orgs/tt/arpa-e/index.shtml
	http://www.transportation.anl.gov/hev/index.html
	https://inlportal.inl.gov/
	http://scienceandtechnology.jpl.nasa.gov/
	http://eetd.lbl.gov/eetd.html
	http://batt.lbl.gov/
	http://www.bnl.gov/world/
	http://www.nrel.gov/vehiclesandfuels/
	http://peepsrc.ornl.gov/program_avs.shtml
	http://materials.pnl.gov/
	http://move.rmi.org/
	http://www.mvfri.org/
	http://www.swri.org/4org/d03/vehsys/vehres/vehres/hybrid.htm



Annex B Database excerpt



Table 10 Excerpt of the database with or existing and announced EVs

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
1	Chevrolet Volt	PHEV	М	29,347	1,588	170	161	9	64	08:00	16	Lithium-ion battery	10	4	01.11.2010
2	BYD F3DM	PHEV	М	11,784	1,560	230	150	10.5	100	08:00	13.2	Lithium iron phosphate battery	10	5	01.01.2010
3	Fisker Karma	PHEV	М	64,490	2,109	N.a.	201	5.8	80	N.a.	22.6	Lithium-ion battery	10	4	01.05.2010
4	Volvo V70	PHEV	L	48,000	1,955	150	161	9	50	03:30	11.3	Lithium ion battery	10	5	01.01.2012
5	Ford Escape	PHEV	L	20,000	1,769	N.a.	164	N.a.	48	07:00	10	Lithium ion battery	10	N.a.	01.01.2012
6	Audi A1 Sportback	PHEV	М	N.a.	N.a.	N.a.	100	8	50	N.a.	20	Lithium-ion battery	10	4	01.01.2011
7	Volvo ReCharge	PHEV	L	40,000	N.a.	N.a.	160	9	100	03:00	N.a.	Lithium-polymer battery		N.a.	N.a.
8	Citroën REVOLTE	PHEV	S	N.a.	N.a.	N.a.	N.a.	N.a.	N.a.	N.a.	N.a.	Lithium-ion battery	N.a.	3	Not yet announced
9	Opel Ampera	PHEV	М	30,000	1,900	180	160	9	60	03:00	16	Lithium-ion battery	10	4	01.01.2011
10	Hyundai Blue-Will	PHEV	М	N.a.	N.a.	N.a.	N.a.	N.a.	61	N.a.	N.a.	Li-ion polymer battery	10	4	01.01.2012
11	BMW Mini-E	FEV	S	N.a.	1,465	259	153	N.a.	175	03:45	35	Li-ion battery pack with 5000+ laptop-style batteries	N.a.	2	22.05.2009
12	Tesla Motors Roadster	FEV	S	84,000	1,238	450	183	3.9	393	03:30	56	Microprocessor- controlled lithium-ion battery pack		2	N.a.
13	BYD Auto e6	FEV	М	N.a.	2,295	N.a.	140	14	330		72	BYD Li-ion Fe battery	N.a.	5	01.01.2010
14	Citroen C-Zero	FEV	S	N.a.	1,100	N.a.	130	15	130	06:00	16	Lithium-ion battery	N.a.	5	01.01.2010
15	Daimler Smart ED	FEV	S	N.a.	N.a.	N.a.	100		135	N.a.	14	Li-loan battery from Tesla	N.a.	2	01.01.2012
16	Mitsubishi iMiEV	FEV	М	37,767	1,080	200	130	N.a.	160	07:00	16	Lithium-ion	N.a.	4	N.a.
17	Venturi Fetish	FEV	S	297,000	980	248	160	5	250	01:00	N.a.	31 modules of Li-ion LIV-7 batteries		2	01.07.2010
18	Renault Zoe Z.E. Concept	FEV	S	N.a.	1,400	N.a.	140	N.a.	160	06:00	24	Lithium ion	6	2	01.01.2011

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
19	Renault Kangoo Z.E. Concept	FEV	L	N.a.	1,520	N.a.	130	N.a.	160	06:00	24	Lithium ion	6	5	01.01.2011
20	Renault Fluence Z.E. Concept	FEV	Μ	N.a.	1,600	N.a.	N.a.	N.a.	160	06:00	24	Lithium ion	6	4	01.01.2011
21	Mindset AG Mindset	PHEV	S	50,000	800	N.a.	140	7	180	02:30	20	Lithium-ion battery	10	4	01.01.2010
22	Mitsubishi PX-iMiEV	PHEV	L	N.a.	N.a.	N.a.	N.a.	N.a.	50	N.a.	16	Lithium-ion battery	N.a.	4	01.01.2013
23	Suzuki Swift	PHEV	S	N.a.	N.a.	N.a.	N.a.	N.a.	20	N.a.	2.66	Lithium-ion battery	N.a.	5	N.a.
24	Toyota Prius Plug-in	PHEV	М	34,750	1,380	155	100	10.9	23	01:40	5.2	Lithium-ion battery	N.a.	5	01.01.2012
25	Volkswagen Twin Drive	PHEV	М	N.a.	N.a.	160	170	N.a.	50	N.a.	8	Lithium-ion battery	N.a.	4	01.01.2013
26	BMW Vision	PHEV	Μ	N.a.	1,360	85	250	4.8	50	02:30	10.8	98 Lithium-polymer batteries	N.a.	4	No plan announced for mass production
27	Daimler Mercedes Benz Blue Zero	PHEV	М	N.a.	N.a.	N.a.	150	11	50	06:00	18	Lithium-ion battery pack	10	5	No model specified, announced low volume production of the EV version in 2010
28	Daimler Mercedes Benz S500 Vision	PHEV	L	N.a.	N.a.	130	250	5.5	30	04:30	10	Lithium-ion battery	10	N.a.	Not yet announced, expected with next generation S-

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
29	General Motors Cadillac Converj	PHEV	M	N.a.	N.a.	N.a.	161	9	64	03:00	16	220 Lithium-ion cells (w/liquid-controlled thermal management system)	10	4	class 01.01.2014
30	Bright Automotive Idea	PHEV	L	N.a.	1,452	N.a.	N.a.	N.a.	64	06:00	13	Lithium-ion battery	N.a.	N.a.	01.10.2012
31	SEAT León 'Twin Drive Ecomotive'	PHEV	М	N.a.	N.a.	N.a.	100	N.a.	50	N.a.	N.a.	Lithium-ion battery	10	5	01.01.2014
32	VentureOne/ Persu Mobility	PHEV	S	13,115	680	45	160	7	32	N.a.	3	Li-ion battery pack (60 cells)	N.a.	2	01.01.2009
33	XR-3 Hybrid	PHEV	S	18,215	671	N.a.	130	N.a.	64	N.a.	N.a.	Lithium-ion battery	N.a.	2	N.a.
34	Audi Metroproject Quattro	PHEV	М	N.a.	N.a.	N.a.	201	7.8	100	N.a.	N.a.	Lithium-ion battery pack	10	4	01.01.2010
35	Visionary Vehicles/ Bricklin Collection	PHEV	М	25,505	1,769	N.a.	N.a.	5.9	72	N.a.	N.a.	Lithium-ion battery	N.a.	varia ble	N.a.
36	Chrysler Town & Country	PHEV	L	36,420	N.a.	N.a.	160	8	64	N.a.	N.a.	N.a.	N.a.	7	Not yet announced, recently closed ENVI group
37	Chrysler Jeep Patriot	PHEV	М	13,110	N.a.	N.a.	160	8	64	N.a.	N.a.	N.a.	N.a.	5	Not yet announced, recently closed ENVI group
38	Chrysler	PHEV	М	32,775	N.a.	N.a.	145	9	64	N.a.	N.a.	N.a.	N.a.	5	Not yet

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
	Jeep Wrangler Unlimited														announced, recently closed ENVI group
39	Chrysler 200C	PHEV	М	N.a.	N.a.	N.a.	200	7	64	N.a.	N.a.	N.a.	N.a.	4	Not yet announced, recently closed ENVI group
40	Opel Flextreme	PHEV	М	N.a.	N.a.	N.a.	200	9	60	03:00	16	Lithium-ion (manganese spinel)	N.a.	4	N.a.
41	Toyota 1/X	PHEV	S	N.a.	420	N.a.	N.a.	N.a.	N.a.	N.a.	N.a.	Lithium-ion battery	N.a.	4	Not yet announced
42	GM Saturn Vue Green Line	PHEV	М	18,000	N.a.	N.a.	N.a.	7.3	16	04:30	N.a.	Lithium-ion battery	N.a.	N.a.	01.01.2011
43	Aptera 2h	PHEV	S	22,500	680	N.a.	144	10	80	N.a.	11.5	Lithium iron phosphate battery	N.a.	2	01.10.2010
44	BAIC (Beijing Automotive Industry Holding Company) BE701	FEV	М	N.a.	N.a.	N.a.	160	15	200	N.a.	N.a.	N.a.	N.a.	N.a.	01.01.2011
45	Chery Auto Co. S18/M1	FEV	S/M	12,000	N.a.	N.a.	120	N.a.	150	05:00	40	Ferric phosphate lithium battery pack	N.a.	5	01.06.2010
46	Miles Electric Vehicles (ZX40S)	FEV	М	14,500	1,066	N.a.	40		72	08:00		Advanced sealed, absorbed glass mat (AGM), valve regulated, maintenance free lead- acid		4	01.01.2009
47	Velozzi Supercar	EREV	S	N.a.	N.a.	939.5	320	3	320	N.a.	N.a.	Lithium ion polymer	7	N.a.	01.10.2010

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
48	Velozzi Solo crossover	EREV	L	N.a.	N.a.	491.5	210	6	N.a.	N.a.	N.a.	N.a.	7	N.a.	01.10.2011
49	Fisker Project Nina	EREV	M/L	35,000	N.a.	N.a.	161	N.a.	N.a.	N.a.	N.a.	N.a.	N.a.	N.a.	01.01.2012
50	Kia Ray	PHEV	М	N.a.	N.a.	N.a.	175	N.a.	80	N.a.	N.a.	Lithium ion polymer	N.a.	4	N.a.
51	Capstone CMT- 380	EREV	S	280,000	N.a.	N.a.	201	3.9	130	N.a.	N.a.	Batteries and 30 kW (bio)diesel microturbine	N.a.	2	N.a.
52	Jaguar XJ	EREV	M/L	N.a.	N.a.	N.a.	180	N.a.	N.a.	N.a.	145	Lithium-ion battery	N.a.	N.a.	01.01.2011
53	Tazzari Zero	FEV	S	42,000	544	N.a.	164	N.a.	140	10:00	N.a.	Lithium-ion battery	N.a.	2	01.03.2010
54	Tesla S Electric Sedan	FEV	M/L	42,000	1,814	270	100	5.6	260	03:00	N.a.	Lithium-ion battery	10	5	01.10.2011
55	Pininfarina/Boll ore BlueCar	FEV	М		N.a.	N.a.	160	N.a.	250	08:00	30	Lithium metal polymer battery		4	01.01.2011
56	Renault Fluence ZE EV	FEV	М	N.a.	1,600	N.a.	N.a.	N.a.	N.a.	06:00	N.a.	Lithium-ion battery	N.a.	N.a.	01.01.2011
57	Renault Kangoo ZE	FEV	М	N.a.	1,520	N.a.	130	N.a.	160	06:00		Lithium-ion battery	N.a.	N.a.	01.02.2012
58	Renault Zoe ZE	FEV	S	N.a.	1,400	N.a.	140	N.a.	160	06:00		Lithium-ion battery	N.a.	4	01.02.2012
59	REVA NXG	FEV	S	22,999	825	N.a.	130	N.a.	200	06:00	14	Lithium ion phosphate battery pack	N.a.	2	01.02.2011
60	REVA NXR	FEV	М	14,995	850	N.a.	104	N.a.	160		N.a.	Either lead-acid or lithium-ion batteries	N.a.	4	01.01.2010
61	SABA Carbon Zero	FEV	S	N.a.	N.a.	N.a.	147	5.1	192	N.a.	N.a.	N.a.	N.a.	2	01.06.2010
62	SAIC Roewe 750	FEV	М	N.a.	N.a.	N.a.	150	N.a.	200	07:00	N.a.	Lithium-ion battery	N.a.	4	01.01.2012
63	Coda Automotive CODA	FEV	Μ	56,000	1,660	N.a.	103	11	169	06:00	33.8	Lithium ion (LiFePO4)	8	4	01.01.2010

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
64	BMW 1 Series Concept Active E electric coupe	FEV	S/M	N.a.	1,800	N.a.	145	9	160	03:00	N.a.	Lithium-ion battery	N.a.	4	N.a.
65	Toyota FT-EV City Car	FEV	S	14,700	N.a.	N.a.	160	N.a.	90	N.a.	N.a.	Lithium-ion battery	N.a.	4	01.12.2012
66	Citroen C-Zero City Car	FEV	S/M	N.a.	N.a.	N.a.	N.a.	15	130	06:00	16	Lithium-ion battery	N.a.	4	01.10.2010
67	Chrysler GEM	FEV	S	5,280	600	N.a.	40	N.a.	48	N.a.	N.a.	Lead acid	N.a.	2	01.01.2009
68	Commuter Cars Tango	FEV	S	N.a.	1,428	448	N.a.	4	192	N.a.	30	Lead-acid or lithium ion	N.a.	1	01.01.2009
69	Green Vehicles Triac	FEV	S	18,330	N.a.	N.a.	140	N.a.	160	06:00	N.a.	Lithium-ion battery	N.a.	2	01.10.2010
70	Green Vehicles Moose	FEV	L	12,000	N.a.	N.a.	N.a.	N.a.	100		N.a.	Lithium-ion battery	N.a.	2	01.10.2010
71	Th!nk City C	FEV	S	N.a.	1,038	252.5	N.a.		180	13:00	28.3	MES DEA - Zebra, sodium; Enerdel (lithium-ion); A123 (lithium-ion)	N.a.	2	01.01.2011
72	Ford Focus EV	FEV	S	28,500	1,552	N.a.	100	8	160	06:00	23	98, air-cooled, 60 A-h Lithium-ion batteries	N.a.	N.a.	01.01.2011
73	Fiat 500	FEV	S	37,000	N.a.	N.a.	170	N.a.	100	N.a.	N.a.	Lithium-ion battery		N.a.	01.12.2010
74	Audi E-tron	FEV	S/M	115,000	1,600	470	250	4.8	250	07:00	42.4	Lithium-ion battery	N.a.	2	01.10.2011
75	Saab ZE 9-3	FEV	S	N.a.	N.a.	N.a.	150	6.5	150	N.a.	26	N.a.	N.a.	N.a.	Currently building trial models
76	RUF Stormster	FEV	L	N.a.	2,664	N.a.	250	10	190	08:00	N.a.	Lithium-ion battery	N.a.	5	01.06.2010
77	Land Rover Range Rover Sport	PHEV	L	N.a.	N.a.	N.a.	161	N.a.	32	N.a.	N.a.	N.a.	N.a.	5	01.01.2012
78	VW Up! (E-Up!)	FEV	S/M	8,500	1,085	240	N.a.	11.3	130	05:00	18	Lithium-ion battery	N.a.	4	01.01.2013
79	Peugeot ion	FEV	М	N.a.	N.a.	N.a.	130	N.a.	130	06:00	N.a.	Lithium-ion battery	N.a.	4	01.10.2010

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
	City Car														
80	Tata Indica	FEV	М	N.a.	N.a.	N.a.	160		200	08:00	26.5	Super polymer lithium ion	N.a.	4	N.a.
81	Herpa Trabant nT	FEV	М	20,000	1,050	N.a.	130	N.a.	250	08:00	N.a.	Lithium-ion battery	N.a.	4	01.01.2012
82	Volvo C-30 electric car	FEV	L	N.a.	N.a.	280	201	10.5	135	08:00	24	Lithium-ion battery	N.a.	4	01.01.2011
83	Ford Transit Connect	FEV	L	35,700	1,791	272	120	N.a.	129	07:00	28	Lithium-ion battery	10	2	01.01.2010
84	Lightning UK Electric Lightning GT	FEV	М	155,000	1,350	N.a.	160	5	300	08:00	36	Lithium-ion battery	N.a.	2	01.01.2010
85	Nissan Leaf	FEV	М	32,722	N.a.	250	160	10	160	08:00	24	Lithium-ion battery	N.a.	5	01.12.2010
86	EWE-E3	FEV	L	37,500	1,492	N.a.	140	15	170	08:00	31.7	Lithium-ion battery (nickel-cobalt- aluminum; NCA)	N.a.	4	01.01.2012
87	e-WOLF e2	FEV	S	N.a.	900	N.a.	250	3	400	00:30	N.a.	Patented integration	N.a.	2	01.09.2011
88	CT&T United e-Zone with lead-acid battery	FEV	Μ	9,000	520	N.a.	70	N.a.	66	N.a.	12	Lead acid	N.a.	2	N.a.
89	CT&T United e-Zone with lithium polymer battery	FEV	М	9,000	520	N.a.	70	N.a.	109	N.a.	10	Lithium-polymer	N.a.	2	N.a.
90	Heuliez Mia	FEV	S	14,990	620	70	110	N.a.	90	02:00	6	Lithium-phosphat	N.a.	3	01.01.2010
91	BMW Megacity	FEV	S	N.a.	N.a.	N.a.	145	9	160	N.a.	N.a.	Lithium-ion battery	N.a.	N.a.	01.01.2015
92	Mercedes Benz F 800	PHEV	М	N.a.	N.a.	N.a.	250	4.8	30	06:00	10	Lithium-ion battery	N.a.	5	01.01.2012
93	Mercedes Benz F 800	FEV	М	N.a.	N.a.	N.a.	180	11	600	06:00	N.a.	Lithium-ion battery	N.a.	5	01.01.2015

Vehicle Number	Name of Vehicle	Type of vehicle	Size	Vehicle Purchase Cost (€)	Vehicle mass (kg)	Battery mass (kg)	Maximum speed (km/h)	0-100 km/h (sec.)	EDT urban range (in km)	Charging time (hrs:min)	Battery capacity (kWh)	Battery type	Battery life expectancy (years)	Number of seats	Expected Release Date
94	SEAT Ibe	FEV	М	N.a.	1,000	N.a.	160	9.4	N.a.	N.a.	18	Lithium-ion battery	N.a.	4	01.01.2014
95	Porsche 918 Spyder	PHEV	М	N.a.	1,490	N.a.	320	3.2	25	N.a.	N.a.	Lithium-ion battery	N.a.	2	N.a.
96	Mercedes Benz SLS eDrive	FEV	М	145,169	N.a.	N.a.	200	4	164	08:00	48	Lithium-ion battery	N.a.	2	01.01.2015
97	Rinspeed UC?	FEV	S	N.a.	980	N.a.	120	N.a.	105	N.a.	12	Lithium-ionen Li-Tec	N.a.	2	N.a.
98	Optimal Energy Joule	FEV	L	29,000		N.a.	135	N.a.	300	08:00	N.a.	Lithium-ion battery	10	5	N.a.
99	Protoscar SA Lampo2	FEV	S	N.a.	1,650	320	200	5	200	07:00	32	2 Brusa EVB1 lithium-ion battery packs (each 16 kWh)	N.a.	2	N.a.
100	Detroit Electric e63	FEV	S	N.a.	1,240	N.a.	180	8	180	08:00	N.a.	Lithium-ion polymer	N.a.	4	N.a.
101	Detroit Electric e64	FEV	S	N.a.	1,225	N.a.	180	8	320	12:00	N.a.	Lithium-ion polymer	N.a.	4	N.a.
102	Tata Nano	FEV	S	1,500	N.a.	N.a.	110		120	N.a.	12	Lithium-Polymer- (LiPo)-Battery	N.a.	4	01.01.2012
103	Lotus Evora 414E hybrid	EREV	М	N.a.	1,460	N.a.	N.a.	4	56		17	Lithium polymer	N.a.	2	N.a.
104	Kia Venga	FEV	М	N.a.	N.a.	N.a.	140	11.8	180	08:00	24	Lithium-ion polymer batteries	N.a.	5	N.a.
105	NLV Quant	FEV	М	N.a.	1,680	450	377	2.8	483	00:20	N.a.	Flow Accumulator Energy Storage (FAES)	N.a.	2	N.a.
106	Valmet EVA	FEV	М	N.a.	N.a.	N.a.	120	N.a.	160	N.a.	35.5	Lithium-polymer battery pack	N.a.	4	N.a.