

Findings on inspection and enforcement (Based on evaluation of the CCEV and Article 21 reports)

Christian Heller, Umweltbundesamt

6th EU ETS Compliance Conference Brussels, 6 November 2015






Context

- As presented yesterday, in an ongoing study the implementation of EU ETS in MS is evaluated, based on:
 - Compliance Cycle evaluation project 2013/14 (4th CCEV project)
 - Article 21 reports 2014 2015 by MS
- For details on methodology, see slides by Machtelt Oudenes





Added value of using several data sources and differentiated questions



Climate Action



Areas that were assessed

The previously longer list of assessment areas was reduced (by combination of topics and removing less helpful questions) to:

- CA situation
- M&R robustness
- V&A implementation
- Inspection and enforcement





MS / Rank	CA situation overall	M&R Robustness	V&A implementation	Inspection & Enforcement	Total Score
1					1,55
2					1,65
3					1,81
4					2,44
5					2,44
6					2,51
7					2,63
8					2,73
9					2,77
10					2,81
11					2,88
12					2,91
13					2,93
14					2,99
15					3,02
16					3,04
17					3,04
18					3,05
19					3,15
20					3,16
21					3,16
22					3,24
23					3,25
24					3,26
25					3,30
26					3,31
27					3,31
28					3,35
29					3,46
30					3,49
31					3,80



Follow-up actions (1)

General follow up:

- A general survey sent out to all Member States in order to fill information gaps or to clarify inconsistencies in data sources used
- Information obtained is used as input for other tasks of the project:
 - Identification of need for further guidance and tools
 - Decide on possible Compliance Forum Events (trainings)





Follow-up actions (2)

MS-specific follow up:

- MS-specific questions could not be included in the survey → they will be asked in letters addressed to the MS
- For some Member States interviews for clarification of open issues may be scheduled
- Where appropriate, some concrete improvement actions will be proposed to Member States based on the findings





Link to Inspections and Enforcement

- Inspections have been identified as a weak spot in the EU ETS implementation
- Only few MS carry out systematic inspections
- Few MS have inspectors who are specifically trained on ETS issues
- Report by European Court of Auditors (2015; on phase II)
 - On-the-spot inspections of installations were very limited
 - Recommendation: MS should implement coherent, effective control frameworks, including inspections, for MRVA
- Enforcement: Few penalties seem to be imposed
 - Might be due to high compliance rate
 - Might be due to pragmatic approaches try to solve problems without penalties
 - Might be due to deficits in exerting controls





Your Contribution

- Next agenda item of this conference is dedicated to inspections and enforcement
- Invite to open exchange of views and experience
- Guidance on inspections planned
 → input welcome (also in written form)





Thank you for your attention

Commission contacts:

Robert.GEMMILL@ec.europa.eu

Joao.SERRANO-GOMES@ec.europa.eu

Consultant contacts:

M.Oudenes@SQConsult.com Hubert.Fallmann@Umweltbundesamt.at

