European Maritime Safety Agency

EUMRV Regulation 2015/757 Automated Systems, Data Exchange Formats including Electronic Templates under the EU MRV Regulation.

Miguel Madeira / Carlos Pereira

Unit B.3 - Environment & Enforcement

Brussels / 20 January 2016






- Companies shall submit to the Commission and Flag the Verified ER using automated systems
- Verifiers shall transmit the information of issuing a DoC using automated systems
- System to be developed as an IT tool as an extension of tools operated by EMSA (THETIS)
- System should also provide MS (and FS) with information of ships flying their Flag



Q1. Do you consider it useful for the Member States (and the Flag States) to have such option in place?


System users





MRV IT Tool Schematics





5



Ship and Company details (Art 11.3)		Inclusion of ship type in the ER not foreseen in the Regulation					
	Ship			5			
	ІМО	8145965		Name	WOOD SEA GLORY	Flag state/Registry	Panama
	Ship type	General cargo / multipu	rpose	Ice Classed	Yes (1A Super)	Port of registry	Panama
	Technical Efficiency	EEDI 2.99 (g CO ₂ / m to	nne · n mile)				
	Ship Owner						
	Number	654987		Name	MMD WOOD Co	Principal place of business	Portugal
	Address	Praça Europa 4 1249-206 Lisboa		City	Lisbon	Country	Portugal
	<u>Company</u>						
	Nature	ISM Company					
	Number	5687545		Name	CGS Shipping	Principal place of business	Portugal
	Address	Ribeira das Naus 21 1250-124 Lisboa		City	Lisbon	Country	Portugal
	Company contact perso	n (Art 11.3.a.x)					
	Address	Rua dos Albardeiros 24 2415-45 Porto		Email	cgs@gmail.com	Telephone	915454545
	Verifier						
	Number	35425155		Name	CPE Veritas Portugal		



Q2. Do you agree to include the ship type as additional information on the ship (to be used on a voluntary basis)?

Q3. Do you agree with the proposed list of ship types or should the list be more detailed?

Ship type	Definition
Passenger ship	"Passenger ships" means a ship that carries more than twelve passengers but not cargo.
Ro-Ro ship	"Ro-Ro ship" means a ship designed for the carriage of roll-on-roll-off cargo transportation units or with roll-on-roll-off cargo spaces.
Container ship	"Container ship" means a ship designed exclusively for the carriage of containers in holds and on deck.
Oil Tanker	"Oil Tanker" means a ship constructed or adapted primarily to carry oil in bulk in its cargo spaces. Note that this definition does not include combination carriers, NLS tankers or gas tankers.
Chemical	"Chemical tanker" means a ship constructed or adapted for the carriage in bulk of any liquid
tankers	product listed in chapter 17 of the International Bulk Chemical Code (a Chemical Tanker) or a ship constructed or adapted to carry a cargo of noxious liquid substances in bulk (an NLS Tanker)
LNG carrier	"LNG Carrier" means a tanker for the bulk carriage of Liquefied Natural Gas (primarily methane) in independent insulated tanks. Liquefaction is achieved at temperatures down to -163 deg C
Gas carriers	"Gas Carrier" means a tanker for the bulk carriage of liquefied gases other than LNG.
Bulk carrier	"Bulk carrier" means a ship which is intended primarily to carry dry cargo in bulk, including such
	types as ore carriers as defined in SOLAS chapter XII, regulation 1, but excluding combination carriers.
General cargo	"General cargo ship" means a ship with a multi-deck or single deck hull designed primarily for the
ship	carriage of general cargo. This definition excludes specialized dry cargo ships, which are not
	included in the calculation of reference lines for general cargo ships, namely livestock carrier, barge carrier, heavy load carrier, yacht carrier, nuclear fuel carrier.
Refrigerated cargo ship	"Refrigerated cargo carrier" means a ship designed exclusively for the carriage of refrigerated cargoes in holds.
Vehicle carrier	"Vehicle carrier" means a multi deck roll-on-roll-off cargo ship designed for the carriage of empty cars and trucks.
Combination	"Combination carrier" means a ship designed to load 100% deadweight with both liquid and dry
carrier	cargo in bulk.
Ro-pax	"Ro-pax ship" means a passenger ship with roll-on-roll-off cargo space
Container/ Ro-	"Container/ Ro-Ro cargo ship" means a hybrid of a container ship and a ro-ro cargo ship in
Ro cargo ship	independent sections
Other ship	"Other ship types" mean ships not covered by any of the above definitions, which fall under the
types	scope of the regulation.



Monitoring methods relates to equipment and type of fuel

Monitoring method (Art 11.3.c)

Figures depending on on-going discussions

Identification $\uparrow\downarrow$	Fuel type used $\uparrow\downarrow$	Method ↑↓	Measuring equipment description	Level of uncertainty $\uparrow\downarrow$
Main engine	HFO MDO	Method C : Flow meters for applicable combustion process	Flow meter	Medium
Main engine	HFO MDO	Method D : Direct CO2 emissions measurement		Low
Auxiliary Engine	Ethanol	Method D : Direct CO2 emissions measurement		Low
Boiler	HFO	Method A : BDN and periodic stocktakes of fuel tanks		High



Annual monitoring results (Art 11.d -> Art 10)

Type of fue I	At berth	Amount [m tonnes]	Emission factor [t-CO2/t-Fuel]	CO2 emissions [m tonnes]
HFO		150	3.114	467.1
MDO		70	3.206	224.42
MDO	*	35	3.206	112.21
Ethanol		5	1.913	9.565
TOTAL	•	260	•	813.295



P	Value		
Total CO ₂ emissions	0000.00	m tonnes	
CO ₂ emissions from all voyages between ports under a	MS jurisdiction	0000.00	m tonnes
CO ₂ emissions from all voyages which departed from po	orts under a MS jurisdiction	0000.00	m tonnes
CO_2 emissions from all voyages to ports under a MS jur	isdiction	0000.00	m tonnes
CO ₂ emissions which occurred within ports under a MS	jurisdiction at berth	0000.00	m tonnes
Total distance travelled	0000.00	n miles	
Regular navigation		0000.00	n miles
Through Ice		0000.00	n miles
Total time spent at sea	If an eligidad and appointing	0000.00	days
Regular navigation	If so decided and according —	0000.00	days
Through Ice	to the Monitoring Plan	0000.00	days
At Anchorage	t Anchorage		days
Total transport work	0000.00	m tonnes · n mile	
Average energy efficiency: Fuel consumption per distan	0000.00	m tonnes / n mile	
Average energy efficiency: Fuel consumption per transp	0000.00	pern mile	
Average energy efficiency: CO ₂ emissions per distance	0000.00	g CO ₂ / n mile	
Average energy efficiency: CO ₂ emissions per transport	0000.00	g CO ₂ / m tonnes · n mile	



If so decided and according to the Monitoring Plan

Pre-defined differentiated criteria resulting from the on-going discussions

Differentiating criteria (Art 10 last paragraph)

Parameter	Value	
Fuel consumption on ballast voyages	0000.00	m tonnes
Fuel consumption on laden voyages	0000.00	m tonnes
CO _z emissions on ballast voyages	0000.00	m tonnes
CO ₂ emissions no laden voyages	0000.00	m tonnes
Fuel consumption related to cargo heating operations	0000.00	m tonnes
CO ₂ emissions related to cargo heating operations	0000.00	m tonnes



Pre-defined parameters resulting from the on-going discussions

Additional voluntary reporting (IA as per Art 12)


Parameter	Value	
Average density of the cargo transported	0000.00	m tonnes / m³
Average level of filling of cargo tank	0000.00	% total capacity
Average level of ullage of cargo tank	0000.00	% total capacity



Q4. Do you agree to include fuel consumption and emission data differentiated for laden and ballast voyages and related to cargo handling operations?

- 11 Joint Lossier Alternative And Antiparameters (referring to distance and/ or transport work)?
 - Do you agree to include information on cargo density for chemical tankers?
 - If yes, do you prefer the average density of the cargoes transported in a reporting year or the average share of available tank volume used in a reporting year?
- **Q8.** Is there anything else you would consider relevant to include in the ER?







Q9. Is there anything else you would consider relevant to include in the DoC?



Thank you!

twitter.com/emsa_lisbonfacebook.com/emsa.lisbon



European Maritime Safety Agency

EU MRV Regulation 2015/757

Voluntary modules under the MRV IT tool on monitoring and verification pursuant the EU MRV Regulation.

Miguel Madeira / Carlos Pereira

Unit B.3 - Environment & Enforcement

Brussels / 20 January 2016





Additional requirements supporting Monitoring and Verification on a voluntary basis


Considering:

- (i) ESSF feedback
- (ii) cost-effectiveness
- (iii) uniform implementation

Integrated web based approach in support of EU MRV workflow processes

System users





Enhanced System users

EMSA



In the System



COMPANY





NAB

MANDATORY

VOLUNTARY

✓ <u>Submits Verified ER</u>

 \checkmark

 \checkmark

 \checkmark

 \checkmark

✓ Assesses MP

Drafts MP

Produces ER

Monitors CO₂ emissions


- ✓ Verifies ER
- ✓ Drafts VR
- ✓ <u>Issues</u> **DoC**
- ✓ Accreditation of Verifier

Accesses the Verified ER and DoC

COMMISSION / MS / FLAG

MRV IT Tool Schematics






22

Enhanced MRV IT Tool Schematics






23


MP status diagram





ER status diagram







Q1. Which additional functionalities (by means of voluntary modules) you would consider useful to include?



Thank you!

twitter.com/emsa_lisbonfacebook.com/emsa.lisbon

