

The National Administration of the Emissions Trading Scheme

Compliance Conference Workshop Session 1

Tomasz Karpiński Brussels, 10.09.2008



Monitoring Plans

- Monitoring Plans are included in EU ETS Permits, which are issued by local administration – environmental departments (about 400 institutions); Those departments are responsible for compliance between monitoring plans and MRG;
- Additionally after Permits are issued, they are send to KASHUE and during upload process to our IT database they are once again checked:
 - List of sources;
 - List of fuel and material streams;
 - List of tiers;



Formal checking:

- Installation name and NAP identifiaction number;
- Permit number;
- Reporting year
- Signatures; stamps;
- Completeness of tabels;
- Contact details;



Detailed checking:

- Installation activities
- Emission sources
- Type of fuels
- Activity data
- Net Caloric Value
- Emission Factor
- Oxidation Factor / Conversion factor





- Units
- Tiers Applied
- Emission (partial, total)
- Rounding;
- Biomass used;
- Verifier opinion;



 All data from emission report are uploaded into IT database and they are compared with data from monitoring plan. If there are some differences or miscalculation is found red alert is activated.



Database Example:

Informacje ogólne o	paliwie						
Paliwo:							
olej opałowy			•••				
Opis:							
					Stosowane poziomy dookładności		
		_		Raport		Decyzje	
	Jednostka:	Dane:	Weryfikacja obliczeń		2005-2007	2008-20012	Zmia
Ilość:	[Mg] 🔽	240,080000		1	1		
	5			-	-		
Vartość opałowa:	[TJ/Mg]	42,790000		2	2		
Energia:	[T]	10,270000	10,2730				
	Wybierz:						
Wskaźnik emisji:	○ [MGCO2/Mg]	74,410000		2a	2a		
	• [MGCO2/TJ]						
_							
Współczynnik utleniania:	-1-	1,000000		1	1		-
Emisje ogółem:	[MgCO2]	764,000000	764,4157				
Emisje ogorem.	[hgcoz]	704,00000	704,4137				
Kody odpadów							
Drag a column head	lor have to aroun h	utbat colump					
i brag a columni leac	ier nere to group by	y that tolumin					



- If there is no mistake, reported annual emission from installation is send to national registry – 31 March;
- If mistakes are found, KASHUE contact with operator and verifier and they must provide corrected report. Not till then annual emission is send to national registry.



Typical monitoring mistakes

- Wrong emission factors (from previous year)
- Simple calculation mistakes;
- Lack of calibration or legalization documents;
- Rounding mistakes;



THANK YOU

KASHUE – The National Administration Of The Emission Trading Scheme

Tel.: +48 22 833 24 84

E-mail: <u>tomasz.karpinski@kashue.pl</u> <u>kashue@kashue.pl</u>

