

Sweden

Allocations, verified emissions and surrendered allowances and compliance status in the Community Independent Transaction Log as of 24:00 30 April 2006

Notes:

The "allocated allowances" column does not include transfers from the new entrant reserve

The "surrendered allowances" column includes surrenders for 2005, 2006, 2007

Installations with accounts:

Country Code	Installation Name ID	Installation ID	Permit ID	Allocated allowances for 2005	Verified emissions	Surrendered Units	Undersunders	Compliance status	COMMENTS
SE	HPC Simpan	1	03-563-013240-2004	424	511	511	0	Y	
SE	PC Stenvreten	2	03-563-014026-2004	19	3	3	0	Y	
SE	PC Tjädern	3	03-563-014027-2004	20	0	0	0	Y	
SE	Akalla	4	01-563-071852-2004	12.851	4.749	4.749	0	Y	
SE	Bredäng	5	01-563-071917-2004	6.898	5	5	0	Y	
SE	Brista	6	01-563-071868-2004	1.060	881	881	0	Y	
SE	Danderyd	8	01-563-071862-2004	903	3	3	0	Y	
SE	Farmen	10	01-563-071768-2004	6.142	7.556	7.556	0	Y	
SE	Farsta	11	01-563-072142-2004	974	370	370	0	Y	
SE	Galten	12	01-563-071755-2004	2.541	545	545	0	Y	
SE	Gasturbin Södra	13	01-563-072165-2004	32	513	513	0	Y	
SE	Giggen	14	01-563-071889-2004	8	3	3	0	Y	

SE	Gubben Noak	15	01-563-071893-2004	2.102	551	551	0	Y	
SE	Hammarby	16	01-563-071911-2004	222	206	206	0	Y	
SE	PC Håsta	18	21-563-12716-2004	143	14	14	0	Y	
SE	Hässelby	19	01-563-071821-2004	47.161	6.178	6.178	0	Y	
SE	Högdalen P1-5	20	01-563-072134-2004	25.823	6.646	6.646	0	Y	
SE	Krigsrådet	21	01-563-072107-2004	14	0	0	0	Y	
SE	KVV Djuped	22	21-563-12709-2004	22.623	7.143	7.143	0	Y	
SE	Lastaren	23	20-563-013810-2004	4.052	3.071	3.071	0	Y	
SE	Lidingö	24	01-563-071863-2004	5.351	1.512	1.512	0	Y	
SE	Liljeholmen	25	01-563-071877-2004	1.090	157	157	0	Y	
SE	Ludvigsberg	26	01-563-071940-2004	2.034	2.172	2.172	0	Y	
SE	Arlanda	27	01-563-071850-2004	1.004	606	606	0	Y	
SE	Långe Jan	28	01-563-072114-2004	17	0	0	0	Y	
SE	Nacka Forum	29	01-563-072111-2004	2.417	0	0	0	Y	
SE	Orminge	31	01-563-071751-2004	7.256	5.782	5.782	0	Y	
SE	Fiskeby Board, Avfallspanna 1	32	00-563-000617-2004	x	not operational in 2005	0	x	Y	
SE	PC Kotorget	33	21-563-12706-2004	56	305	305	0	Y	
SE	HVC Gärdeåsen	34	21-563-13537-2004	447	151	151	0	Y	
SE	PC Sjukhuset	35	17-563-012297-2004	35	49	49	0	Y	

SE	Forsbacka HVC	36	24-563-009465-2004	7.877	1.307	1.307	0	Y	
SE	Rotebro	37	01-563-071816-2004	3.082	657	657	0	Y	
SE	Panncentralen Grums Fjärrvärme	38	17-563-011542-2004	816	123	123	0	Y	
SE	Saxen	39	20-563-013814-2004	1.989	338	338	0	Y	
SE	Skarpnäck	40	01-563-072109-2004	1.049	968	968	0	Y	
SE	Dalen panncentral	41	24-563-009467-2004	335	72	72	0	Y	
SE	Södersjukhuset	42	01-563-072048-2004	170	657	657	0	Y	
SE	Valsta	43	01-563-071803-2004	2.397	1.610	1.610	0	Y	
SE	Vilunda	44	01-563-071779-2004	5.237	5.737	5.737	0	Y	
SE	Värtan	45	01-563-071855-2004	470.893	700.634	700.634	0	Y	
SE	Älvsjö	46	01-563-071928-2004	334	11	11	0	Y	
SE	Rådmannen	47	07-563-007233-2004	104	3	3	0	Y	
SE	Virdavallen	48	07-563-007240-2004	267	358	358	0	Y	
SE	Axeln	49	07-563-007241-2004	618	578	578	0	Y	
SE	Årsta	50	01-563-071923-2004	2.748	183	183	0	Y	
SE	Arboga värmeverk	51	19-563-10310-04	4.670	1.974	1.974	0	Y	
SE	Lyckeverket	52	17-563-011844-2004	3.062	3.074	3.074	0	Y	
SE	Värmeverket	53	25-563-14719-04	13.360	6.732	6.732	0	Y	
SE	Psyk. Sjukhusets HVC	54	21-563-13544-2004	0	0	0	0	Y	

SE	Säverstaverket	55	21-563-13541-2004	4.683	5.584	5.584	0	Y	
SE	AB Borlänge Energi FVC Bäckelund	56	20-563-013110-2004	2.070	3.668	3.668	0	Y	
SE	HVC Hultasjön	57	14-563-060878-2004	1.227	1.564	1.564	0	Y	
SE	HVC Lasarettet	58	14-563-060879-2004	54	0	0	0	Y	
SE	Ryaverket	59	14-563-060902-2004	11.381	8.585	8.585	0	Y	
SE	Viared 1	60	14-563-060881-2004	32	8	8	0	Y	
SE	Viared 2	61	14-563-060884-2004	1.034	12	12	0	Y	
SE	Bråvalla Kraft AB	62	05-563-019035-2004	0	8.190	8.190	0	Y	
SE	Allöverket	63	12-563-43981-2004	3.627	1.030	1.030	0	Y	
SE	Panncentral CSK	64	12-563-43988-2004	1.342	0	0	0	Y	
SE	PC Edsbyverken	65	21-563-9767-2004	265	1.620	1.620	0	Y	
SE	ENA Kraft	66	03-563-013241-2004	268	97	97	0	Y	
SE	PC Östergård	67	13-563-009201-2004	1.612	115	115	0	Y	
SE	HVC Turbingatan	68	13-563-009205-2004	14.284	8.980	8.980	0	Y	
SE	PC Vapnöhöjden	69	13-563-009202-2004	118	111	111	0	Y	
SE	HVC Vattumannen	70	04-563-010147-2004	24.403	4.552	4.552	0	Y	
SE	HVC Lagersberg	71	04-563-010150-2004	1.230	5	5	0	Y	
SE	HVC Torshälla	72	04-563-010149-2004	1.489	50	50	0	Y	
SE	Panncentral Dotorp	73	14-563-052216-2004	904	492	492	0	Y	

SE	Panncentral Marjarp	74	14-563- 052075-2004	461	370	370	0	Y	
SE	Ång- och hetvattencentral Bacchus	75	13-563- 009795-2004	0	83	83	0	Y	
SE	Hetvattencentral Spettet	76	13-563- 009271-2004	241	1.000	1.000	0	Y	
SE	HVC Syran	77	20-563- 011959-2004	1.370	1.710	1.710	0	Y	
SE	Finspångs Värmeverk	78	05-563- 013137-2004	2.050	2.277	2.277	0	Y	
SE	Gullarpsverket	79	12-563- 039862-2004	938	167	167	0	Y	
SE	Kajan	80	08-563- 011579-2004	227	150	150	0	Y	
SE	Forsmarks Kärnkraftstation	81	03-563- 012667-2004	507	503	503	0	Y	
SE	Gunnarsbo Kraftverk	82	03-563- 012669-2004	100	105	105	0	Y	
SE	Kraftvärmeverket Nynäshamn	83	01-563- 074486-2004	5.537	5.634	5.634	0	Y	
SE	P1, P2 och KVV	84	08-563- 009668-2004	9.131	5.646	5.646	0	Y	
SE	Förrådet 3	85	09-563-6078- 04	224	226	226	0	Y	
SE	Värmekraften 1	86	09-563-6021- 04	180	0	0	0	Y	
SE	Cementa	87	09-563-6204- 04	1.842	1.862	1.862	0	Y	
SE	Pinjen 1	88	09-563-6079- 04	333	724	724	0	Y	
SE	Säbyverket	89	01-563- 056035-2004	11.890	5.992	5.992	0	Y	
SE	AB Borlänge Energi FVC Hagbacken	90	20-563- 013061-2004	302	0	0	0	Y	
SE	Nybro Energicentral	91	08-563- 008234-2004	324	1.596	1.596	0	Y	

SE	Draken	92	08-563-008235-2004	7.258	8.398	8.398	0	Y	
SE	HVC Dvärgen	93	08-563-008237-2004	145	286	286	0	Y	
SE	HVC Bro	94	01-563-056021-2004	1.724	1.941	1.941	0	Y	
SE	HVC Hallonvägen	95	01-563-056016-2004	2.074	1.755	1.755	0	Y	
SE	Fjärrvärmeverket Sollefteå	96	22-563-010685-2004	11.760	353	353	0	Y	
SE	Hetvattencentralen	97	25-563-18639-04	41.307	47.545	47.545	0	Y	
SE	Carlborg hetvattencentral	98	21-563-13796-2004	25	226	226	0	Y	
SE	Ersbo Hetvattencentral	99	21-563-13797-2004	296	717	717	0	Y	
SE	Johannes bioenergianläggning	100	21-563-13795-2004	599	1.138	1.138	0	Y	
SE	Alafors Panncentral	101	14-563-067448-2004	307	769	769	0	Y	
SE	Angeredscentralen	102	14-563-059258-2004	1.713	1.497	1.497	0	Y	
SE	Gamlebyverket	103	08-563-009441-2004	509	400	400	0	Y	
SE	Bohus Panncentral	104	14-563-059250-2004	1.409	839	839	0	Y	
SE	Hammarkullecentralen	105	14-563-059259-2004	3	0	0	0	Y	
SE	Högsbo KVV	106	14-563-059260-2004	7.064	14.644	14.644	0	Y	
SE	Malå kraftvärmeverk	107	24-563-010607-2004	1.501	1.778	1.778	0	Y	
SE	Marconicentralen	108	14-563-059263-2004	2.003	1.392	1.392	0	Y	
SE	Nödinge Panncentral	109	14-563-059248-2004	257	0	0	0	Y	
SE	Rosenlunds Kraftvärmeverk	110	14-563-059267-2004	86.882	97.578	97.578	0	Y	

SE	Panncentral Söder	111	12-563-43985-2004	4	0	0	0	Y	
SE	Rya Värmecentral	112	14-563-059268-2004	30.619	557	557	0	Y	
SE	Sisjöns panncentral	113	14-563-059269-2004	3.064	639	639	0	Y	
SE	Sävenäsverket	114	14-563-059272-2004	47.984	17.262	17.262	0	Y	
SE	Tynnererds Panncentral	115	14-563-059252-2004	43	192	192	0	Y	
SE	Volvo Tuve	116	14-563-059266-2004	3.170	612	612	0	Y	
SE	Panncentral Plogen	117	22-563-010684-2004	26	3	3	0	Y	
SE	Östra Sjukhuset	118	14-563-059275-2004	14	0	0	0	Y	
SE	Haparanda Värmeverk AB	119	25-563-18638-04	13.011	4.840	4.840	0	Y	
SE	HVC Hamre	120	20-563-009595-2004	1.680	881	881	0	Y	
SE	Hofors Energi Ångcentralen	121	21-563-11886-2004	484	35	35	0	Y	
SE	Hällefors Värme AB, P2-P3	122	18-563-012433-2004	656	1.707	1.707	0	Y	
SE	Kraftvärmeverket	123	22-563-011301-2004	19.260	13.052	13.052	0	Y	
SE	Beleverket	124	12-563-43893-2004	5.356	2.515	2.515	0	Y	
SE	Lugnviksverket KVV	125	23-563-9475-04	14.226	25.547	25.547	0	Y	
SE	Minnesgårdet	126	23-563-10341-04	5.951	251	251	0	Y	
SE	Öneberget	127	23-563-10844-04	1.097	100	100	0	Y	
SE	Rya Kraftvärmeverk	128	00-563-000111-2004	x	not operational in 2005	0	x	Y	

SE	Hetvattencentralen Huskvarna förd. station, HCHF	129	06-563-015546-2004	784	2.439	2.439	0	Y	
SE	Hetvattencentralen Huskvarna Vapen, HCHV	130	06-563-015551-2004	4.774	5.369	5.369	0	Y	
SE	Hetvattencentralen Ryhov, HCRY	131	06-563-015554-2004	3.459	1.377	1.377	0	Y	
SE	Hetvattencentralen Östra Klinikerna, HCÖK	132	06-563-015562-2004	251	174	174	0	Y	
SE	Hetvattencentralen Österängen, HCÖN	133	06-563-015563-2004	1.980	4.599	4.599	0	Y	
SE	HVC Stilleryd	134	10-563-005904-2004	2.970	1.998	1.998	0	Y	
SE	PC Lasarettet	135	10-563-005995-2004	126	117	117	0	Y	
SE	PC Vägga	136	10-563-005994-2004	3	472	472	0	Y	
SE	PC Östralycke	137	10-563-005981-2004	5	10	10	0	Y	
SE	Karlshamnsverket	138	10-563-005832-2004	24.756	95.279	95.279	0	Y	
SE	KVV	139	18-563-013067-2004	74.787	63.992	63.992	0	Y	
SE	Skogsrundan	140	18-563-013106-2004	213	21	21	0	Y	
SE	Värmeverket Gullberna	141	10-563-004978-2004	5.436	5.345	5.345	0	Y	
SE	Värmeverk Väster Udd	142	10-563-004980-2004	3.179	1.509	1.509	0	Y	
SE	Centralsjukhusets Hetvattencentral	143	17-563-010635-2004	896	711	711	0	Y	
SE	Kosterns Hetvattencentral	144	17-563-010637-2004	202	16	16	0	Y	
SE	Kraftvärmeverket i yttre hamn	145	17-563-010639-2004	6.770	16.066	16.066	0	Y	

SE	Kraftvärmeverket på Heden	146	17-563-010641-2004	461	1.233	1.233	0	Y	
SE	Kronoparkens hetvattencentral	147	17-563-010643-2004	208	98	98	0	Y	
SE	Katrinefors kraftvärme kw	148	14-563-050617-2004	12.119	4.197	4.197	0	Y	
SE	PC-Väster	149	04-563-012095-2004	2.550	2.983	2.983	0	Y	
SE	PC-Öster	150	04-563-012092-2004	404	775	775	0	Y	
SE	Hetvattencentralen Brunne	151	22-563-011300-2004	8.431	8.157	8.157	0	Y	
SE	HVC Flaket	152	19-563-11300-04	1.270	1.468	1.468	0	Y	
SE	Munkegårdeverket	153	14-563-52392-2004	5.056	0	0	0	Y	
SE	Norsa hetvattencentral	154	19-563-10560-04	4.907	5.060	5.060	0	Y	
SE	Lasarettets reservcentral	155	19-563-10564-04	0	0	0	0	Y	
SE	Östanås reservcentral	156	19-563-10563-04	4	0	0	0	Y	
SE	PC Bronsängen	157	12-563-44522-2004	3.729	6.125	6.125	0	Y	
SE	Hetvattencentral	158	12-563-44519-2004	7.559	6.824	6.824	0	Y	
SE	PC Västra Fäländen	159	12-563-44520-2004	1.584	301	301	0	Y	
SE	Kraftvärmeverket Torsvik, KVVT	160	00-563-000427-2004	x	not operational in 2005	0	x	Y	
SE	Ulricehamn	161	00-563-000622-2004	729	124	124	0	Y	
SE	Höglandssjukhuset Eksjö	162	06-563-012658-2004	657	655	655	0	Y	
SE	Aroskraft Block 3	163	19-563-10793-04	390.294	4.128	4.128	0	Y	
SE	Mälarenergi Block 4	164	19-563-10788-04	0	429.263	429.263	0	Y	

SE	PC Lasarettet	165	12-563-44521-2004	63	0	0	0	Y	
SE	Västhamnsverket	166	12-563-46563-2004	120.217	112.959	112.959	0	Y	
SE	Nordisk Carbon Black AB	168	12-563-48835-2004	96.436	88.816	88.816	0	Y	
SE	Biogasanläggningen	169	12-563-46587-2004	0	0	0	0	Y	
SE	PC Oljehamnen	170	21-563-12711-2004	0	0	0	0	Y	
SE	Grosvad	171	05-563-018937-2004	14	45	45	0	Y	
SE	Lindåsen	172	18-563-009691-2004	625	453	453	0	Y	
SE	Pc filen	173	14-563-059635-2004	9.049	608	608	0	Y	
SE	PC Släggan	174	14-563-059643-2004	1.613	261	261	0	Y	
SE	HVC Gnistan	175	18-563-010177-2004	2.355	1.037	1.037	0	Y	
SE	Ljungsjöverket	176	07-563-005242-04	13.252	7.264	7.264	0	Y	
SE	HVC Sjulhamre	177	21-563-13540-2004	3.049	1.628	1.628	0	Y	
SE	Lulekraft AB	178	25-563-016191-2004	27.959	2.286.144	2.286.144	0	Y	
SE	HVC 2 Aronstorp	180	25-563-18645-04	25.999	14.790	14.790	0	Y	
SE	HVC Bergnäset	181	25-563-18643-04	81	264	264	0	Y	
SE	HVC 5 Gammelstad	182	25-563-18642-04	81	13	13	0	Y	
SE	GTKVV	183	12-563-47061-2004	8.696	46.970	46.970	0	Y	
SE	ÅKV	184	12-563-47054-2004	12.408	6.967	6.967	0	Y	
SE	SV	185	12-563-47058-2004	7.785	7.952	7.952	0	Y	

SE	Flintrännans fjärrvärmecentral (FFC)	186	12-563-40394-2004	0	0	0	0	Y	
SE	Skogsbacka	187	24-563-009474-2004	3.591	23	23	0	Y	
SE	Assbergsverket	188	14-563-052212-2004	1.748	1.362	1.362	0	Y	
SE	HVC Industrigatan	189	05-563-015681-2004	60	6	6	0	Y	
SE	HVC Sörby	190	05-563-015679-2004	3.013	3.285	3.285	0	Y	
SE	HVC Trojenborg	191	05-563-015684-2004	0	0	0	0	Y	
SE	HVC Östanå	192	05-563-015686-2004	1.195	1.827	1.827	0	Y	
SE	Hallstahammars fjärrvärme	193	19-563-13075-04	593	671	671	0	Y	
SE	KVV, Block 1 och 2	194	19-563-13072-2004	95.880	41.266	41.266	0	Y	
SE	HVG	195	19-563-13074-04	0	23	23	0	Y	
SE	Riskullaverket	196	14-563-48443-2004	54.114	74.087	74.087	0	Y	
SE	Valåsdalens Panncentral	197	14-563-48440-2004	1.601	132	132	0	Y	
SE	Solna värmeverk	198	01-563-054430-2004	17.999	6.944	6.944	0	Y	
SE	Sannaverket	199	17-563-012299-2004	0	1	1	0	Y	
SE	Sundbybergs värmeverk	200	01-563-054435-2004	33.452	838	838	0	Y	
SE	EC Arsta	201	01-563-076161-2004	1.080	94	94	0	Y	
SE	Nässjö Kraftvärmeverk	202	06-563-014071-2004	2.332	6.552	6.552	0	Y	
SE	Oskarshamnsverket	203	08-563-009557-2004	4.901	1.934	1.934	0	Y	

SE	PC Gråsparven	204	08-563-009666-2004	1.302	43	43	0	Y	
SE	Värmeverket Harven	205	14-563-067478-2004	0	0	0	0	Y	
SE	Norrlands Universitetssjukhus PC	207	24-563-014079-2004	0	6	6	0	Y	
SE	Ringhals	208	13-563-009825-2004	475	428	428	0	Y	
SE	Hetvattencentral Kv. Betan	209	12-563-47082-2004	6.477	8.967	8.967	0	Y	
SE	Hetvattencentral Kv. Laxen	210	12-563-47083-2004	1.132	1.350	1.350	0	Y	
SE	Hetvattencentral Kv. Närke	211	12-563-47081-2004	372	149	149	0	Y	
SE	Sörbyverket	212	10-563-006195-2004	2.831	1.011	1.011	0	Y	
SE	HVC Backenverket	213	25-563-08819-2004	4.176	1.130	1.130	0	Y	
SE	Västermalmsverket	214	20-563-011956-2004	30	49	49	0	Y	
SE	Kraftvärmeverket Björksåtra	215	21-563-13370-2004	33.357	51.811	51.811	0	Y	
SE	Hedensbyn	216	24-563-009466-2004	16.321	38.357	38.357	0	Y	
SE	Jordberga sockerbruk	217	12-563-42110-2004	48.060	1.232	1.232	0	Y	
SE	Värmeverket KSS- Ryd	220	14-563-049828-2004	4.991	2.381	2.381	0	Y	
SE	Smedjebacken HVC	221	20-563-012423-2004	1.778	1.417	1.417	0	Y	
SE	Ångcentralen Långasjönäs - Kisa	222	05-563-016910-2004	1.334	1.329	1.329	0	Y	
SE	Reservkraft Huddinge sjukhus. Hus D	223	01-563-063845-2004	17	46	46	0	Y	
SE	HVC P10	224	04-563-009843-2004	2.897	801	801	0	Y	

SE	Brandstation	225	04-563-009845-2004	4.334	439	439	0	Y	
SE	Thomasgymnasiet	226	04-563-9848-2004	553	452	452	0	Y	
SE	Alnöverket	227	22-563-013284-2004	331	276	276	0	Y	
SE	Bergsåkersverket	228	22-563-011299-2004	1	54	54	0	Y	
SE	Bredsandsverket	229	22-563-013293-2004	778	15	15	0	Y	
SE	Finstaverket	230	22-563-013285-2004	85	0	0	0	Y	
SE	Granloholmsverket	231	22-563-013596-2004	92	603	603	0	Y	
SE	Korstaverket	232	22-563-013283-2004	84.641	153.362	153.362	0	Y	
SE	Nackstaverket	233	22-563-013287-2004	149	1.797	1.797	0	Y	
SE	Svenljunga Värmeverk	234	14-563-054104-2004	870	708	708	0	Y	
SE	Hallstavik Kraftverk	235	01-563-063119-2004	1.399	425	425	0	Y	
SE	Kimstad Kraftverk	236	05-563-014632-2004	592	1.286	1.286	0	Y	
SE	Lahall kraftverk	237	13-563-009087-2004	549	1.177	1.177	0	Y	
SE	Stallbacka Kraftverk	238	14-563-050697-2004	520	917	917	0	Y	
SE	Barsebäcksverket	239	12-563-037468-2004	2.167	1.348	1.348	0	Y	
SE	Halmstadsverket	240	13-563-010606-2004	2.973	17.247	17.247	0	Y	
SE	Karlshamnsverket	241	10-563-005762-04	158	177	177	0	Y	
SE	Öresundsverket	242	12-563-37466-2004	1.721	3.964	3.964	0	Y	
SE	GFC Gasverkets fjärrcentral	243	18-563-011386-2004	140	38	38	0	Y	

SE	Hallsbergs Hetvattencentral	244	18-563- 011380-2004	4.026	833	833	0	Y	
SE	Kumla hetvattencentral	245	18-563- 011384-2004	4.760	1.136	1.136	0	Y	
SE	Nora panncentral	246	18-563- 011377-2004	1.622	590	590	0	Y	
SE	Nyby Panncentral	247	03-563- 012645-2004	403	528	528	0	Y	
SE	Utmeland hetvattencentral	248	20-563- 013512-2004	1.906	1.159	1.159	0	Y	
SE	Vattumyren panncentral	249	20-563- 013513-2004	0	0	0	0	Y	
SE	Åby-verket	250	18-563- 011385-2004	158.348	100.577	100.577	0	Y	
SE	Borgås kraftvärmeverk	251	13-563- 010577-2004	310	1.402	1.402	0	Y	
SE	Fjärrvärmeverket Älmhult	252	07-563- 007091-2004	1.849	917	917	0	Y	
SE	Hacksta Värmeverk	253	01-563- 071230-2004	2.422	48	48	0	Y	
SE	Gjutarens panncentral	254	14-563- 056191-2004	1.620	285	285	0	Y	
SE	Hammargårds värmeverk	255	13-563- 010578-2004	3.848	1.291	1.291	0	Y	
SE	Heleneholmsverket (HVK) m. Heleneholms fjärrvärmec	256	12-563-40399- 2004	279.067	240.498	240.498	0	Y	
SE	Jägersro fjärrvärmecentral (JFC)	257	12-563-40422- 2004	179	297	297	0	Y	
SE	Limhamns fjärrvärmecentral (LFC)	258	12-563-40423- 2004	7.531	1.141	1.141	0	Y	
SE	Mölnlycke fjärrvärmecentral	259	14-563- 056190-2004	151	245	245	0	Y	
SE	Noltorps värmecentral	260	14-563- 056195-2004	902	0	0	0	Y	

SE	Sävelundsverket	261	14-563-056194-2004	269	576	576	0	Y	
SE	Utklippans fjärrvärmecentral (UFC)	262	12-563-40420-2004	1.239	734	734	0	Y	
SE	Eksjö Energi AB	263	06-563-014703-2004	742	357	357	0	Y	
SE	Panncentralen Sågen	264	24-563-013390-2004	2.877	171	171	0	Y	
SE	Roma Kraftverk	265	09-563-6135-04	12	20	20	0	Y	
SE	Händelöverket	266	05-563-019034-2004	134.558	111.730	111.730	0	Y	
SE	NE-stationen	267	05-563-19062-2004	11.282	14	14	0	Y	
SE	Skeppsdockan	268	05-563-019063-2004	2.709	2.594	2.594	0	Y	
SE	Panncentralen Säffle Fjärrvärme	269	17-563-011843-2004	543	1.090	1.090	0	Y	
SE	Panncentralen Säffle Sjukhus	270	17-563-011851-2004	165	0	0	0	Y	
SE	Fittjaverket	271	01-563-081618-2004	19.963	15.917	15.917	0	Y	
SE	Geneta panncentral	272	01-563-081624-2004	2.080	2.895	2.895	0	Y	
SE	Huddninge maskincentral	273	01-563-081621-2004	211	990	990	0	Y	
SE	Igelstaverket	274	01-563-081609-2004	166.943	155.276	155.276	0	Y	
SE	HVC Granskär	275	21-563-13487-2004	652	584	584	0	Y	
SE	Skogås Värmeverk	276	01-563-081401-2004	1.913	1.827	1.827	0	Y	
SE	Sörred Energi AB	277	14-563-062615-2004	12.332	11.095	11.095	0	Y	
SE	Kiruna Kraftvärmeverk	278	25-563-17067-04	57.363	5.548	5.548	0	Y	

SE	Gärstadverket	279	05-563-17194-04	24.991	17	17	0	Y	
SE	Kraftvärmeverket	280	05-563-018561-2004	127.897	108.588	108.588	0	Y	
SE	LAMBOHOV HVC (HVC 60)	281	05-563-017196-2004	1.084	832	832	0	Y	
SE	Tannefors HVC (HVC 30)	282	05-563-17188-04	789	667	667	0	Y	
SE	Tornbyverket	283	05-563-017197-2004	4.357	2.930	2.930	0	Y	
SE	Ullstämman HVC (HVC 70)	284	05-563-17190-04	131	2.204	2.204	0	Y	
SE	Universitetssjukhuset HVC (HVC 90 US)	285	05-563-17084-04	704	105	105	0	Y	
SE	Södra Vakten	286	06-563-015272-2004	2.070	683	683	0	Y	
SE	Tallbacken	287	06-563-015273-2004	26	8	8	0	Y	
SE	Brattåsverket	291	14-563-058839-2004	3.515	3.719	3.719	0	Y	
SE	Hovhultsverket	292	14-563-067434-2004	25.709	28.813	28.813	0	Y	
SE	Backencentralen	293	24-563-013684-2004	2.857	671	671	0	Y	
SE	Panncentral kv Ryttern	295	24-563-013686-2004	3.062	1.742	1.742	0	Y	
SE	Äldhemsanläggningen	296	24-563-013912-2004	28.956	36.172	36.172	0	Y	
SE	Knivstaverket	297	03-563-011532-2004	929	239	239	0	Y	
SE	Arendals Kraftverk	298	14-563-053876-2004	24	54	54	0	Y	
SE	Marvikens Kraftverk	299	05-563-017003-2004	0	3.074	3.074	0	Y	
SE	Slite Kraftverk	300	09-563-6138-04	693	410	410	0	Y	

SE	Hultungs Kraftverk	301	09-563-6133-04	32	3	3	0	Y	
SE	Stenungsunds Kraftverk	302	14-563-053875-2004	0	4.134	4.134	0	Y	
SE	Visby Kraftvärmestation	303	09-563-6137-04	0	120	126	0	Y	
SE	Bergsättersverket - Motala	304	05-563-016904-2004	1.100	3.728	3.728	0	Y	
SE	Fisksätra Panncentral	305	01-563-064820-2004	1.754	3.553	3.553	0	Y	
SE	Boxholm - gamla ångcentralen	306	05-563-016905-2004	35	40	40	0	Y	
SE	Hemse Kraftverk	307	09-563-6136-04	44	38	38	0	Y	
SE	Hultsfreds värmeverk	308	08-563-010075-2004	428	94	94	0	Y	
SE	Panncentralen Väster - Motala	309	05-563-016908-2004	1.711	4.020	4.020	0	Y	
SE	Boländerna	310	03-563-012236-2004	267.656	291.774	291.774	0	Y	
SE	Husbyborgverket	311	03-563-012268-2004	2.870	3.322	3.322	0	Y	
SE	Vänersborg, Vassbotten	312	14-563-052345-2004	70	93	93	0	Y	
SE	Vetlanda Ångcentral	313	06-563-015274-2004	2.006	4.686	4.686	0	Y	
SE	Baggeboverket i Tibro	314	14-563-052348-2004	3.425	953	953	0	Y	
SE	Marbodalen - Tidaholm	315	14-563-052347-2004	777	1.294	1.294	0	Y	
SE	Västerbyverket i Götene	316	14-563-052341-2004	5.994	4.911	4.911	0	Y	
SE	Årjängs fjärrvärme	317	17-563-011611-2004	1.622	3.965	3.965	0	Y	
SE	Vänersborg, Önafors	318	14-563-052343-2004	4.836	0	0	0	Y	
SE	Jordbro värmeverk	319	01-563-072561-2004	3.146	4.316	4.316	0	Y	

SE	Bollmora värmeverk	320	01-563-072558-2004	4.013	82	82	0	Y	
SE	Vattenfall Kalix Fjärrvärme AB	321	25-563-18640-04	7.007	8.023	8.023	0	Y	
SE	PC Brandkärr	322	04-563-010521-2004	422	730	730	0	Y	
SE	Idbäcksverket	323	04-563-010523-2004	8.764	2.733	2.733	0	Y	
SE	Södra Näs	324	08-563-009613-2004	1.224	23	23	0	Y	
SE	Reservkraft Karolinska Sjukhusområdet	325	01-563-064939-2004	103	594	594	0	Y	
SE	Pc Sjukhuset	326	06-563-015418-2004	1.389	5.570	5.570	0	Y	
SE	FVC1 Craboverket	327	19-563-11291-04	10.960	10.238	10.238	0	Y	
SE	LVC2 Lasarettets panncentral Ludvika	328	20-563-012941-2004	4.840	933	933	0	Y	
SE	LVC4 Lyviksverket	329	20-563-012942-2004	245	764	764	0	Y	
SE	FVC3 Gröndal	330	19-563-11294-04	12	34	34	0	Y	
SE	LVC5 Folkets hus Ludvika	331	20-563-012943-2004	77	0	0	0	Y	
SE	Karstorpsverket	332	08-563-009440-2004	32	2	2	0	Y	
SE	Stegeholmsverket	333	08-563-009439-2004	966	932	932	0	Y	
SE	Sandviksverket	334	07-563-006628-2004	20.632	29.522	29.522	0	Y	
SE	RPC Teleborg	335	07-563-006627-2004	0	326	326	0	Y	
SE	Täljstenen	336	07-563-006626-2004	156	83	83	0	Y	
SE	Anoden	337	12-563-45314-2004	4.827	1.305	1.305	0	Y	

SE	ÅFA-Faccetten	338	05-563-015377-2004	439	468	468	0	Y	
SE	KVV-Åkerslund	339	12-563-43391-2004	33.826	27.157	27.157	0	Y	
SE	PC Södra industriområdet	340	12-563-43389-2004	29	565	565	0	Y	
SE	Bäcks Kraftverk	341	09-563-6134-04	18	17	17	0	Y	
SE	Fjärrvärmecentral Israel	342	12-563-46583-2004	9.909	3.822	3.822	0	Y	
SE	Spendrups Bryggeri AB Vårbyenheten	343	01-563-078539-2004	9.467	10.371	10.371	0	Y	
SE	Värmeverket	344	12-563-46097-2004	2.218	3.217	3.217	0	Y	
SE	Sjukhuset	345	22-563-013766-2004	145	25	25	0	Y	
SE	Gasverket	346	01-563-070747-2004	30.367	29.571	29.571	0	Y	
SE	Notnäs	347	17-563-012296-2004	550	489	489	0	Y	
SE	Ångcentralen Nordic Paper	348	17-563-001529-2005	34.424	8.225	8.225	0	Y	
SE	Örebro Kartongbruk, P4	349	18-536-11992-2004	8.444	410	410	0	Y	
SE	Site Stenungsund	350	14-563-047103-2004	50.260	32.339	32.339	0	Y	
SE	Ångcentralen	351	22-563-012007-2004	9.776	9.089	9.089	0	Y	
SE	Arizona Chemical AB	352	21-563-11853-2004	32.634	30.434	30.434	0	Y	
SE	Arla Foods Vimmerby	353	08-563-010985-2004	1.453	6.362	6.362	0	Y	
SE	AstraZeneca AB, Snäckvikenanläggningen	354	01-563-073129-2004	18.376	5.970	5.970	0	Y	
SE	Berendsen Textil Service AB	355	04-563-007681-2004	1.023	2.108	2.108	0	Y	

SE	Rönnskärsverken	356	24-563-009507-2004	12.491	8.503	8.503	0	Y	
SE	Krackeranläggningen	357	14-563-057291-2004	120.483	114.304	114.304	0	Y	
SE	Polyetenanläggningen	358	14-563-057290-2004	18.403	14.034	14.034	0	Y	
SE	Carlsberg Sverige AB Bromma	360	01-563-054474-2004	22.552	14.190	14.190	0	Y	
SE	Casco Adhesives Ångcentral	361	17-563-011597-2004	7.661	5.740	5.740	0	Y	
SE	Arlövs sockerbruk	362	12-563-39919-2004	23.117	17.853	17.853	0	Y	
SE	CC Höganäs Byggkeramik AB	363	12-563-46404-2004	6.270	4.275	4.275	0	Y	
SE	Köpingebro sockerbruk	364	12-563-39920-2004	54.440	47.447	47.447	0	Y	
SE	Örtofta sockerbruk	365	12-563-39916-2004	46.738	58.984	58.984	0	Y	
SE	Navestad	366	05-563-019060-2004	1.433	1.388	1.388	0	Y	
SE	Findus Sverige AB	367	12-563-41808-2004	20.745	17.558	17.558	0	Y	
SE	Gelita Sweden AB	368	12-563-40050-2004	18.489	2.269	2.269	0	Y	
SE	Hydro Polymers AB	369	14-563-054710-2004	21.185	20.493	20.493	0	Y	
SE	Kraftvärmverket Munksjö, KVVM	370	06-563-015378-2004	22.425	30.191	30.191	0	Y	
SE	PC IFÖ	371	10-563-005989-2004	604	238	238	0	Y	
SE	Karskär Energi AB	372	21-563-11855-2004	138.785	107.066	107.066	0	Y	
SE	Karlshamns AB / Ångcentral	373	10-563-006485-04	34.660	7.792	7.792	0	Y	
SE	Kemira Kemi AB	374	12-563-41543-2004	7.906	6.877	6.877	0	Y	
SE	Masonite AB	375	24-563-013310-2004	2.382	1.710	1.710	0	Y	

SE	Umeå mejeri	377	24-563-009642-2004	2.957	1.531	1.531	0	Y	
SE	Panncentralen Arvika Gjuteri	378	17-563-011850-2004	2.427	26	26	0	Y	
SE	Perstorp Specialty Chemicals - Perstorp	379	12-563-38888-2004	72.677	43.039	43.039	0	Y	
SE	Eslövsfabriken	380	12-563-43972-2004	24.717	18.243	18.243	0	Y	
SE	Saab Automobile AB	381	14-563-062116-2004	16.234	10.586	10.586	0	Y	
SE	Sala-Heby Energi AB, Värmeverket i Sala	382	19-563-11229-04	578	77	77	0	Y	
SE	Bollsta Sågverk	383	22-563-012192-2004	1.822	3.887	3.887	0	Y	
SE	Scania Oskarshamn	384	08-563-009611-2004	8.540	9.481	9.481	0	Y	
SE	Scania, Södertälje	385	01-563-063204-2004	27	26	26	0	Y	
SE	SSAB Tunnpå i Borlänge	386	20-563-014050-2004	12.654	4.207	4.207	0	Y	
SE	Hasselfors Panncentral	387	18-563-013068-2004	1.526	731	731	0	Y	
SE	Panncentral Siljans Sågverk	388	20-563-013511-2004	0	0	0	0	Y	
SE	Ångcentralen A-omr.	389	12-563-40245-2004	10.313	8.236	8.236	0	Y	
SE	Sala-Heby Energi AB, Sjukhuset i Sala	390	19-563-11224-04	119	0	0	0	Y	
SE	Klippan Mölndal	391	14-563-056402-2004	47.716	26.942	26.942	0	Y	
SE	Panncentral Lövholmens såg	392	25-563-14600-2004	2.196	687	687	0	Y	
SE	Moelven Valåsen	393	18-563-010666-2004	1.578	666	666	0	Y	

SE	Panncentralen Electrolux - Motala	395	05-563- 016906-2004	87	0	0	0	Y	
SE	Ångcentralen Boxholms såg	396	05-563- 016909-2004	642	767	767	0	Y	
SE	Bränneriet	397	12-563-31794- 2004	11.738	3.092	3.092	0	Y	
SE	Volvo Aero Corporation	398	14-563- 060160-2004	3.282	7.490	7.490	0	Y	
SE	Volvo Constr Equipment Components AB	399	04-563- 011681-2004	779	798	798	0	Y	
SE	Volvo Lastvagnar AB, Umeå	400	24-563- 013400-2004	6.124	148	148	0	Y	
SE	PC Stenstaliden	401	17-563- 012300-2004	945	257	257	0	Y	
SE	Volvo Powertrain AB	402	14-563- 063719-2004	21.489	26.262	26.262	0	Y	
SE	Treetex	403	22-563- 013763-2004	809	1.051	1.051	0	Y	
SE	Degerhamnsfabriken/ Cementa AB	404	08-563- 010405-2004	232.811	247.972	247.972	0	Y	
SE	Skövdefabriken/Cem enta AB	405	14-563- 056947-2004	322.136	353.882	353.882	0	Y	
SE	Slitefabriken/Cement a AB	406	09-563-5614- 04	1.643.554	1.463.368	1.463.368	0	Y	
SE	Höganäs Bjuf AB	407	12-563-41801- 2004	9.552	4.614	4.614	0	Y	
SE	Kalkproduktion Storugns AB	408	09-563-4721- 04	189.854	177.417	177.417	0	Y	
SE	Vittinge Tegelbruk	409	19-563-11723- 04	5.365	5.562	5.562	0	Y	
SE	Nordkalk AB Köping	410	19-563-11190- 04	247.864	244.087	244.087	0	Y	
SE	Nordkalk AB Luleå	411	25-563-16776- 04	119.580	83.436	83.436	0	Y	
SE	Pilkington Halmstad	412	13-563- 010737-2004	148.194	163.838	163.838	0	Y	

SE	Rexam Glass Limmared AB	413	14-563-050996-2004	70.416	68.848	68.848	0	Y	
SE	Saint-Gobain Isover AB	414	12-563-31805-2004	32.022	26.198	26.198	0	Y	
SE	Panncentralen City	415	01-563-054472-2004	1.325	509	509	0	Y	
SE	Oxelö Kalkverk	416	04-563-010788-2004	131.042	77.175	77.175	0	Y	
SE	Boda Kalkverk	417	20-563-014012-2004	97.041	67.546	67.546	0	Y	
SE	Rättviks Kalkverk	418	20-563-014011-2004	122.826	129.746	129.746	0	Y	
SE	Sandarne Kalkverk	419	21-563-13061-2004	30.679	17.612	17.612	0	Y	
SE	AB Svensk Leca, Lättklinkerfabriken	420	05-563-018714-2004	35.651	20.768	20.768	0	Y	
SE	Haga Tegelbruk	421	03-563-012996-2004	6.049	4.825	4.825	0	Y	
SE	Nynäshamns Raffinaderiet	422	01-563-066582-2004	179.093	145.965	145.965	0	Y	
SE	Preem Raffinaderi AB, raffinaderiet	424	14-563-052091-2004	586.130	572.487	572.487	0	Y	
SE	Shell Raffinaderi AB	425	14-563-052342-2004	592.048	534.435	534.435	0	Y	
SE	Scanraff	426	14-563-055527-2004	1.641.278	1.169.944	1.169.944	0	Y	
SE	ABB Power Technologies AB	428	08-563-011417-2004	9.144	6.679	6.679	0	Y	
SE	Arctic Paper Häfreströms AB	429	14-563-052053-2004	34.123	21.042	21.042	0	Y	
SE	Arctic Paper Munkedals AB	430	14-563-004149-2005	21.942	5.882	5.882	0	Y	
SE	AssiDomän Frövi	431	18-563-012234-2004	61.760	30.964	30.964	0	Y	
SE	Gruvöns bruk	432	17-563-010253-2004	81.398	75.188	75.188	0	Y	
SE	Karlsborgs bruk	433	25-563-15855-2004	55.374	15.417	15.417	0	Y	

SE	Billerud Skärblacka AB	434	05-563-17905-04	118.700	72.695	72.695	0	Y	
SE	Bäckhammars Bruk AB	435	17-563-012164-2004	35.555	24.557	24.557	0	Y	
SE	AB Sandvik Materials Technology	436	21-563-12803-2004	59.737	52.036	52.036	0	Y	
SE	Crane AB	437	01-563-079835-2004	10.630	1.103	1.103	0	Y	
SE	Domsjö Fabriker AB	438	22-563-013247-2004	28.855	20.588	20.588	0	Y	
SE	Långedsverken	439	14-563-068865-2004	3.075	3.844	3.844	0	Y	
SE	Skåpaforsverken	440	14-563-068866-2004	15.657	15.898	15.898	0	Y	
SE	Fiskeby Bruk	441	05-563-015373-2004	17.600	640	640	0	Y	
SE	Frantschach Pulp & Paper Sweden AB	442	22-563-009341-2004	40.542	13.017	13.017	0	Y	
SE	Bravikens Pappersbruk	443	05-563-017962-2004	74.607	80.363	80.363	0	Y	
SE	Hallsta Pappersbruk	444	01-563-074504-2004	106.939	67.303	67.303	0	Y	
SE	Holmen Paper, Wargöns Bruk	445	14-563-059243-2004	57.122	30.278	30.278	0	Y	
SE	Iggesund Paperboard AB, Iggesunds Bruk	446	21-563-12422-2004	125.882	104.149	104.149	0	Y	
SE	Kappa Kraftliner Piteå	447	25-563-15784-2004	101.353	91.079	91.079	0	Y	
SE	Klippans Bruk	448	12-563-40900-2004	35.426	34.540	34.540	0	Y	
SE	Lessebo Bruk	449	07-563-007481-2004	4.849	2.950	2.950	0	Y	
SE	Knauf Danogips GmbH Inlands Kartongbruk	450	14-563-050033-2004	19.037	20.985	20.985	0	Y	

SE	Korsnäsverken	451	21-563-12180-2004	8.138	20.692	20.692	0	Y	
SE	Katrinefors bruk	452	14-563-052394-2004	25.168	13.666	13.666	0	Y	
SE	Nyboholms bruk	453	06-563-012661-2004	8.681	9.365	9.365	0	Y	
SE	Pauliströms bruk	454	06-563-012662-2004	5.062	7.133	7.133	0	Y	
SE	M-real Sverige AB, Husums fabrik	455	22-563-011302-2004	146.551	112.705	112.705	0	Y	
SE	Nordic Paper Seffle AB	456	17-563-010629-2004	6.130	2.390	2.390	0	Y	
SE	Rockhammars Bruk	457	18-563-011979-2004	1.533	756	756	0	Y	
SE	Rottneros Bruk	458	17-563-011712-2004	24.103	20.590	20.590	0	Y	
SE	Ortvikens pappersbruk	459	22-563-012769-2004	53.413	36.143	36.143	0	Y	
SE	Östrands massafabrik	460	22-563-012707-2004	88.863	71.654	71.654	0	Y	
SE	SCA Hygiene Products AB	461	14-563-057425-2004	11.152	6.676	6.676	0	Y	
SE	SCA Packaging Munksund AB	462	25-563-16416-2004	55.101	28.831	28.831	0	Y	
SE	SCA Packaging Obbola AB	463	24-563-013133-2004	53.772	65.482	65.482	0	Y	
SE	Smurfit Munksjö Aspa Bruk AB	464	18-563-010730-2004	31.364	24.134	24.134	0	Y	
SE	Smurfit Munksjö Hygien AB	465	06-563-012434-2004	3.774	4.098	4.098	0	Y	
SE	Smurfit Munksjö Lagamill AB	466	07-563-007720-2004	33.667	3.248	3.248	0	Y	
SE	Smurfit Munksjö Paper AB, Billingsfors	467	14-563-052659-2004	21.765	13.547	13.547	0	Y	
SE	Grycksbo Bruk	468	20-563-012865-2004	79.889	76.062	76.062	0	Y	

SE	Stora Enso Fors AB	469	20-563-013609-04	46.221	28.638	57.276	0	Y	
SE	Stora Enso Hylte AB	470	13-563-011900-2004	113.809	80.568	80.568	0	Y	
SE	STORA ENSO Kvarnsveden AB	471	20-563-014920-2004	70.210	95.354	95.354	0	Y	
SE	Nymölla Bruk	472	12-563-39624-04	20.186	0	0	0	Y	
SE	Norrсандets Bruk	473	21-563-11983-2004	49.665	35.308	35.308	0	Y	
SE	Skutskärs Bruk	474	03-563-012671-2004	40.163	45.629	45.629	0	Y	
SE	Skoghalls Bruk	475	17-563-010645-2004	221.883	233.669	233.669	0	Y	
SE	Svanskog Bruk AB	476	17-563-009592-2004	531	265	265	0	Y	
SE	Swedish Tissue AB	477	05-563-018517-2004	4.973	7.174	7.174	0	Y	
SE	Södra Cell Mönsterås	478	08-563-010272-2004	89.817	50.315	50.315	0	Y	
SE	Södra Cell Mörrum	479	10-563-006110-2004	74.955	47.181	47.181	0	Y	
SE	Södra Cell Värö	480	13-563-9967-04	34.125	32.732	32.732	0	Y	
SE	Utansjö Bruk	481	22-563-012281-2004	19.135	12.901	12.901	0	Y	
SE	Waggeryd Cell AB	482	06-563-012517-2004	10.260	10.014	10.014	0	Y	
SE	Vallviks Bruk	483	21-563-12503-2004	19.382	9.659	9.659	0	Y	
SE	Åmotfors Bruk AB	484	17-563-012162-2004	7.722	335	335	0	Y	
SE	Kanthal AB	485	19-563-11220-04	693	729	729	0	Y	
SE	Erasteel Kloster AB	486	03-563-013707-2004	3.182	2.347	2.347	0	Y	
SE	Fundia Special Bar AB	487	20-563-015326-2004	34.199	33.311	33.311	0	Y	

SE	Höganäs Halmstadverken	488	13-563- 010858-2004	27.233	20.683	20.683	0	Y	
SE	Höganäs AB	489	12-563-43428- 2004	291.633	193.679	193.679	0	Y	
SE	Avesta Jernverk	490	20-563- 015387-2004	65.935	47.306	47.306	0	Y	
SE	Outokumpu Stainless AB, Degerfors	491	18-563- 013320-2004	22.312	0	0	0	Y	
SE	Ovako Steel AB, Hofors	492	21-563-13214- 2004	47.888	44.286	44.286	0	Y	
SE	Scana Steel Björneborg AB	493	17-563- 011951-2004	7.791	5.809	5.809	0	Y	
SE	SSAB Oxelösund AB- Ämnestillverkning	494	04-563- 011683-2004	2.598.426	2.419.500	2.419.500	0	Y	
SE	SSAB Tunnpå AB, Metallurgi	495	25-563-17244- 04	4.016.253	1.246.631	1.246.631	0	Y	
SE	Hagfors Jernverk	496	17-563- 013210-2004	18.678	4.097	4.097	0	Y	
SE	LKAB Kiruna	497	25-563-16920- 04	270.588	266.194	266.194	0	Y	
SE	LKAB Malmberget	498	25-563-16924- 04	74.614	82.428	82.428	0	Y	
SE	LKAB Svappavaara	499	25-563-16922- 04	93.578	90.050	90.050	0	Y	
SE	Björndammens PC	500	14-563- 059256-2004	0	29	29	0	Y	
SE	Cascades Djupafors AB	501	10-563- 005879-2004	5.469	1.851	1.851	0	Y	
SE	Volvo Personvagnar AB Karosskomponenter	502	10-563- 006146-2004	12.466	12.190	12.190	0	Y	
SE	Perstorp Oxo AB	503	14-563- 059946-2004	87.044	67.858	67.858	0	Y	
SE	Talja Panncentral	504	04-563- 012107-2004	1.122	567	567	0	Y	

SE	Lindås	505	08-563-011580-2004	64	5	5	0	Y	
SE	Hetvattencentral, Holmsunds såg	506	24-563-013691-2004	311	1.071	1.071	0	Y	
SE	Bromölla Fjärrvärme AB	507	12-563-45340-2004	4.155	492	492	0	Y	
SE	Lugnviksverket P1 och P2	508	23-563-9476-04	14.571	6.430	6.430	0	Y	
SE	Styckåsen	509	17-563-011847-2004	7.938	105	105	0	Y	
SE	Panna 5	510	19-563-10789-04	75.752	59.037	59.037	0	Y	
SE	Äpplet	511	12-563-45323-2004	126	295	295	0	Y	
SE	Bokeberg	512	12-563-43896-2004	51	288	288	0	Y	
SE	Panncentralen I17	513	14-563-058838-2004	834	982	982	0	Y	
SE	Hagfors Jernverk	514	17-563-011336-2004	241	131	131	0	Y	
SE	HVC Lasarettet	515	20-563-011958-2004	564	198	198	0	Y	
SE	Panncentral Söder	516	14-563-058837-2004	106	146	146	0	Y	
SE	HVC Reserv	517	20-563-011960-2004	188	97	97	0	Y	
SE	Orrefors Glasbruk	518	08-563-009616-2004	10.109	7.433	7.433	0	Y	
SE	PC Nyköpings Lasarett	519	04-563-010522-2004	122	137	137	0	Y	
SE	Karlit AB	520	03-563-012239-2004	4	5	5	0	Y	
SE	ScanDust AB	521	12-563-37090-2004	45.554	33.765	33.765	0	Y	
SE	Pc Långa Raden	522	06-563-011831-2004	0	1.810	1.810	0	Y	
SE	Pc Havren	523	06-563-015416-2004	88	2	2	0	Y	

SE	Fresenius Kabi, fabrik Brunna	524	01-563- 053242-2004	11.152	5.441	5.441	0	Y	
SE	LHVC	525	12-563-47053- 2004	43.335	39.312	39.312	0	Y	
SE	Jokkmokks Värmeverk AB	526	25-563-15565- 04	88	102	102	0	Y	
SE	Kalkugnen	527	22-563- 011940-2004	55.997	48.731	48.731	0	Y	
SE	Reservcentralen	528	12-563-39871- 2004	153	8	8	0	Y	
SE	Munkfors Värmeverk AB	529	17-563- 011055-2004	94	505	505	0	Y	
SE	A9 Garnisonen	530	17-563- 012301-2004	0	0	0	0	Y	
SE	Håstaäng	531	21-563- 012714-2004	154	0	0	0	Y	
SE	Högdalen P6	532	01-563- 072119-2004	48.278	48.411	48.411	0	Y	
SE	Karolinska	533	01-563- 071865-2004	3.554	3.552	3.552	0	Y	
SE	Källhagsverket	534	20-563- 013812-2004	416	231	231	0	Y	
SE	PC Björkberg	535	21-563-12713- 2004	0	0	0	0	Y	
SE	PC Delsbo	536	21-563-12708- 2004	1.276	147	147	0	Y	
SE	PC Sjukhuset	537	21-563-12712- 2004	0	0	0	0	Y	
SE	Til	538	01-563- 071810-2004	392	0	0	0	Y	
SE	PC Grenadjären	539	10-563- 004982-2004	249	0	0	0	Y	
SE	PC Lallerstedt	540	10-563- 004986-2004	412	204	204	0	Y	
SE	Reservcentral Höghammar	541	21-563-13543- 2004	0	0	0	0	Y	
SE	Reservcentral Mejeriet	542	21-563-13542- 2004	290	77	77	0	Y	

SE	AB Borlänge Energi FVC AVR Fagersta By	543	20-563- 013112-2004	0	0	0	0	Y	
SE	AB Borlänge Energi FVC Dala Emballage	544	20-563- 013059-2004	81	0	0	0	Y	
SE	AB Borlänge Energi FVC Dala Profil	545	20-563- 013060-2004	191	0	0	0	Y	
SE	Pc Hammar	546	12-563-43989- 2004	3	8	8	0	Y	
SE	PC Bäckagård	548	13-563- 009204-2004	428	204	204	0	Y	
SE	HVC Regementet	549	20-563- 011957-2004	239	2	2	0	Y	
SE	Förvaltningshuset	550	05-563- 018936-2004	96	130	130	0	Y	
SE	Norrmalm	551	05-563- 018935-2004	1.094	359	359	0	Y	
SE	Nyhem	552	05-563- 018934-2004	31	0	0	0	Y	
SE	Fjärrvärmesystemet Nynäshamn/PC 1	553	01-563- 074487-2004	673	0	0	0	Y	
SE	Fjärrvärmesystemet Nynäshamn/PC 2	554	01-563- 074489-2004	1.769	4	4	0	Y	
SE	Fjärrvärmesystemet Nynäshamn/PC3	555	01-563- 074492-2004	1.937	0	0	0	Y	
SE	Fjärrvärmesystemet Nynäshamn/PC 4	556	01-563- 074502-2004	492	0	0	0	Y	
SE	Fjärrvärmesystemet Nynäshamn/PC5	557	01-563- 074503-2004	529	0	0	0	Y	
SE	HVC Lindsdal	558	08-563- 008238-2004	19	277	277	0	Y	
SE	Effektvägen	559	01-563- 060268-2004	0	0	0	0	Y	
SE	Krickans panncentral	560	25-563-18641- 04	29	14	14	0	Y	
SE	Backa panncentral	561	14-563- 067451-2004	0	0	0	0	Y	

SE	Rya gasmotorer	562	14-563-067453-2004	0	0	0	0	Y	
SE	Trattens panncentral	563	14-563-059276-2004	0	0	0	0	Y	
SE	Hagfors Bioenergi AB	564	17-563-012511-2004	939	652	652	0	Y	
SE	HVC Bergbacken	565	20-563-015359-2004	0	0	0	0	Y	
SE	HVC Björnen	566	20-563-015358-2004	118	86	86	0	Y	
SE	HVC Haggården	567	20-563-015355-2004	0	10	10	0	Y	
SE	HVC Säters Sjukhus	568	20-563-015360-2004	1.139	1.220	1.220	0	Y	
SE	HVC Åsen	569	20-563-015366-2004	0	12	12	0	Y	
SE	Hällefors Värme AB P1	570	18-563-12432-2004	0	1	1	0	Y	
SE	Hällefors värme P6	571	18-563-012550-2004	0	0	0	0	Y	
SE	Hällefors Värme AB/PC 514	572	18-563-012431-2004	4.186	1.290	1.290	0	Y	
SE	Transportabel oljepanna TC 12	573	22-563-013761-2004	0	0	0	0	Y	
SE	Deponigaspannan Saltvikshöjden	574	22-563-013762-2004	0	0	0	0	Y	
SE	Ljungdala	576	12-563-43894-2004	19	43	43	0	Y	
SE	F4	577	23-563-10847-04	578	0	0	0	Y	
SE	Göviken	578	23-563-10849-04	526	0	0	0	Y	
SE	Körfältet	579	23-563-10845-04	78	18	18	0	Y	
SE	Odensala Östra	580	23-563-10846-04	5	4	4	0	Y	
SE	Torvalla	581	23-563-010848-2004	16	0	0	0	Y	

SE	Hetvattencentralen Ljungarum, HCLJ	583	06-563-01552-2004	0	0	0	0	Y	
SE	Hetvattencentral Ljungarums fördelningsstation	584	06-563-015553-2004	0	696	696	0	Y	
SE	Kraftvärmeverket Ryhov, KVVR	585	06-563-015564-2004	0	0	0	0	Y	
SE	Hetvattencentralen Liljeholmen, HCLH	586	06-563-015507-2004	37	0	0	0	Y	
SE	Hetvattencentralen Simsholmen, HCSH	587	06-563-015555-2004	0	111	111	0	Y	
SE	Kranen	588	18-563-013107-2004	213	0	0	0	Y	
SE	Transportabla panncentraler Heden	589	17-563-013693-2004	195	10	10	0	Y	
SE	Pilen	590	14-563-050632-2004	133	14	14	0	Y	
SE	Oljepanna 4	591	12-563-47106-2004	133	129	129	0	Y	
SE	PC Hembygdsgatan	592	12-563-47107-2004	0	0	0	0	Y	
SE	PC Melitta	593	12-563-47105-2004	326	0	0	0	Y	
SE	PC Tegelbruket	594	12-563-47110-2004	11	33	33	0	Y	
SE	Värmeverket	595	12-563-047103-2004	4.099	4.232	4.232	0	Y	
SE	HVC Orren	596	14-563-052367-2004	0	0	0	0	Y	
SE	Ullvi	597	19-563-10561-04	0	0	0	0	Y	
SE	PC Bulten	598	12-563-44523-2004	2.015	3.087	3.087	0	Y	
SE	PC Landsverk	599	12-563-44524-2004	780	1.228	1.228	0	Y	
SE	PC Ulriksdal	600	14-563-059645-2004	0	0	0	0	Y	

SE	HVC Frövi	601	18-563-010178-2004	144	101	101	0	Y	
SE	HVC Hagaberg	602	18-563-010179-2004	29	0	0	0	Y	
SE	HVC Vedeväg	603	18-563-010180-2004	197	29	29	0	Y	
SE	Reservcentral Ekebacken	604	07-563-005235-2004	6	5	5	0	Y	
SE	Reservcentral Gänget	605	07-563-005236-2004	44	32	32	0	Y	
SE	Reservcentral Lasarettet	606	07-563-005238-2004	4	3	3	0	Y	
SE	Reservcentral Mossen	607	07-563-005239-2004	4	0	0	0	Y	
SE	Reservcentral Solrosen	608	07-563-005240-2004	50	17	17	0	Y	
SE	Reservpanncentralen CTC	609	07-563-005241-2004	0	87	87	0	Y	
SE	Reservpanncentralen Uven	610	07-563-005234-2004	0	0	0	0	Y	
SE	HVC Östernäs	611	21-563-13539-2004	234	411	411	0	Y	
SE	Alnarps panncentral	612	12-563-47052-2004	893	893	893	0	Y	
SE	Lilltjärns PC	614	24-563-014777-2004	0	0	0	0	Y	
SE	Snickarens Panncentral	615	14-563-052309-2004	93	21	21	0	Y	
SE	Gryta gasmotor/gaspanna	616	19-563-13077-04	0	0	0	0	Y	
SE	Kungsängsverkets gaspanna	617	19-563-13078-04	0	0	0	0	Y	
SE	Astra Zenecas effektcentral	618	14-563-063687-2004	0	0	0	0	Y	
SE	Eklanda Östra effektcentral MPC 13	619	14-563-063686-2004	0	3	3	0	Y	

SE	PC Brandstation	620	14-563-063691-2004	0	32	32	0	Y	
SE	Stubberåkersgatans effektcentral MPC 15	621	14-563-063684-2004	0	28	28	0	Y	
SE	EC Brännäset	622	01-563-076167-2004	108	63	63	0	Y	
SE	EC Flygfältet	623	01-563-076172-2004	135	89	89	0	Y	
SE	EC Nordkap	624	01-563-076196-2004	862	119	119	0	Y	
SE	Hetvattencentral Svedjan	625	06-563-015120-2004	119	16	16	0	Y	
SE	Oljepannanläggning Lasarettet	626	06-563-015132-2004	18	3	3	0	Y	
SE	Oljepannanläggning Segheten	627	06-563-015131-2004	93	69	69	0	Y	
SE	Oljepannanläggning Västerhaga	628	06-563-015133-2004	148	69	69	0	Y	
SE	FP och OP	634	08-563-009667-2004	4.176	5.267	5.267	0	Y	
SE	PC Bomans Fanér	635	08-563-009672-2004	0	315	315	0	Y	
SE	PC Kristineberg	636	08-563-009665-2004	117	53	53	0	Y	
SE	PC Ratten	637	08-563-009673-2004	0	0	0	0	Y	
SE	PC Saft	638	08-563-009670-2004	0	0	0	0	Y	
SE	Hetvattencentral Sallerup	639	12-563-47087-2004	0	0	0	0	Y	
SE	Hjorthöjden	640	10-563-006196-2004	0	0	0	0	Y	
SE	Loket	641	10-563-006197-2004	0	0	0	0	Y	
SE	Värmeverket	642	20-563-009838-2004	374	278	278	0	Y	

SE	OP Videgatan	643	19-563-13098-04	60	0	0	0	Y	
SE	Diakonen	644	14-563-067497-2004	604	1.169	1.169	0	Y	
SE	Tjuren	645	14-563-067494-2004	288	198	198	0	Y	
SE	Kuggstången	646	24-563-009468-2004	654	236	236	0	Y	
SE	Lasarettet	647	24-563-009469-2004	0	468	468	0	Y	
SE	Skruben PC	648	24-563-009471-2004	716	524	524	0	Y	
SE	PC Nybygget	650	19-563-11597-04	219	3	3	0	Y	
SE	PC Enbärsvägen Surahammar	651	19-563-11594-04	0	0	0	0	Y	
SE	Värmeverk Surahammar	652	19-563-11596-04	8.508	6.823	6.823	0	Y	
SE	Hallsberg Söder hetvattencentral	653	18-563-011379-2004	2	11	11	0	Y	
SE	Hallsberg VME Hetvattencentral	654	18-563-011378-2004	0	0	0	0	Y	
SE	Stormyrens hetvattencentral	655	20-563-13519-2004	26	102	102	0	Y	
SE	Sörby Hetvattencentral	656	18-563-011382-2004	19	20	20	0	Y	
SE	Klöxhultsskolans panncentral	657	07-563-007917-2004	0	41	41	0	Y	
SE	Wallenstam panncentral	658	14-563-056196-2004	2.042	69	69	0	Y	
SE	Värnamo fjärrvärmeverk	659	06-563-015375-2004	0	0	0	0	Y	
SE	Cloetta HVC (HVC 45)	660	05-563-017183-2004	3.557	1.709	1.709	0	Y	
SE	FFV HVC (HVC 80)	661	05-563-017192-2004	52	27	27	0	Y	
SE	Kärna Brunn HVC	662	05-563-017185-2004	0	17	17	0	Y	

SE	Ljungsbro HVC (HVC 40)	663	05-563-18112-04	1.085	12	12	0	Y	
SE	Tierps Fjärrvärme AB Gasolanläggningen	664	03-563-013882-2004	1.219	966	966	0	Y	
SE	Tierps Fjärrvärme AB oljecentralen	665	03-563-012932-2004	72	36	36	0	Y	
SE	PC Vitsippan	666	06-563-012614-2004	0	0	0	0	Y	
SE	Kuröd	667	14-563-068391-2004	0	12	12	0	Y	
SE	Rosenhäll	668	14-563-068392-2004	0	0	0	0	Y	
SE	Skogslyckan	669	14-563-068394-2004	0	0	0	0	Y	
SE	Torp	670	14-563-068396-2004	0	11	11	0	Y	
SE	HVC vid Simhallen	672	14-563-062701-2004	383	102	102	0	Y	
SE	Okvista Värmeverk	673	01-563-071241-2004	0	0	0	0	Y	
SE	Vallentuna Värmeverk	674	01-563-071269-2004	2.177	179	179	0	Y	
SE	Panncentral vid sjukhuset i Varberg	675	13-563-007806-2004	4.289	2.256	2.256	0	Y	
SE	Bjuvs fjärrvärmecentral	676	12-563-41806-2004	3.596	3.194	3.194	0	Y	
SE	Centralskolan - Tidaholm	677	14-563-054459-2004	165	23	23	0	Y	
SE	Storfors Värmeverk	678	17-563-011612-2004	5.615	4.635	4.635	0	Y	
SE	Swedish Match - Tidaholm	679	14-563-052352-2004	960	492	492	0	Y	
SE	PC Lasarettet	680	06-563-012591-2004	977	175	175	0	Y	
SE	PC Lärkträdet	681	06-563-012593-2004	0	0	0	0	Y	

SE	PC Stocken	682	06-563-012596-2004	6	1	1	0	Y	
SE	PC Västerleden	683	06-563-012599-2004	56	12	12	0	Y	
SE	Blomgatan	684	08-563-009614-2004	320	154	154	0	Y	
SE	Tallholmen	685	08-563-009612-2004	0	486	486	0	Y	
SE	FVC2 Fårbo	688	19-563-11293-04	67	56	56	0	Y	
SE	FVC6 Lasarettets panncentral Fagersta	689	19-563-011297-2004	52	0	0	0	Y	
SE	LVC6 Högbergsskolan A	690	20-563-012945-2004	0	0	0	0	Y	
SE	LVC7 Högbergsskolan C	691	20-563-012946-2004	0	0	0	0	Y	
SE	Sandskogen	692	12-563-45318-2004	0	3.427	3.427	0	Y	
SE	Snibben	693	12-563-45321-2004	0	0	0	0	Y	
SE	Fjärrvärmecentral St Maria	695	12-563-46584-2004	0	0	0	0	Y	
SE	Fjärrvärmecentral Ättekulla	696	12-563-46585-2004	0	44	44	0	Y	
SE	Fjärrvärmecentral Ödåkra	697	00-563-000519-2004	0	1	1	0	Y	
SE	Säby Värmeverk	698	01-563-071235-2004	99	0	0	0	Y	
SE	Må deponigaspanna	699	22-563-014038-04	0	0	0	0	Y	
SE	Björknan Mönsterås Fjärrvärme	700	08-563-009945-2005	133	5	5	0	Y	
SE	Stolpen Mönsterås Fjärrvärme	701	08-563-009942-2005	0	0	0	0	Y	
SE	Stensö panncentral	702	01-563-018318-2005	963	63	63	0	Y	

SE	HVC 1 Fräsen	703	25-563-018644-2004	85	2	2	0	Y	
SE	Energicentralen	704	20-563-9471-2005	4.905	6.575	6.575	0	Y	
SE	PC Kungsmarken	705	10-563-006617-2005	New entrant	0	0	0	Y	
SE	Energicentral Kalmar Tech Park	706	08-563-009302-2005	New entrant	39	39	0	Y	
SE	Brännbo	7	01-563-071824-2004	2.300	x	0	x	N	
SE	Fagersjö	9	01-563-072145-2004	2.494	x	0	x	N	
SE	Ätten	17	01-563-071937-2004	1.565	x	0	x	N	
SE	Norrbacka	30	01-563-071817-2004	235	x	0	x	N	
SE	Länssjukhuset i Kalmar	167	08-563-000866-2005	0	x	0	x	N	
SE	Universitetssjukhus et i Örebro	179	18-563-013353-2004	0	x	0	x	N	
SE	Boliden Bergsöe AB	206	12-563-047765-2004	46.876	x	47.765	x	N	
SE	P-C Lönnen	218	14-563-047993-2004	4.873	x	1.948	x	N	
SE	Värmecentralen P4	219	14-563-047989-2004	3.763	x	1.760	x	N	
SE	Ryda Beredningsverk	359	14-563-058635-2004	15.264	x	8.394	x	N	
SE	Skinnskatteberg Sägverk	394	19-563-013139-2004	693	x	0	x	N	
SE	Örebro Kartongbruk, P6	427	18-563-011991-2004	38.078	x	4.022	x	N	
SE	Eksjö Industri AB	547	06-563-011984-2004	0	x	0	x	N	
SE	Garnisonen	575	00-563-000594-2004	1.667	x	0	x	N	
SE	Hetvattencentralen Dalvik, HCDA	582	06-563-015509-2004	0	x	5	x	N	

SE	Återbruket	613	12-563-047049-2004	3.714	x	6.950	x	N		
SE	Nacksta industriområde	649	22-563-014217-2004	0	x	0	x	N		
SE	Skansverket	671	14-563-069237-2004	0	x	0	x	N		
SE	Skrubbs (Panna 2)	686	09-563-5402-04	0	x	0	x	N		
SE	Österby (panna 1)	687	09-563-5401-04	0	x	0	x	N		
SE	Krongårdens värmeverk	288	14-563-052663-2004	24	x	0	x	N	e) Non-compliance maybe due to registry malfunction	
SE	Lextorps värmeverk	289	14-563-052662-2004	297	x	21	x	N	e) Non-compliance maybe due to registry malfunction	
SE	Stallbacka värmeverk	290	14-563-052661-2004	2.290	x	2.653	x	N	e) Non-compliance maybe due to registry malfunction	
SE	Celsius Fastigheter AB	294	12-563-48925-2004	2.721	x	1.716	x	N	e) Non-compliance maybe due to registry malfunction	
SE	Stenungsunds Energi och Miljö AB	376	14-563-067034-2004	3.493		847	0	-847	N	e) Non-compliance maybe due to registry malfunction
SE	Göteborgs Raffinaderiet	423	14-563-053874-2004	25.725		28.862	0	-28.862	N	e) Non-compliance maybe due to registry malfunction
SE	Agrasjö Panncentral	629	10-563-006109-2004	0	x	0	x		N	e) Non-compliance maybe due to registry malfunction
SE	Ekerydsplan panncentral	630	10-563-006104-2004	516	x	11	x		N	e) Non-compliance maybe due to registry malfunction
SE	Jämshögs Panncentral	631	10-563-006107-2004	768	x	0	x		N	e) Non-compliance maybe due to registry malfunction

SE	Larsgården Panncentral	632	10-563- 006106-2004	876	x	274	x	N	e) Non-compliance maybe due to registry malfunction
SE	Vilbokens Panncentral	633	10-563- 006108-2004	1.003	x	338	x	N	e) Non-compliance maybe due to registry malfunction
SE Total				Allocated allowances for	Verified emissions	Surrendered Units	Undersurre nders		
				22.278.067	19.306.761	19.381.553	-29.709		
Installations without verified emissions		29							
Installations without sufficient quantity of allowances surrendered		2							
Total no of installations not in compliance		31							

Installations that have not opened their account

Country Code	Installation Name ID	Installation ID	Permit ID	Allocated allowa	Verified emissions	Surrendered Units	Undersurre nders	Compliance status	COMMENTS
SE	PC Kungsmarken	694	10-563-006617	2308					